



RFQ Reference: RFQ/058/22 – animal husbandry and fish farming	Date: 19 September 2022
---	-------------------------

REQUEST FOR QUOTATION (RFQ)

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

Annex 4: Check-list for Bidder

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

UNDP Uzbekistan

SECTION 2: RFQ INSTRUCTIONS AND DATA

1	Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
2	Deadline for the Submission of Quotation	<p>No later than 18:00 (GMT+5) Tashkent time on October 3, 2022</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p>
3	Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input type="checkbox"/> E-tendering</p> <p><input checked="" type="checkbox"/> Dedicated Email Address Bids.uz@undp.org</p> <p><input checked="" type="checkbox"/> Courier / Hand delivery</p> <p>You can deliver your proposal physically in a sealed envelope or by post by courier to the address below:</p> <p>United Nations Development Program (UNDP) Republic of Uzbekistan, 100029, Tashkent, st. Taras Shevchenko, 4</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> <p>Bid submission address: Bids.uz@undp.org</p> <ul style="list-style-type: none"> ▪ File Format: pdf ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 20 Mb ▪ Mandatory subject of email: RFQ/058/22 ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y”. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. ▪ The bidder should receive an email acknowledging email receipt.
4	Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
5	Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP’s Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_andinvestigation.html#anti</p>
6	Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>

7	Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
8	General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC: <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
9	Special Conditions of Contract	<p><input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 days</p>
10	Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
11	Currency of Quotation	<p>Quotations shall be quoted in</p> <p><input checked="" type="checkbox"/> Foreign companies : in USD or in EUR.</p> <p><input checked="" type="checkbox"/> Local companies registered in Republic of Uzbekistan: in Uzbek soums (UZS).</p>
12	Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
13	Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <ul style="list-style-type: none"> a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
14	Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p>

		<input checked="" type="checkbox"/> be inclusive of VAT for companies registered in Uzbekistan as VAT payers <input checked="" type="checkbox"/> be exclusive of VAT for foreign companies not registered in Uzbekistan
15	Language of quotation	<input checked="" type="checkbox"/> English; or <input checked="" type="checkbox"/> Russian Including documentation including catalogues, instructions and operating manuals.
16	Documents to be submitted	Bidders shall include the following documents in their quotation: <input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed <input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1 <input checked="" type="checkbox"/> Company Profile. <input checked="" type="checkbox"/> Registration certificate; <input checked="" type="checkbox"/> List and value of projects performed for the last 3 (three) years plus client's contact details who may be contacted for further information on those contracts; <input checked="" type="checkbox"/> List and value of ongoing Projects with UNDP and other national/multi-national organization with contact details of clients and current completion ratio of each ongoing project; <input checked="" type="checkbox"/> Statement of satisfactory Performance (Certificates) from the top 3 (three) clients in terms of Contract value in similar field; <input type="checkbox"/> Completed and signed CVs for the proposed key Personnel; <input type="checkbox"/> Other Click or tap here to enter text.
17	Quotation validity period	Quotations shall remain valid for 60 (sixty) calendar days from the deadline for the Submission of Quotation.
18	Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
19	Partial Quotes	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted Lots based
20	Alternative Quotes	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ requirements is submitted. Where the conditions for its acceptance are met, or justifications are clearly established, Click or tap here to enter text. reserves the right to award a contract based on an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and "Alternative Quote"
21	Payment Terms	<input checked="" type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation. - For local suppliers in Uzbek soums (registered in Uzbekistan) - For foreign suppliers in USD or EURO (registered outside Uzbekistan) <input type="checkbox"/> Other Click or tap here to enter text.
22	Conditions for Release of Payment	<input checked="" type="checkbox"/> Passing Inspection [specify method, if possible] Complete Installation <input type="checkbox"/> Passing all Testing [specify standard, if possible] <input type="checkbox"/> Completion of Training on Operation and Maintenance [specify no. of trainees, and location of training, if possible] <input checked="" type="checkbox"/> Written Acceptance of Goods, Services and Works, based on full compliance with RFQ requirements <input type="checkbox"/> Others [pls. specify]
23	Contact Person for correspondence, notifications and clarifications	E-mail address: pu.uz@undp.org Attention: Quotations shall not be submitted to this address but to the address for quotation submission above. Otherwise, offer shall be disqualified. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
24	Clarifications	Requests for clarification from bidders will not be accepted any later than 3 (three) working days before the submission deadline. Responses to request for clarification will be communicated during 2 (two) working days by pu.uz@undp.org
25	Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer <input type="checkbox"/> Other Click or tap here to enter text.
26	Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Comprehensiveness of after-sales services <input checked="" type="checkbox"/> Earliest Delivery <input type="checkbox"/> Others Click or tap here to enter text.

27	Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
28	Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%)of the total offer, without any change in the unit price or other terms and conditions.
29	Type of Contract to be awarded	<input checked="" type="checkbox"/> Purchase Order
30	Expected date for contract award.	25 October 2022
31	Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
32	Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
33	UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.
34	Additional requirement for Construction Bids	<input type="checkbox"/> All work must work in accordance with the requirements for health, safety and environmental protection of the Republic of Uzbekistan <input type="checkbox"/> All work must be in accordance with construction codes and norms of the Republic of Uzbekistan <input type="checkbox"/> The following materials are prohibited, prohibited materials are not limited to the following: - Asbestos or materials, asbestos - Polychlorinated biphenyls (PCBs) - Mercury and mercury compounds - Cadmium and cadmium compositions - Lead compositions - Stainless steel materials with radioactive contamination. <input type="checkbox"/> The contractor is responsible for the disposal of all waste in accordance with the legislation of the Republic of Uzbekistan
35	Additional requirement for Environmental protection	<input type="checkbox"/> Suppliers must offer products with the lowest greenhouse and carbon dioxide emissions

ANNEX 1. SCHEDULE REQUIREMENTS

ANNEX 1.1.: TECHNICAL REQUIREMENTS

MODERNIZATION OF SCIENTIFIC LABORATORIES AND STRENGTHENING OF THE SCIENTIFIC AND TECHNICAL BASE OF THE RESEARCH INSTITUTE FOR ANIMAL HUSBANDRY AND FISH FARMING

Important Note: Any manufacturer's names, trade names, brand names or catalogue numbers used in the specifications are for the purpose of describing and establishing general performance and quality levels. Such references are not intended to be restrictive. Offers are invited on these and comparable brands or products provided the quality of the proposed products meet or exceed the quality of the specifications listed for any item.

LOT 1 - ANIMAL HUSBANDRY PRODUCTS

LOT 1 - ANIMAL HUSBANDRY PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
1	Sheep feed mixer Model 9JL-8 or Equivalent General ration feed mixer with concentrated feed, mixes roughage like silage, straw and alfalfa along with minerals, vitamins and other ration additives	Active speed <input type="checkbox"/>	17.5 ~ 22.8 rpm	1
		Mixing chamber volume not less than	8 cubic meters	
		Design dimensions within	4400x2360x2560mm	
		Maintains power within	22KW/40PS	
		input/output speed within	1470/540 rpm	
		blade shape	Toothed sector (Serrated sector)	
		Number of blades not less than	6 items	
2	Veterinary Ultrasonic Scanner for work both in a veterinary clinic and on the road. Designed for: research in sheep breeding. An ultrasound scanner with a sector or convex sensor allows you to detect the pregnancy of animals from the 25th day. Pregnancy is detected by abdominal examination (through the wall of the abdominal cavity). In meat sheep breeding, it allows you to determine the thickness of subcutaneous fat and the degree of muscle development (meat eye area). Research is carried out using a linear sensor in the back or sacrum.	Scan modes:	Convex /linear/ microconvex	1
		Operating modes:	B, B+B, B+M, M, 4B	
		Scan depth:	up to 250 mm	
		Gray scale:	256 colors	
		Cine loop :	400 frames	
		Inner memory:	32 frames	
		R20 Micro Convex Probe and L40 Linear Probe		
		Simple GUI, 8-band Depth Gain Control (TGC)		
		Tissue Harmonic Mode (THI)		
		Local zoom:	2x, real time and freeze mode	
		Measurements:	distance, area, volume, heart rate	
		Download images to a personal computer in real time via USB 2.0 port		
		Image conversion	up/down, right/left, invert	
		Gamma correction, histogram building, image processing		
		RH measurements:	Sheep GA	
		Marks on the body	40	
		Comments:		
		date/time, name, gender, age, notes		
		Automatic report generation		
		Puncture route		
		Ports:	Video PAL-D, USB 2.0.	
		Backlit keyboard		
Sensor connectors: 2. 9.5" TFT LCD screen				
Includes transducers, trolley, biopsy tips				
User manual, passport and certificate				

LOT 1 - ANIMAL HUSBANDRY PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
3	Flexible feeders for sheep Model YL-250 or equivalent (plastic and rubber) Designed for feeding sheep, goats and other animals	The edge thickness of rotationally molded products can reach more than	5 mm	100
		Size of automatic feeders within	195*30*18cm	
		Automatic livestock feeders are multifunctional, can feed and drink		
		Can be filled with foam to achieve thermal insulation		
		Passport, certificate of conformity		
4	Scales for weighing sheep. Designed for: weighing animals is constantly used not only on farms, but also in veterinary hospitals, agricultural enterprises, meat processing plants, slaughter shops.	Scales for animals with a hanging cage on wheels VP-S 100 kg. A structure that includes a platform, sensors, a device that determines the weight, a fence that prevents animals from leaving the site during weighing. Protection against moisture and dust, high limit of the main indicator, not distinguished by small sizes.		1
		Cattle are weighed during breeding, so they control the health of animals, change the selected diet, determine the mass and before buying or vice versa selling.		
5	Electronic ear tag for sheep, microchip, passive low-frequency tags for animals with QR-code . Model: LDI-7857A or equivalent Used to track and identify sheep	The material is plastic (polyurethane) or metal TPU, the upper material is soft, environmentally friendly and non-toxic		1000
		Reading range powerful reader	1-3 m	
		Data storage	5 years	
		Stud Earrings	Dia29 × 24.4mm/Dia1.15 × 0.96 inch (Item No.: stud248)	
		Working temperature	-30°C~+85°C	
		Operating Humidity	20% ~ 90%	
		Physical parameters: Color yellow, size: 78mm*57mm*15mm/3.07*2.24*0.59in (L×W×T)		
Accompanying documents (passport, certificate, operation manual)				
6	VESSEL DEWAR ModelRTplus 6-50 or equivalent Designed for use as containers for storage and transportation of liquid nitrogen and biomaterials.	The useful volume of the device is not less than	6 liters	150
		Hole diameter not less than	50 mm	
		Weight in redistributions	4-5 kg	
		Vessel filled weight	10-11 kg	
		The time of complete evaporation of liquid nitrogen -	60 days	
		Passport, certificate, operation manual		
7	Veterinary Haematology Blood Analyzer Model Mindray BC-2800 Vet or equivalent Designed for analysis of blood cells in animals in the laboratory. Determines 19 parameters with differentiation of leukocytes into 3 subpopulations and builds distribution histograms.	starter kit - mini-pack (diluent , lyse solution, wash solution) for 250 tests		1
		cleaning solution	100 ml	
		Bandwidth	thirty	
		The number of reagents required for work	5	
		Volume of whole blood sample required for analysis	13 µl	
		predilution	20 µl	
		Automatic dilution of blood inside the device		
		Large color LCD display with tabular and graphical information (histograms)		
		Reagent block accessories , power cable, earth cable, thermal paper.		
		Passport, certificate, operation manual		

LOT 1 - ANIMAL HUSBANDRY PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
8	<p>Gastroduodenoscopy biopsy fiber optic sealed ModelGDB-VO-G-30 (9.5) - "LOMO" or equivalent Designed for diagnostic study of the organs of the upper digestive tract in animals suffering from stenosis (examination, biopsy taking under visual control for cytological and histological studies, endosurgical interventions using endosurgical and electro-surgical instruments, administration of medicinal solutions) in cattle in the gastrointestinal tract</p>	Drilling rig:		1
		Working part:		
		Tube diameter	9.5 mm	
		length	1045 mm	
		endoscope length	1375 mm	
		angle of view	1200	
		Working distance range		
		depth of field	from 3 to 100mm	
		tool channel diameter	2.8 mm	
		minimum visible distance of the instrument from the distal end in the field of view of the endoscope	3 mm	
		bending angle of the distal end: up 2100, down 900, right 1050, left 1050		
		Scope of delivery of accessories		
		Adapter	1 piece	
		eyepiece ring		
		eyecup		
		instrument insertion valve	10 pcs	
		cap on the distal end		
		mouthpiece	5 pcs	
		plug for eyepiece		
		lid with tag		
		Leak detector with pressure gauge		
		stock		
		irrigator of all channels	ultrasonic channel filling device	
		brush for cleaning the instrument channel	suction systems long	
		canal brush for flexible endoscopes	2.8 mm	
		Accessory kit for automatic water supply		
		tub with hose		
		ring	2 pcs	
ring for water-air valve	3 pcs			
Ensures complete immersion in disinfectant solution				
Provides a special connector (grounding) on the endoscope for working with an electro-surgical instrument				
Lab Guide, Installation Passport and Certificate				
9	<p>Veterinary pulse oximeter Model BP-12C ,Biocare or equivalent Designed for non-invasive measurement of arterial blood saturation with oxygen, as well as pulse rate. Diagnostics, surgery and therapy</p>	High resolution LCD display SpO2, PR, Pulse, PI and Photoplethysmogram		2
		Data storage up to 70 hours (data recording every 1/2/4/8 seconds)		
		Lingual veterinary probe with two clip sizes Real-time storage and recall of SpO2 and pulse rate memory		
		Alarms: Audio and Visual		
		Battery low voltage indication, automatic shutdown when no signal		
		Over 40 hours of battery life		
		Data can be downloaded to PC		
		PC software, adapter		
		Passport, certificate, operation manual		

LOT 1 - ANIMAL HUSBANDRY PRODUCTS

No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
10	<p align="center">Hemoglobinometer Model MiniGEM+ Technomedica or equivalent Designed for diagnostics, therapy</p>	Optical density range	from 0 to 0.9 B	1
		blood hemoglobin concentration	from 0 to 360 g/l	
		Total error no more	2%	
		The number of digits of the decimal code on the digital display	3	
		Limits of permissible error of optical density	±0.01 B - in the range from 0 to 0.3 B.	
			±5% - in the range from 0.3 to 0.9 B	
		The limit of permissible deviation (RMS) of the measurement error component is equal to	0.01 B	
		The time for establishing indications until the result appears on the indicator board does not exceed	2 s	
		Sample volume for photometry	not less than 1 ml and not more than 4 ml	
		Cuvette optical path length	10±0.1mm	
		Power supply of the device from the alternating current mains	220V 50Hz	
		Number of measurement cycles when powered by one set of batteries	at least 1000000	
		MTBF	at least 100,000 measurement cycles	
		Economical electronic circuit, battery life from one year to 4 years (during the entire battery life) without replacing batteries		
		Passport, certificate, operation manual		
11	<p align="center">Ionomer Model I-160MI or equivalent Designed for direct and indirect potentiometric measurement of the activity of hydrogen ions (pH), activity and concentration of other monovalent and divalent anions and cations (pX), redox potentials (Eh) and temperature in aqueous solutions with the presentation of results in digital form and in the form of analog DC voltage signal. Setting - one to five solutions</p>	pX measuring range	- 20,000.. 20,000	1
		discreteness	0.001	
		transducer error	±0.014(lon±1), ±0.028(lon±2), ±0.05	
		pH measuring range	- 1,000.. 14,000	
		discreteness	0.001	
		transducer error	±0.014	
		instrument error	±0.03	
		Measuring range Eh (EMF)	- 3000.0.. 3000.0 mV	
		discreteness	0.1	
		transducer error	±0.7	
		Measuring range cX	10-6 .. 100* g/l	
		discreteness	automatically	
		transducer error	Univalent ±2.5% Bivalent ±5%	
		Measuring range T	-20, 0...150.0°C	
		discreteness	0.1	
		transducer error	±0.5	
		instrument error	±0.5	
		Digital output	C2 (RS-232C)	
		output voltage error	±0.25%	
		graphic LCD display		
		food	220 V with a frequency of 50-60 Hz	
		Delivery set, devices for measurements:		
		Converter	I-160 MI	
		Thermal sensor	TDL-1000-06	
pH electrode	ES-10603/7			
Reference electrode	ESr-10103			
Tripod	SHU-05			
AC adapter and form				
Passport, certificate, operation manual				

LOT 1 - ANIMAL HUSBANDRY PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
12	<p>Biological microscope Model Micromed 3 or equivalent Designed for observation and morphological studies of preparations in transmitted light using the method of light and dark fields, phase contrast, for diagnostic studies in veterinary clinics, as well as for educational purposes in educational institutions. On a microscope, you can study stained and unpainted objects in the form of smears and sections. The microscope is designed for the length of the tube "infinity", the objectives of the DIN standard, the parfocal height of the objectives is 45mm.</p>	Microscope magnification, times	40 - 1000 (1600*/2000* - option)	1
		Visual Adjustment	trinocular, diopter +5 diopter on the left tube	
		eyepiece bore diameter	30 mm	
		Angle of inclination of the visual attachment	30 deg	
		Adjustable interpupillary distance within	48- 75 mm	
		Eyepieceswide-field with remote pupil	10/22; (5/18*; 12.5/15*; 16/16*; 20/12* - option)	
		Type of correction of lenses of the chromate plan, designed for the length of the tube "infinity"		
		Revolving deviceon the	5 lenses	
		Lenses	4x/0.1; 10x/0.25; 40x/0.65; 100x/1.25 mi (20x/0.4*; 60x/0.85* optional)	
		Stage table without protruding racks	190x160mm	
		Range of movement of the drug	65 x 45 mm (with marking on the table 80x60	
		Range of movement of the table in height	mm20	
		Centered condenser	Abbe	
		max. numerical aperture	янв.25	
		Light source	halogen lamp 12 V / 20 W	
		AC power supply	220 V, 22/50 Hz	
		Passport, certificate, operation manual		
13	<p>Automatic ELISA analyzer ChemWell model or equivalent Designed for laboratory diagnostics by enzyme-linked immunosorbent assay (ELISA), which is based on the immune reaction of an antigen with an antibody. High specificity and sensitivity, information content and wide availability, the possibility of using it as an express analysis have made hormone diagnostics one of the most important examination methods.</p>	Performance	200 tests/hour	1
		Wavelength	340, 405, 450, 492, 545, 600, 630, and 700 nm	
		Photometric range	0.00 - 3.00 optical density units (A)	
		Permission	0.005 optical density units (A)	
		Photometric module	4 channel	
		Number of samples	96	
		Number of reagents	40	
		Minimum dosing volume	2.50 µl, accuracy: <1%	
		Maximum dosing volume	1.95 ml, accuracy: <1%	
		reaction volume	less than 200 µl	
		Rinsing water quantity	~ 2 l/hour	
		8-channel flushing head, automatic flushing		
		Ability to perform biochemical tests		
		Passport, certificate, operation manual		

LOT 2 - FISH FARMING PRODUCTS

LOT 2 - FISH FARMING PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
1	Digital pH Meter, Model BANTE 210 or equivalent pH meter Designed to measure water quality	pH measuring range	-1.00 to 15.00 pH	1
		accuracy	+/-0.01pH	
		discreteness	0.01pH	
		temperature measuring range	0-105 ^{about} C	
		Point calibration	1,2 or 3	
		LCD display for simultaneous display of pH / mV , temperature and all related parameters	135x75mm	
		Passport, certificate, operation manual		
2	UV bactericidal chambers Model KB -02-"I"-FP "Ultra-Light" or equivalent Designed for sterilization and disinfection of instruments, storage of sterile medical instruments KB-02 1 -FP under the influence of a UV lamp for up to seven days.	Capacity	80L	1
		Source germicidal lamp	15W	
		Irradiation at a wavelength of 253.7 nm	from the UV source to the geometric center of the chamber grid, not less than 10.0 W/m ²	
		Time of continuous work	at least 168 hours	
		MTBF	at least 1500 hours	
		Energy consumption	220V+/-10%, 50Hz	
		The chamber has a metal grid for placing the tool, which can withstand a uniformly distributed load of not more than 100 N. The chamber consists of: a metal case with a tempered glass door that does not allow UV radiation to escape from the chamber; metal grid for laying sterile instruments;		
		lighting part (bactericidal lamp 15 W, ballasts, control and indication unit), which allows you to set a timer, signal the storage time of items.		
		The metal grid at the bottom of the chamber allows only horizontal placement of the instrument. Due to its compact design, the camera can be easily placed in almost any room of medical institutions, beauty salons and dental offices.		
Passport, certificate, operation manual				
3	Analytical scale model Model CY224 C ACZET Pyt . Ltd or equivalent Designed for more accurate weighing of the mass of substances and bodies (for calculating the biomass of hydrobionts)	Upper limit of measuring range	200 g	1
		discreteness	01 mg	
		internal calibration	four dots	
		Sensor type	monoblock	
		Cup size	90 mm	
		Reproducibility	+/-0.1mg	
		Linearity	+02mg	
		Liquid backlit crystal display. Built-in calibration, I special accuracy class, MONOTECH sensor, LCD display with backlight, metal case, hook under the balance, protective cover, RS232 interface, data transfer without drivers to Windows applications		
Passport, certificate, operation manual				
4	Stereomicroscope trinocular Model NSZ-405 (with HDCE-X5) or equivalent Designed for more accurate weighing of the mass of substances and bodies, i.e. to calculate the biomass of hydrobionts.	Camera	at 5 MP	1
		tilt angle	45°	
		Eyepiece	EW10x/Φ20 with diopter adjustment	
		Lens magnification	1x-4.5x with variable magnification	
		Scale factor	1:4.5	
		Working distance	97mm	
		ZOOM lens	1 * 4.5 with variable ZOOM	
		Working distance	97 mm	
		Illuminator LED illuminator for transmitted and reflected light		
		Passport, certificate, operation manual		

LOT 2 - FISH FARMING PRODUCTS					
No.	Name/	Characteristics		Quantity, pcs	
		Description	Index		
5	Binocular digital microscope with monitor Designed for ichthyopathological research Model NLCD-370 or equivalent	Built-in CMOS chip	at 5 MP	1	
		Binocular head, tilt angle	30°		
		interpupillary distance	52-75mm		
		wide field eyepiece	WF10x/18		
		Revolving device	for 4 lenses		
		Coaxial screws for fine and coarse focusing with a range of movement	20 mm		
		9.7" touch LCD monitor-tablet with Android OS and			
		built-in mini-software for working with a microscope.			
		Control can be carried out not only by touch, but also using the keyboard or mouse (not included), so it can be used as a small computer. Semi-planned achromatic objectives, optical system. Condenser Abbe NA 1,25.. S-LED lighting, dimmable. Output: USB 2.0., Mini HDMI, 3.5mm headphone jack. Software: S-EYE. WiFi , Bluetooth.			
		Passport, certificate, operation manual			
		6	Laboratory freezer Model DW -FL90 Meling Created for storage of biomaterials, freezing and safe storage at negative temperatures of reagents, medicines, biological, pharmaceutical or chemical substances and preparations.		Temperature range
type of installation	Floor				
Capacity	90 L				
High standards of quality, reliability and hygiene. Provide laboratory ichthyological, ichthyopathological and histological studies					
Passport, certificate, operation manual					

LOT 2 - FISH FARMING PRODUCTS				
No.	Name/	Characteristics		Quantity, pcs
		Description	Index	
7	Solar water heaters Designed for heating water in RAS. Model IL-5824 or equivalent	Tank volume	200 liters - 1 piece	12
		Metal carcass	1 set	
		glass flasks	24 pcs	
		Footprint	3m ²	
		Water heating temperature:		
		In winter	+20...+50	
		During the summer	+80...+95	
		Internal storage tank:	Food grade stainless steel 1.2mm 2.0m SUS304-2B	
		Heat exchange coil:	Single copper (stainless steel) coil, PH12x1.0mm (PH16x1.0mm; PH22x1.0mm)	
		Outer shell tank:	High quality white steel coated 0.5mm Color	
		Insulation tank:	High Density Polyurethane Embedded Foaming With Past Heat Preservation	
		Lamp:	Three-purpose vacuum tube, antifreeze heat pipe, aluminum fin and heat-resisting silicon seals	
		Collector:	Red copper header, 2mm aluminum alloy shell, high density rockwool and PU foam insulation	
		Solar pumping station:	SP10 pumping station, Wilo circulation pump, high pressure expansion tank 18L	
		Manifold Bracket:	1.8 aluminum alloy, universal bracket suitable for sump / flat roof or wall mounting	
		Fitting:	Electrical heater, magnesium anode, T/P valve, check valve	
Rated working pressure:	6.0 bar			

		Antifreeze Weather:	> - 41 ° C	
8	Combined filter for RAS Designed for purification and disinfection of water in RAS Model ZH-PF 30 or equivalent	Dimensions L x W x H:	1900 x 980 x 980 mm	2
		Dimensions L x W x H:	1900 x 980 x 980 mm	
		Screen grid size:	120 microns	
		Max Flow:	100,000 liters	
		Maximum pond capacity:	200,000 liters	
		Maximum capacity of carp pond:	10,000 liters	
		Enter exit:	110 mm	
		Flushing pump:	internal stainless steel 5 bar	
		UVC Inline Block:	40 W	
		Carpets with air tubes:	3x50x300	

ANNEX 1.2.: DELIVERY REQUIREMENTS

1. Delivery date and time	Bidder shall deliver the goods during 60 calendar days after Contract signature.
2. Delivery Terms(INCOTERMS 2020)	CIP Tashkent, Uzbekistan
3. Customs clearance (must be linked to INCOTERM 2022)	<input checked="" type="checkbox"/> UNDP
4. Exact Address(es) of Delivery Location(s)	United Nations Development Program (UNDP) Republic of Uzbekistan, 100029, Tashkent, st. Taras Shevchenko, 4
5. Distribution of shipping documents (if using freight forwarder)	Shipping documents shall be cleared by UNDP authorized representative before the dispatch
6. Packing Requirements	Manufacturer/supplier standard packaging
7. Training on Operations and Maintenance	N/A
8. Warranty Period	The warranty period is a minimum 1 (one) year. The Vendor shall cover the warranty on delivered goods for 1 (one) year. Within the warranty period, the Vendor will repair or replace without cost to UNDP any product or parts to be defective covered by the warranty period with Vendor's finds. In case of Goods that require ongoing or ad-hoc maintenance or repair, the selected vendor shall confirm response to callouts for any maintenance or repair within 7 business days. The warranty period should start from the moment of the signing of acceptance report and transfer of goods to end user on "turn-key" basis. Bidders are required to clearly state the Original Equipment Manufacturer (OEM) warranty period from the date of acceptance and the related terms and conditions of the offer.
9. After-sales service and local service support requirements	Elimination of inconsistencies and comments during the warranty period, including delivery and replacement; replacement with a new product if previously supplied does not meet Specification or is not repairable. The vendor shall provide after-sales support under the warranty, which may include any ongoing repair/maintenance, upgrades at no charge and guarantee the workmanship and parts for a period of 14 days.
10. Preferred Mode of Transport	Any: land; air

ANNEX 1.3. Technical Evaluation Criteria

IMPORTANT NOTE TO BIDDERS: The Bidder must complete and sign the criteria specified below. All requested supporting documentation that verifies the claims must also be attached to the offer. Bidder shall provide reference page number of their supporting document to each criterion specified in Table below.

Minimum Mandatory Requirements	Supporting documents, if applicable, Bidder to specify page number where information can be found on their offer. Bidder can add other comment here or in additional page	Compliant	
		YES	NO
1. The Bidder has read and fully understood all Sections of the RFQ instructions and data, data and requirement, Technical and Delivery Requirements.		<input type="checkbox"/>	<input type="checkbox"/>
2. Bidder possesses all relevant certifications/licenses/registrations in line with local laws and regulations. Legal entity certificate from the relevant authority (Enclose a copy).		<input type="checkbox"/>	<input type="checkbox"/>
3. Bidder avails professional experience of organization in implementation of similar goods indicated in Terms of RFQ Reference. Please provide at least three positive reference letters. (Enclose a copies)		<input type="checkbox"/>	<input type="checkbox"/>
4. Bidder has at least three years of professional experience for provision of similar goods. Please provide one-page executive summary, background, credits, similar experience relevant to this requirement of the company's background.		<input type="checkbox"/>	<input type="checkbox"/>
5. Bidder has a minimum of 3 purchase orders/contracts awarded for similar goods. Please, enclose copies of purchase orders/contracts and contact addresses (e-mail) of clients whom the Bidder delivered similar goods.		<input type="checkbox"/>	<input type="checkbox"/>
6. Bidder confirms availability of a minimum 12-months factory warranty for the offered goods, indicating the legal address of the local representative for service as per Annex 1.2. Delivery Requirements and After-Sales Requirements as defined in requirements no. 9 in Annex 1.2. page#9;		<input type="checkbox"/>	<input type="checkbox"/>
7. Latest Expected Delivery Date and Time <i>(if delivery time exceeds this, quote maybe rejected by UNDP): not later than 60 calendar days</i> as defined in requirements no. 1 in Annex 1.2. page #8 from the issuance of the Purchase Order (PO) and signature by both parties		<input type="checkbox"/>	<input type="checkbox"/>
8. A statement whether any import or export licenses are required in respect of the goods to be purchased including any restrictions on the country of origin, use/dual use nature of goods or services, including and disposition to end users		<input type="checkbox"/>	<input type="checkbox"/>
9. Period of Validity of Quotes 60 calendar days as defined in requirements no. 17 in Section 2. Page#5 starting the Submission Date: Please note that prices cannot be changed once the quotation has been submitted. The price shall remain <u>fixed</u> for the entire period of the Contract and shall include all costs, expenses, charges or fees that the Bidder may incur in connection with this requirement		<input type="checkbox"/>	<input type="checkbox"/>
10. The standard UN terms of payment are net 30 calendar days after goods delivery as defined in requirements no. 21 in Section 2. Page#5, following satisfactory delivery of goods and submission of an invoice, whichever is later. Payment for goods by the UN will not be deemed an acceptance of the goods.		<input type="checkbox"/>	<input type="checkbox"/>
11. Delivery Term (INCOTERMS) CIP TASHKENT as defined in requirements no. 2 in Annex 1.2. page#8		<input type="checkbox"/>	<input type="checkbox"/>

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ/058/22 – animal husbandry and fish farming	Date:

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No

Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Bank Information	Bank Name: Click or tap here to enter text. Bank Address:Click or tap here to enter text. IBAN:Click or tap here to enter text. SWIFT/BIC:Click or tap here to enter text. Account Currency:Click or tap here to enter text. Bank Account Number:Click or tap here to enter text.			
Previous relevant experience: 3 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and wehave read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and wecertify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ/058/22 – animal husbandry and fish farming	Date: Click or tap to enter a date.

ANNEX 3.1. FINANCIAL OFFER-GOODS

LOT 1 - ANIMAL HUSBANDRY PRODUCTS

Currency of the Quotation:		Specify offer currency: Uzbek Soums/USD or EURO						
INCOTERMS:		CIP TASHKENT, UZBEKISTAN						
Item No	Description	UOM	Qty	Model	Warranty period	Manufacturer	Unit price without VAT	Total price without VAT
1	Sheep feed mixer Model 9JL-8 or Equivalent (please specify if different model proposed)	pc	1					
2	Veterinary Ultrasonic Scanner (as per technical parameters specified in Annex 1.1)	pc	1					
3	Flexible feeders for sheep Model YL-250 or equivalent (please specify if different model proposed)	pcs	100					
4	Scales for weighing sheep (as per technical parameters specified in Annex 1.1)	pc	1					
5	Electronic ear tag for sheep, microchip, passive low-frequency tags for animals with QR-code. Model: LDI-7857A or equivalent (please specify if different model proposed)	pcs	1000					
6	VESSEL DEWAR Model: RTplus 6-50 or equivalent (please specify if different model proposed)	pcs	150					
7	Veterinary hematology blood analyzer Model Mindray BC-2800 Vet or equivalent (please specify if different model proposed)	pc	1					
8	Gastroduodenoscopy biopsy-fiber optic sealed Model GDB-VO-G-30 (9.5) - "LOMO" or equivalent (please specify if different model proposed)	pc	1					
9	Veterinary pulse oximeter Model BP-12C , Biocare or equivalent (please specify if different model proposed)	pc	2					
10	Hemoglobinometer Model MiniGEM+ Technomedica or equivalent Designed for diagnostics, therapy (please specify if different model proposed)	pc	1					
11	Ionomer Model I -160MI or equivalent (please specify if different model proposed)	pc	1					
12	Biological Microscope Model Micromed 3 or equivalent (please specify if different model proposed)	pc	1					

13	Automatic ELISA analyzer ChemWell model or equivalent (please specify if different model proposed)	pc	1					
Total Price without VAT								
Transportation Price								
Insurance Price								
Other Charges (specify)								
VAT (if applicable)								
Total Final and All-inclusive Price								

LOT 2 - FISH FARMING PRODUCTS

Currency of the Quotation:		Specify offer currency: Uzbek Soums/USD or EURO						
INCOTERMS:		CIP TASHKENT, UZBEKISTAN						
Item No	Description	UO M	Qty	Model	Warranty period	Manufacturer	Unit pricewithout VAT	Total pricewithout VAT
1	Digital pH metre Model BANTE 210 or equivalent (please specify if different model proposed)	pc	1					
2	UV bactericidal chambers Model KB -02-"I"-FP "Ultra-Light" or equivalent (please specify if different model proposed)	pc	1					
3	Analytical scale model Model CY224 C ACZET Pyt . Ltd or equivalent (please specify if different model proposed)	pc	1					
4	Stereomicroscope trinocular Model NSZ-405 (with HDCE-X5) or equivalent (please specify if different model proposed)	pc	1					
5	Binocular digital microscope with monitor Designed for ichthyopathological research Model NLCD-370 or equivalent (please specify if different model proposed)	pc	1					
6	Laboratory freezer Model DW -FL90 Meling (please specify if different model proposed)	pc	1					
7	Solar water heaters Designed for heating water in RAS. Model IL-5824 or equivalent (please specify if different model proposed)	pcs	12					
8	Combined filter for RAS Designed for purification and disinfection of water in RAS. Model ZH-PF 30 or equivalent (please specify if different model proposed)	pcs	2					
Total Price without VAT								
Transportation Price								
Insurance Price								
Other Charges (specify)								
VAT (if applicable)								
Total Final and All-inclusive Price								

ANNEX 3.2. Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
<i>Exact name and address of company</i> Company Name: Click or tap here to enter text. Address: Click or tap here to enter text. Click or tap here to enter text. Phone No.: Click or tap here to enter text. Email Address: Click or tap here to enter text.	Authorized Signature: Date: Click or tap here to enter text. Name: Click or tap here to enter text. Functional Title of Authorised Signatory: Click or tap here to enter text. Email Address: Click or tap here to enter text.

ANNEX 4. CHECK-LIST FOR BIDDER.

The submission of the following documents is mandatory:

Item	Description	Checklist
1	ANNEX1: TECHNICAL EVALUATION CRITERIA —must be duly completed and signed	<input type="checkbox"/>
2	ANNEX 2: QUOTATION SUBMISSION FORM —must be duly completed and signed	<input type="checkbox"/>
3	ANNEX 3.1. FINANCIAL OFFER-GOODS —must be duly completed and signed;	<input type="checkbox"/>
4	Legal entity certificate from the relevant authority (enclose a copy) as defined in criterion no. 2 in ANNEX 1;	<input type="checkbox"/>
5	Contact addresses (e-mail) of clients whom the Bidder delivered similar goods as defined in criterion no. 5 in ANNEX 1;	<input type="checkbox"/>
6	At least three (3) Purchase Orders/ contracts and contact addresses (e-mail) of clients whom the Bidder delivered similar goods as defined in criterion no. 5 in ANNEX 1;	<input type="checkbox"/>
7	Please provide at least three positive reference letters as defined in criterion no. 3 in ANNEX 1 (Enclose a copies)	<input type="checkbox"/>
8	Executive Summary of the company’s background, credits, similar experience relevant to this requirement as defined in criterion no. 4 in ANNEX 1.	<input type="checkbox"/>