

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: RFQ-008-22, Supply and Delivery of video equipment for UNDP Afghanistan.

Date: 22 September 2022

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Name: Ijaz Hussain

Title: Head of Procurement Unit

Date: September 22, 2022

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ. UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website. **Deadline for** As indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone. the Submission If any doubt exists as to the time zone in which the quotation should be submitted, refer to of Quotation http://www.timeanddate.com/worldclock/. PLEASE NOTE: -Date and time visible on the main screen of event (on E-Tendering portal) will be final and prevail over any other closing time indicated elsewhere, in case they are different. Please also note that the bid closing time shown in the PDF file generated by the system is not accurate due to a technical glitch that we will resolve soon. The correct bid closing time is as indicated in the E-Tendering portal and system will not accept any bid after that time. It is the responsibility of the bidder to make sure bids are submitted within this deadline. UNDP will not accept any bid that is not submitted directly in the system. Method of Quotations must be submitted as follows: Submission File Format: PDF, Excel, Word File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted. [For eTendering method, click the link https://etendering.partneragencies.org and insert Event ID information1 RFQ-008-22 Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurementnotices/resources/ Cost of UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission preparation of a quotation, regardless of the outcome or the manner of conducting the selection process. of quotation Supplier All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge Code of that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found Fraud, at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct Corruption, Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit an dinvestigation.html#anti Gifts and Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including Hospitality recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the

	vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP
	contract.
Conflict of	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to
Interest	UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the
litterest	requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders
	shall strictly avoid conflicts with other assignments or their own interests, and act without
	consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners,
	officers, directors, controlling shareholders, of the bidding entity or key personnel who are family
	members of UNDP staff involved in the procurement functions and/or the Government of the
	country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to
	UNDP's further evaluation and review of various factors such as being registered, operated and
	managed as an independent business entity, the extent of Government ownership/share, receipt of
	subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that
	may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the
Conditions of Contract	General Conditions of Contract
Contract	Select the applicable GTC: ☐ General Terms and Conditions / Special Conditions for Contract.
	☐ General Terms and Conditions for de minimis contracts (services only, less than \$50,000)
	☐ General Terms and Conditions for Works
	Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy
Special	☐ Cancellation of PO/Contract if the delivery/completion is delayed by [20 days]
Conditions of	□ Others [pls. specify]
Contract	
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as
	ineligible by any UN Organization or the World Bank Group or any other international Organization.
	Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or
	temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.
	any contract of 1 o subsequently issued to the vehicle by one 1.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors,
	service providers, suppliers and/or their employees meet the eligibility requirements as established
	by UNDP.
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the
	country, or through an authorized representative.
Currency of	Quotations shall be quoted in US\$
Quotation Joint	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium
Venture,	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to
Consortium	act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or
or	Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the
Association	legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall
	be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on
	behalf of all the member entities comprising the joint venture, Consortium or Association.
	Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint
Only one Bid	Ventures, Consortium or Association. The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture,
Only one Bid	Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture,
	Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.
	Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the
	following:

	a) they have at least one controlling partner, director or shareholder in common; or b) any one of
	them receive or have received any direct or indirect subsidy from the other/s; or
	b) they have the same legal representative for purposes of this RFQ; or
	c) they have a relationship with each other, directly or through common third parties, that puts them
	in a position to have access to information about, or influence on the Bid of, another Bidder regarding
	this RFQ process;
	d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid
	under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid
	received for this RFQ process. This condition relating to the personnel, does not apply to
	subcontractors being included in more than one Bid.
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United
	Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from
	customs restrictions, duties, and charges of a similar nature in respect of articles imported or
	exported for its official use. All quotations shall be submitted net of any direct taxes and any other
	taxes and duties, unless otherwise specified below:
	All prices must:
	\square be inclusive of VAT and other applicable indirect taxes
	oxtimes be exclusive of VAT and other applicable indirect taxes
Language of	English
quotation	Including documentation including catalogues, instructions and operating manuals.
Documents	Bidders shall include the following documents in their quotation:
to be	☐ Annex 1: signed and stamped annex 1 SCHEDULE OF REQUIREMENTS.
submitted	☑ Annex 2: Quotation Submission Form duly completed and signed
	☐ Annex 3: Technical and Financial Offer duly completed and signed and in
	accordance with the Schedule of Requirements in Annex 1
	☑ Product catalogue.
	☐ Company Profile.
	☐ Registration certificate;
	☐ Copy of two (2) contracts for similar requirement in (Supply and delivery of video equipment's/ICT
	equipment) in the last 5 years, including contract description, contract value, clients name and contact
	details with national or international organizations.
Quotation	Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
validity	•
period	
Price	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market
variation	factors shall be accepted at any time during the validity of the quotation after the quotation has been
	received.
Partial	
Quotes	•
Alternative	
Quotes	
Payment	
Terms	documentation.
Conditions	☑ Passing Inspection [Sample check]
for Release	□ Passing all Testing [Sample check]
of	☐ Written Acceptance of Goods, Services and Works, based on full compliance with RFQ
Payment	requirements
	☐ Others [Submission of correct invoice by the contractor]
Contact	Focal Person: Procurement Officer
Person for	E-mail address: procurement.af@undp.org
corresponde	Attention: Quotations shall not be submitted to this address but through Atlas System. Otherwise,
nce,	offer shall be disqualified.
notifications	Any delay in UNDP's response shall be not used as a reason for extending the deadline for
and	submission, unless UNDP determines that such an extension is necessary and communicates a new
clarifications	deadline to the Proposers.
	I TO THE TOTAL TO THE TOTAL TO

Clarifications	Requests for clarification from bidders will not be accepted any later than 3 working days (Fridays and Saturdays are not working days) before the submission deadline. Responses to request for clarification will be communicated through addendum through Atlas before submission deadline
Evaluation method	☐ The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
Site visit	Nil
Evaluation	☐ Full compliance with all requirements as specified in Annex 1
criteria	☑ Full acceptance of the General Conditions of Contract
	☑full acceptance of warranty as specified in Annex 3
	☑ At least two similar contracts in the last 5 years in (Supply and delivery of video equipment's/ICT
	equipment)
	☑ Compliance with delivery time, i.e. 8 weeks after issuance of the contract.
	Note: UNDP will conduct a sample check at the technical evaluation stage.
Right not to	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
accept any	
quotation	At the time of accord of Courtment on Doughood Order, UNIDD recompetition winds to come /increase or
Right to vary requirement	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of
at time of	the total offer, without any change in the unit price or other terms and conditions.
award	the total offer, without any change in the anti-price of other terms and conditions.
Type of	⊠ Purchase Order
Contract to	
be awarded	, , , , , , , , , , , , , , , , , , ,
Expected	15 October 2022
date for	
contract	
award.	LINDS will so blish the sector of sourced as bed at UCS 400,000 and sector of the CO
Publication of Contract	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Award	and the corporate order web site.
Policies and	This RFQ is conducted in accordance with <u>UNDP Programme</u> and <u>Operations Policies</u> and <u>Procedures</u>
procedures	
Any other	Any discrepancy between the unit price and the total price (obtained by multiplying the unit price
information	and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be
	corrected. If the supplier does not accept the final price based on UNDP's re-computation and
	correction of errors, its quotation will be rejected.
UNGM	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the
registration	appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the
	The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract
	signature.
L	I exortered.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods:

	Supply and Delivery of vic	leo equij	oment to UNDP	Afghanistan	
No	Part Description	UoM	Required Quantity	Statement of Compliance Yes/No	Bidder offered model
1	Sony a7 IV Mirrorless Camera with 24-105mm f/4 Lens Or equivalent Lens Mount Sony E Sensor Resolution Actual: 34.1 Megapixel Effective: 33 Megapixel Sensor Type 35.9 x 23.9 mm (Full-Frame) CMOS Image Stabilization Sensor-Shift, 5-Axis Built-In ND Filter None Capture Type Stills & Video-Exposure Control-Shutter Type Mechanical Focal Plane Shutter, Electronic Shutter Shutter Speed 1/8000 to 30 Seconds Bulb/Time Mode Bulb Mode-ISO Sensitivity Photo 100 to 51,200 (Extended: 50 to 204,800) Video-100 to 51,200 (Extended: 100 to 102,400) Metering Method Center-Weighted Average, Highlight Weighted, Multiple, Spot Exposure Modes Aperture Priority, Manual, Program, Shutter Priority Exposure Compensation-5 to +5 EV (1/3 EV Steps) Sony FE 24-105mm F/4 G OSS Lens Specs Focal Length 24 to 105mm-Maximum Aperture f/4-Minimum Aperture f/22-Lens Mount Sony E Lens Format Coverage Full-Frame Angle of View 84° to 23°-Minimum Focus Distance 1.25' / 38 cm Maximum Magnification 0.31x-Optical Design 17 Elements in 14 Groups Diaphragm Blades 9, Rounded Focus Type Autofocus-Image Stabilization Yes Filter Size 77 mm (Front)-Dimensions (ø x L) 3.28 x 4.46" / 83.4 x 113.3 mm Length at Maximum Extension 6.2" / 157.5mm Weight 1.46 lb / 663g Packaging Info Package Weight 2.25 lb	Each	1		
2	Sony - FE 16-35mm F2.8 GM Wide-Angle Zoom Lens (SEL1635GM), Black Or equivalent • Focal Length 16 to 35mm • Maximum Aperture f/2.8 • Minimum Aperture f/22 • Lens Mount Sony E • Lens Format Coverage Full-Frame • Angle of View 107° to 63°	Each	1		

	 Minimum Focus Distance 11" / 28 cm Maximum Magnification 0.19x Optical Design 16 Elements in 13 Groups Diaphragm Blades 11, Rounded Focus Type Autofocus Image Stabilization No Filter Size 82 mm (Front) Dimensions (ø x L)3.5 x 4.8" / 88.5 x 121.6 mm Length at Maximum Extension 5.4" / 136.2 mm Weight 1.5 lb / 680 g 			
	Angelbird 128GB Match Pack for the Sony Alpha a7			
3	 and a9 (2 x 64GB) Or equivalent Card Type SDXC Storage Capacity 64 GB Bus Type UHS-II Speed Class 10 UHS Speed Class U3 Video Speed Class V90 Read Speed Sequential: 300 MB/s Sustained: 280 MB/s Write Speed Minimum: 90 MB/s Sequential: 280 MB/s Sustained: 260 MB/s Durability Dustproof, Magnet-Proof, Shockproof, Temperature Extremes, Waterproof, X-Ray Proof Operating Temperature -13 to 185°F / -25 to 85°C Storage Temperature -40 to 185°F / -40 to 85°C Error Correction Yes Built-in Write-Protect Switch Yes Wireless Capability None 	Each	2	
4	Genaray LED-7100T 312 LED Variable-Color On-Camera Light Or equivalent Item Type 1 x LED Light Panel Included Filters Diffusion Lumens Not Specified by Manufacturer Photometrics Not Specified by Manufacturer Color Temperature 3200 to 5600K Number of LEDs 312	Each	1	
5	Manfrotto Befree GT Travel Carbon Fiber Tripod with 496 Ball Head for Sony a Series Cameras (Black) Or equivalent • Head Type Ball Head • Base Mount 3/8"-16 Female • Camera Mounting Screw 1/4"-20 Male • Quick Release Plate Type Arca-Type, RC2 • Number of Bubble Levels None • Friction Control Yes • Independent Pan Lock Yes	Each	1	
6	Sony UWP-D 2-Person Camera-Mount Wireless Omni Lavalier Microphone System Kit (UC14: 470 to 542 MHz) Or equivalent	Each	2	

_				1	
	 Wireless Technology Analog UHF 				
	 Number of RF Channel Frequencies 2772 				
	 Included Transmitters2 x Bodypack with 				
	Microphone				
	Diversity True Diversity				
	 RF Frequency Band 470.125 to 541.875 				
	MHz				
	RF Bandwidth72 MHz				
	Frequency Step Size 25 kHz PE Change Garaging Auto Garage				
	RF Channel ScanningAuto-Scan				
	 Max Operating Range330' / 100.6 m 				
	 Max Transmitters per Band 16 				
	 Built-In Recorder No 				
	 Latency 0.24 to 0.35 ms 				
	 Encryption None 				
	 Modulation FM 				
	 SNR 96 dB 				
	• THD <0.9 %				
	Incase DSLR Pro Pack with Woolenex Or equivalent				
	 Carry/Transport OptionsBackpack Straps 				
	with Sternum Strap, Handle				
	 Color Black 				
7	 Type of Closure Zipper 	Each	1		
'	 Laptop/Tablet CompartmentSingle 	Lacii	1		
	Compartment: Fits 15" Laptop				
	 Interior Type Adjustable Dividers (Hook & 				
	Loop)				
	 Monopod/Tripod Holder Yes 				
	SmallRig NP-FZ100 2-Battery Kit with Dual Charger				
	Or equivalent				
8	 Battery Capacity 2040 mAh / 14.69 Wh 	Each	1		
	Chemistry Lithium-lon				
	 Output Voltage 7.2 VDC 				
	27-inch 5K Retina display. 12MP Ultra-Wide				
	camera with Center Stage. Studio-quality mics. Six-				
	speaker sound system with Spatial Audio Or				
	equivalent				
	• Size 27"				
	Panel Type LCD				
	Touchscreen No				
9	• Resolution 5120 x 2880	Each	1		
	Aspect Ratio 16:9 Provide Ratio 16:9				
	Pixels Per Inch (ppi) 218 ppi				
	Finish Glossy with Antireflective Coating				
	Maximum Brightness 600 cd/m2				
	Variable Refresh TechnologyNone No. 11. (2.1. S. 1.1. A. D.) (4.0.7)				
	Bit Depth / Color Support 10-Bit (1.07 Billian Colors)				
	Billion Colors)				
	Watson Rapid Charger with 16 AA NiMH				
	Rechargeable Batteries (2500mAh) Or equivalent				
	Battery Type 16 x AA				
10	Battery Chemistry NiMH	Each	2		
	Battery Voltage 1.2 V				
	Maximum Recharge Cycles 500				
	• Charger				
	 AC Input Power 100 to 240 VAC, 50 / 60 Hz 				

		1		 Г
	 Charging Bays4 x AA, AAA 			
	 Charging Voltage 2.8 VDC 			
	 Charging Amperage 500 mA 			
	 Charger Dimensions 4.25 x 2.75 x 1.25" / 			
	108.00 x 70.00 x 32.00 mm			
	 Charger Weight 2.8 oz / 79.4 g 			
	Packaging Info			
	Package Weight 0.56 lb			
	 Box Dimensions (LxWxH) 7.7 x 4.05 x 1.65" 			
	LaCie 2TB Rugged USB 3.2 Gen 2 Type-C External			
	SSD Or equivalent			
	Host Connection USB 3.1 / USB 3.2 Gen 2			
	(USB Type-C)			
	Inputs/Outputs1 x USB 3.1 / USB 3.2 Gen 2			
	(USB Type-C)			
	Storage Capacity Total: 2 TB PCIe M.2 SSD Pand Spand Maximum 1050 MB/s			
	Read Speed Maximum: 1050 MB/s Maximum: 1050 MB/s			
	Write Speed Maximum: 1050 MB/s			
	External Enclosure			
11	 Cooling System Passive 	Each	2	
1	 Environmental Resistance Crush, Drop 	Lacii	-	
	IP Rating IP67			
	 Electrical 			
	 Power Source Thunderbolt/USB Bus Power 			
	 General 			
	 Dimensions 3.9 x 2.6 x 0.7" / 97.9 x 64.9 x 			
	17 mm			
	 Weight0.22 lb / 0.1 kg 			
	Packaging Info			
	 Package Weight 0.51 lb 			
	 Box Dimensions (LxWxH) 5.6 x 3.6 x 1.5" 			
	LaCie 4TB Rugged USB 3.2 Gen 2 Type-C External			
	SSD Or equivalent			
	Host Connection USB 3.1 / USB 3.2 Gen 2			
	(USB Type-C)			
	Inputs/Outputs 1 x USB 3.1 / USB 3.2 Gen 2			
	(USB Type-C)			
	 Storage Capacity Total: 4 TB PCIe M.2 SSD 			
	Read Speed Maximum: 1050 MB/s			
	Write Speed Maximum: 1050 MB/s			
	External Enclosure			
	 External Enclosure Cooling System Passive 			
12		Each	2	
	Environmental Resistance Crush, Drop ID Rating ID67			
	IP Rating IP67 Ilentrical			
	Electrical Description Throughout (USD Due Description)			
	Power Source Thunderbolt/USB Bus Power			
	• General			
	• Dimensions 3.9 x 2.6 x 0.7" / 97.9 x 64.9 x			
	17 mm			
	 Weight0.22 lb / 0.1 kg 			
	 Packaging Info 			
	 Package Weight 0.52 lb 			
	 Box Dimensions (LxWxH) 5.5 x 3.9 x 1.4" 			
	Zhiyun-Tech CRANE-M3 3-Axis Handheld Gimbal			
	Stabilizer (Combo Kit) Or equivalent			
13	 CGimbal 	Each	1	
	 Number of Axes 3-Axis (Pitch, Roll, Yaw) 			
	 Rotation Range Yaw (Pan): 360° 			
	- · ·			

		I	T	I
	 Pitch (Tilt): 309° 			
	 Roll: 333° 			
	 Compatibility 			
	 Camera Mounting Screw 1 x 1/4"-20 Male 			
	 Connectivity 			
	 Inputs/Outputs1 x USB Type-C (Power) 			
	Input			
	 1 x USB Type-C (Power / Control) Output 			
	 Wireless Frequency 2.4 GHz 			
	Wireless Protocol Bluetooth 5.0, Wi-Fi			
	(Unspecified Type)			
	<u>Battery</u>			
	Battery Type 1 x Built-In			
	 Battery Capacity 1150 mAh 			
	 Battery Runtime 8 Hours 			
	Power			
	 Operating Voltage 9.6 to 12.6 VDC 			
	 Operating Current 180 to 4700 mA 			
	 Environmental 			
	 Operating Temperature 14 to 113°F / -10 			
	to 45°C			
	<u>General</u>			
	 Mounting 1 x 1/4"-20 Female 			
	Weight2.2 lb / 1 kg			
	Packaging Info: Package Weight 4.73 lb-Box			
	Dimensions (LxWxH) 13.5 x 9.9 x 6.4"			
	Sony FE 70-200mm F4 G OSS Interchangeable Lens			
	for Sony Alpha Cameras Or equivalent			
	Focal Length 70 to 200mm			
	_			
	 Maximum Aperture f/2.8 			
	 Minimum Aperture f/22 			
	Lens Mount Sony E			
	-			
	 Lens Format Coverage Full-Frame 			
	 Angle of View 34° to 12° 30' 			
	 Minimum Focus Distance 3.15' / 96 cm 			
	 Maximum Magnification 0.25x 			
	_			
	 Optical Design 23 Elements in 18 Groups 			
1.1	 Diaphragm Blades 11, Rounded 	Co.olo	4	
14	Focus Type Autofocus	Each	1	
	Image Stabilization Yes			
	 Tripod Collar Removable and Rotating 			
	 Filter Size 77 mm (Front) 			
	 Dimensions (ø x L) 3.5 x 7.9" / 88 x 200 mm 			
	 Length at Maximum Extension 7.9" / 200 			
	mm			
	 Weight 3.3 lb / 1480 g 			
	Packaging Info			
	 Package Weight 4.94 lb 			
	 Box Dimensions (LxWxH) 12.05 x 5.85 x 			
	5.55"			
	ANDYCINE C7 Field Camera Monitor 7" 2200nits			
	1920x1200 Touch Screen with ANDYCINE Monitor			
	Cage with HDMI Cable Clamp Or equivalent.			
	<u>Display</u>			
15	Panel Type IPS-Type LCD	Each	1	
	 Display Size 7.0" / 17.8 cm 			
	 Resolution 1920 x 1080 			
	 Aspect Ratio 16:10 			
		<u> </u>	<u> </u>	1

	 Viewing Angle 160° (80/80) 			
	Touchscreen Yes			
	 Maximum Brightness2200 cd/m2 			
	 Contrast Ratio1200:1 			
	 Pixels Per Inch (ppi) 323 ppi 			
	Color Gamut 100% Rec. 709			
	Real-Time LUT MonitoringSDR			
	_			
	 Image Controls Anamorphic De-Squeeze, 			
	Blue Only, Color Temperature Selection,			
	False Color, Focus Peaking, Histogram,			
	Image Flip, Marker Color, Pixel-to-Pixel			
	Zoom, RGB Parade, Vectorscope,			
	Waveform, Zebra			
	• I/O			
	 Video 1 x HDMI Type A Input 			
	1 x HDMI Type A Output			
	Embedded Audio HDMI			
	 Audio 1 x 1/8" / 3.5 mm Headphone 			
	Output			
	Built-In Speaker None			
	 Power I/O 1 x Barrel (12 VDC) Input 			
	• 1 x Barrel (8.4 VDC) Output			
	Wi-Fi None			
	Apple AirPods Pro with Wireless MagSafe Charging			
	Case (2nd Generation) Or equivalent			
	 Technical Specifications 			
	 Earpiece Design In-Ear (Intra-Aural) 			
	 Driver Type Dynamic-Active Noise 			
	Cancellation Yes			
	Controls/Microphone Location Controls:			
	•			
	Left Earpiece, Right Earpiece			
	Microphone: Left Earpiece, Right Earpiece			
	 Full Remote OS Support iOS 			
	 Sensors Accelerometer, Touch 			
	 Microphone: Number of Voice Mics 3 			
	 Beamforming Support Yes 			
	Noise Canceling Yes			
	Wireless Connectivity: Bluetooth 5.3-			
	Supported Audio Codecs AAC			
	··			
	Multipoint Support Yes			
16	Maximum Paired Devices 2	Each	1	
	 Wireless Chipset Apple H2 			
	 Battery: Runtime 6 Hours (BT+ANC)-4.5 			
	Hours (Talk)			
	Wireless Charging None			
	Charging Port Pins			
	Charging Case-Additional Runtime 24 Laure (RT-ANC)			
	Hours (BT+ANC)			
	 Charging Interface Lightning, Qi Physical 			
	 Color White 			
	 Water Resistance Resistant 			
	IP Rating IPX4			
	 Dimensions Earphones: 1.2 x 0.9 x 0.9" / 			
	30.9 x 21.8 x 24 mm (Each)			
	• Charging Case: 2.4 x 1.8 x 0.9" / 60.6 x 45.2			
	x 21.7 mm			
	 WeightEarphones: 0.2 oz / 5.3 g (Each) 			
	 Charging Case: 1.8 oz / 50.8 g 			

SHOKZ Air Wireless Open-Ear Sport Headphones (Slate Gray) Or equivalent Earpiece Design Open-Ear Earpiece Connection / Wearing Style Neckband	
 Earpiece Design Open-Ear Earpiece Connection / Wearing Style 	
Earpiece Connection / Wearing Style	
I Neckpand	
Foldable No	
Driver Type Bone Conduction	
Active Noise Cancellation No	
Controls/Microphone Location Controls:	
Earpiece (Side Unspecified)	
Microphone: Earpiece (Side Unspecified)	
Full Remote OS Support Not Specified by	
Manufacturer	
Performance	
Frequency Response 20 Hz to 20 kHz	
(Wireless)	
Sensitivity 100 dB	
Microphone-Number of Mics 2-Sensitivity -	
40 dB-Wireless Connectivity	
• Supported Audio Codecs SBC Each 5	
Bluetooth 4.2-Wireless Range 33' / 10.1 m	
(Bluetooth)-Multipoint Support Yes	
Maximum Paired Devices 2	
NFC No - Wired Connectivity-Audio	
Connector to Source Not Specified by	
Manufacturer	
Audio Connector to EarpieceNot Specified	
by Manufacturer	
Battery-Battery Chemistry Lithium-Ion-	
Runtime 6 Hours (BT)-10 Days (Standby)	
Recharge Time 2 Hours-Charging	
PortMicro-USB	
Physical-Water Resistance Resistant	
IP RatingIP55	
• Weight 1.1 oz / 30 g	
Packaging Info	
Package Weight 0.87 lb Roy Dimensions (LyWyH)6.6 x 5.3 x 2.6"	
Box Dimensions (LxWxH)6.6 x 5.3 x 2.6" Apple Magic Keyboard with Touch ID and Numeric	
Keypad (White Keys) Or equivalent	
Dedicated Multimedia Keys No	
Dedicated Macro Keys None Connectivity	
Connectivity Connection Type Wireless	
Connection Type Wireless General Connection USB Type Conn	
System Connection USB Type-C	
Wireless ConnectivityBluetooth	
USB Ports None	
• Audio None Each 1	
Full-Functionality OS Support Mac	
General	
Backlighting None	
Built-In Control Device None	
Wrist Rest None	
Power	
Maximum Battery Life 1 Month	
Physical	
• Dimensions (L x W x H) 4.5 x 16.5 x 0.2" /	
11.5 x 41.9 x 0.4 cm	

		ı		
	 Weight0.81 lb / 0.37 kg 			
1	Packaging Info			
	Package Weight 1.4 lb			
	 Box Dimensions (LxWxH) 17.4 x 4.9 x 0.8" 			
	Apple Magic Mouse (White) Or equivalent			
	Scroll Type Touch			
	 Mouse Hand Orientation Ambidextrous 			
	 LED Illumination None 			
	 Full-Functionality OS Support Mac 			
	 Connectivity 			
	Connector Lightning			
	Cable Type Braided			
	 Wireless ConnectivityBluetooth 			
19	Power	Each	2	
	 Maximum Battery Life 1 Month 			
	 LED IndicatorYes 			
	Physical			
	-			
	Dimensions (L x W x H) 4.4 x 2.2 x 0.8" /			
	11.2 x 5.6 x 2.0 cm			
	 Weight0.22 lb / 0.1 kg 			
	 Packaging Info 			
	Package Weight 0.5 lb			
	Box Dimensions (LxWxH) 5 x 2.9 x 1.4"			
-				
	Dell P2722H 27" 16:9 IPS Monitor Or equivalent			
	• Size 27"			
	 Panel Type IPS-Type LCD 			
	 Touchscreen No 			
	 Resolution 1920 x 1080 			
	Aspect Ratio 16:9			
	-			
	Pixels Per Inch (ppi) 82 ppi			
	 FinishAnti-Glare / Matte 			
	 Maximum Brightness 300 cd/m2 			
	 Contrast Ratio1000:1 			
	Refresh Rate 60 Hz			
	Variable Refresh TechnologyNone			
20		F	6	
20	Bit Depth / Color Support 8-Bit (16.7)	Each	6	
	Million Colors)			
	 Color Gamut 99% sRGB 			
1	 Response Time 8 ms (GtG) 			
1	• 5 ms (GtG)			
1	 Viewing Angle (H x V) 178 x 178° 			
	• Inputs / Outputs			
	• • •			
	 Inputs/Outputs1 x HDMI 1.4 			
	 1 x DisplayPort 1.2 			
1	• 1 x VGA			
	 4 x USB Type-A (USB 3.1 / USB 3.2 Gen 1) 			
	• 1 x USB Type-B (USB 3.1 / USB 3.2 Gen 1)			
	HDCP Support Yes, Version 1.4 Control ATT Ultra Paral Private Language ALCD 2.4 Float			
1	SanDisk 1TB Ultra Dual Drive Luxe USB 3.1 Flash			
	Drive (USB Type-C / Type-A) Or equivalent			
	 Host Connection USB 3.1 / USB 3.2 Gen 1 			
	(USB Type-C), USB 3.1 / USB 3.2 Gen 1 (USB			
	Type-A)			
21	Storage Capacity Total: 1 TB Flash-Based		15	
	Read Speed Maximum: 150 MB/s	Each		
	 MFi Certification No 	Each		
	 Encryption None 			
L	 Material Metal 			
				 · · · · · · · · · · · · · · · · · · ·

	Fundamental IB 11 P			
	Environmental Resistance None			
	 Packaging Info 			
	 Package Weight 0.055 lb 			
	 Box Dimensions (LxWxH)6 x 3.95 x 0.6" 			
	ANDYCINE ML Compact Digital Wireless			
	Microphone System for iPhones and iPads with			
	Lightning (2.4 GHz) Or equivalent			
	 Wireless TechnologyDigital 2.4 GHz 			
	 Included Transmitters1 x Clip-On with 			
	Microphone			
	 DiversityNon-Diversity 		_	
22	RF Channel ScanningAuto-Scan	Each	1	
	 Max Operating Range262.5' / 80 m (Line of 			
	Sight)			
	 Max Transmitters per Band1 			
	Built-In Recorder: No			
	Control App Support : No			
	OS Compatibility iOS			
	Epson ES-500W II Wireless Duplex Document			
	Scanne Or equivalent			
	TypeAutomatic Document Feeder (ADF)			
	Maximum Resolution600 dpi (Optical)			
	1200 dpi (Interpolated)			
	 Scan ModesColor, Grayscale, Monochrome 			
	•			
	Color Depth24-Bit (External) 30 Bit (Internal)			
	30-Bit (Internal) Hight Coursel ED			
	Light SourceLED	Each		
	Image Sensor2 x Contact Image Sensor (CIS)			
1 22	(CIS)			
23	Duplex ScanningYes Single Page Purpley Yes		1	
	Single Pass DuplexYes			
	Scan SpeedSimplex Speed			
	35 ppm in Color/Grayscale/Black & White			
	Duplex Speed			
	 70 ipm in Color/Grayscale/Black & White 			
	 Automatic Image CorrectionsYes 			
	File FormatsPDF			
	 Multi-Feed DetectionYes 			
	 Daily Duty Cycle4000 Scans 			
	 Special Media SupportBusiness Card, 			
	Envelope, ID Card, Index Card			
	Hoteon Extension Board, Hoteon LDNIO Power			
	Strip with 20W Fast PD/Type C, 2500W 10A			
	Extension Cord with 3 Universal Socket, 38W USB			
	Fast Charging Ports (1*20W PD+3*QC 3.0), 3-Pin			
	Surge Protection for Home Office 3 Socket			
	Extension Boards (Black, 2 m, With USB Port) Or			
	equivalent			
	Brand Hoteon or Equivalent			
24	Model Number SC3412			
	Model Name Extension Board, Hoteon			
	LDNIO Power Strip with 20W Fast PD/Type			
	C , 2500W 10A Extension Cord with 3			
	Universal Socket, 38W USB Fast Charging			
	Ports (1*20W PD+3*QC 3.0), 3-Pin Surge			
	Protection for Home Office	Faal-		
	Type Strip	Each	5	
	Number of Sockets 3			

		I		<u> </u>	
	USB Port Yes				
	 Number of USB Ports 4 				
	 Convenience Features Safety Shutter Yes 				
	Wired Yes				
	 Power Features Power Consumption 2500 				
	W				
	Maximum Spike Current 10 A				
	Dimensions Power Cord Length 2 m				
	Warranty				
	Warranty Summary				
	12 Months Warranty Against				
	Manufacturing Defects				
	Apple USB Type-C Charge Cable (6.6') Or equivalent				
	InterfaceUSB 2.0 (480 Mb/s)				
	Connector 1USB Type-C Male Connector 2USB Type-C Male				
	Connector 2USB Type-C Male Colds Type-Calls				
25	Cable TypeCable		2		
	Cable Length6.6' / 2 m	Each			
	Variable LengthNo	Lacii			
	Packaging Info				
	 Package Weight0.18 lb 				
	 Box Dimensions (LxWxH)3.25 x 2.65 x 1.2" 				
	LG G2PUA 65" 4K HDR Smart OLED evo Gallery				
	Edition TV Or equivalent				
	 Size 64.5"-Panel Type OLED-Aspect Ratio 				
	16:9	Each			
	 Display Orientation-Landscape-Resolution 				
	3840 x 2160-HDR Compatibility HDR10,				
	Dolby Vision, Hybrid Log Gamma-Response				
	Time < 1 ms-Refresh Rate120 Hz				
	 Variable Refresh TechnologyFreeSync 				
	Premium, G-Sync, Variable Refresh Rate				
	(VRR)				
	 Auto Low Latency Mode (ALLM) Yes 				
	Bit Depth / Color Support Not Specified by				
	Manufacturer				
	Display Stream Compression Not Specified				
	by Manufacturer				
	Quick Frame Transport (QFT)Not Specified				
	by Manufacturer				
26	Quick Media Switching (QMS) Not		1		
	Specified by Manufacturer				
	Video: Video SystemNTSC				
	TV Tuner ATSC 3.0, Clear QAM-				
	Connectivity				
	Input Ports 2 x HDMI Type A (HDMI 2.1)				
	(Side)				
	2 x HDMI Type A (HDMI 2.1) (Bottom) 1 x Coavial F Type (BE Antenna) (Bottom)				
	1 x Coaxial F-Type (RF Antenna) (Bottom) Output Botts 1 x TOSUNK Optical (Bigital)				
	Output Ports 1 x TOSLINK Optical (Digital Audia) (Pottom)				
	Audio) (Bottom)				
	HDCP SupportVersion 2.2-Audio Return HARC ARC				
	Channel (ARC) eARC				
	Wi-Fi Wi-Fi 6 (802.11ax)-Bluetooth				
	Bluetooth 5.0 (Audio Output)				
	• USB I/O 2 x USB-A 2.0 (Bottom)				
	1 x USB-A 2.0 (Side)-Ethernet LAN-Control				
	RS-232C via 1/8" / 3.5 mm Input				

•	Speaker Power 60 W-Convenience Virtual		
	AssistantWorks with Alexa, Apple Airplay,		
	, , , , , , , , , , , , , , , , , , , ,		
	Works with Google Assistant- Smart TV		
	webOS 22-Digital Media Slot None- Wall		
	Mounting 300 x 300 mm-Remote		
	Microphone Yes		
•	General Power Consumption Typical: 115.0		
	W Standby: < 0.5 W-AC Input Power 120		
	VAC, 50 / 60 Hz		
	, .		
•	Dimensions 56.7 x 32.3 x 1" / 144 x 82 x 2.5		
	cm		
•	Weight 50.3 lb / 22.8 kg-Packaging Info-		
	Package Weight 68.5 lb		
•	Box Dimensions (LxWxH) 65 x 38 x 6.75"		

Delivery Requirements

Delivery Requirements				
Delivery date and time	Bidder shall supply and deliver the goods within 8 weeks after Contract signature.			
Delivery Terms (INCOTERMS 2020)	DAP, UNDP Country Office, Kabul, Jalalabad Road UNOCA Compound			
Customs clearance (must be linked to INCOTERM	⊠ Shall be done by: UNDP			
Exact Address(es) of Delivery Location(s)	UNDP Afghanistan			
Distribution of shipping documents (if using freight forwarder)	If custom clearance to be completed by UNDP, the supplier is responsible to provide the below listed documents to UNDP Logistics Officer before starting of the shipment: -Bill of Lading/Air Waybill -Invoice -Packing List Note: all documents shall be issued on the name of UNDP Afghanistan. A complete set of original shipping document listed above must be pouched and/or through email to UNDP Afghanistan for custom clearance purpose before starting of the shipment.			
Packing Requirements	As per manufacturer packing, supplier must ensure the goods are delivered to final destination without any physical damage			
Training on Operations and Maintenance	Not Required			
Warranty Period	warranty at least for 1 year			
After-sales service and local service support requirements	Yes			
Preferred Mode of Transport	☑ LandThe supplier may use any mode of transportation as long as the ordered goods are delivered to final destination as per delivery timeline.			

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder: Click or tap here to enter text.		
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

Company Profile

Item Description			Deta	ail	
Legal name of bidder or Lead entity for JVs			Click or tap here to enter text.		
Legal Address, City, Country			Click or tap here to enter text.		
Website	Click or ta	p here to enter text.			
Year of Registration	Click or ta	p here to enter text.			
Legal structure	Choose ar	item.			
Are you a UNGM register	☐ Yes ☐ Number	No If yes, i	nsert UNGM Vendor		
Quality Assurance Certific Equivalent) (If yes, provide Certificate):	☐ Yes ☐	No			
14001 or ISO 14064 or eq environment? (If yes, pro- Certificate):	vide a Copy of the valid	□ Yes □	No		
Does your Company have Environmental Policy? (If	a written Statement of its yes, provide a Copy)	☐ Yes ☐	No		
Does your organization do commitment to sustainable means, for example interior women empowermen membership of trade install (If yes, provide a Copy)	☐ Yes ☐	No			
Is your company a memb	er of the UN Global Compact	☐ Yes ☐	No		
Bank Information	Bank Addi IBAN: Click SWIFT/BIC Account C	ne: Click or tap here to ress: Click or tap here k or tap here to ente C: Click or tap here to currency: Click or tap bunt Number: Click or	to enter text. r text. enter text.		
Previous relevant e		xperience:	2 contracts		
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value in USD	Period of activity	Types of activities undertaken	

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _	
Name:	Click or tap here to enter text.
Title:	Click or tap here to enter text.
Date:	Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.			
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.		

Also, please attach one copy of your company quotation in excel version as well.

Currency of the Quotation: United States Dollars

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

INCOTERMS: DAP 2020

	Price sheet			
#	Description	QTY	Unit Price/USD	Total Price/USD
1	Sony a7 IV Mirrorless Camera with 24-105mm f/4 Lens Or equivalent	1		
2	Sony - FE 16-35mm F2.8 GM Wide-Angle Zoom Lens (SEL1635GM), Black Or equivalent	1		
3	Angelbird 128GB Match Pack for the Sony Alpha a7 and a9 (2 x 64GB) Or equivalent	2		
4	Genaray LED-7100T 312 LED Variable-Color On-Camera Light Or equivalent	1		
5	Manfrotto Befree GT Travel Carbon Fiber Tripod with 496 Ball Head for Sony a Series Cameras (Black) Or equivalent	1		
6	Sony UWP-D 2-Person Camera-Mount Wireless Omni Lavalier Microphone System Kit (UC14: 470 to 542 MHz) Or equivalent	2		
7	Incase DSLR Pro Pack with Woolenex Or equivalent	1		
8	SmallRig NP-FZ100 2-Battery Kit with Dual Charger Or equivalent	1		
9	27-inch 5K Retina display. 12MP Ultra Wide camera with Center Stage. Studio-quality mics. Six-speaker sound system with Spatial Audio Or equivalent	1		
10	Watson Rapid Charger with 16 AA NiMH Rechargeable Batteries (2500mAh) Or equivalent	2		
11	LaCie 2TB Rugged USB 3.2 Gen 2 Type-C External SSD Or equivalent	2		
12	LaCie 4TB Rugged USB 3.2 Gen 2 Type-C External SSD Or equivalent	2		
13	Zhiyun-Tech CRANE-M3 3-Axis Handheld Gimbal Stabilizer (Combo Kit) Or equivalent	1		
14	Sony FE 70-200mm F4 G OSS Interchangeable Lens for Sony Alpha Cameras Or equivalent	1		
15	ANDYCINE C7 Field Camera Monitor 7" 2200nits 1920x1200 Touch Screen with ANDYCINE Monitor Cage with HDMI Cable Clamp Or equivalent	1		
16	Apple AirPods Pro with Wireless MagSafe Charging Case (2nd Generation) Or equivalent	1		

17	SHOKZ Air Wireless Open-Ear Sport Headphones (Slate Gray) Or equivalent	5		
18	Apple Magic Keyboard with Touch ID and Numeric Keypad (White Keys) Or equivalent	1		
19	Apple Magic Mouse (White) Or equivalent	2		
20	Dell P2722H 27" 16:9 IPS Monitor Or equivalent	6		
21	SanDisk 1TB Ultra Dual Drive Luxe USB 3.1 Flash Drive (USB Type-C / Type-A) Or equivalent	15		
22	ANDYCINE ML Compact Digital Wireless Microphone System for iPhones and iPads with Lightning (2.4 GHz) Or equivalent	1		
23	Epson ES-500W II Wireless Duplex Document Scanne Or equivalent	1		
24	Hoteon Extension Board, Hoteon LDNIO Power Strip with 20W Fast PD/Type C, 2500W 10A Extension Cord with 3 Universal Socket, 38W USB Fast Charging Ports (1*20W PD+3*QC 3.0), 3-Pin Surge Protection for Home Office 3 Socket Extension Boards (Black, 2 m, With USB Port) Or equivalent	5		
25	Apple USB Type-C Charge Cable (6.6') Or equivalent	2		
26	LG G2PUA 65" 4K HDR Smart OLED evo Gallery Edition TV Or equivalent	1		
	DAP-Grand Total in US\$			

Compliance with Requirements

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter – offer	
Offer complies with Minimum Technical				
Specifications for each product			Click or tap here to enter text.	
Delivery Term (INCOTERMS 2020, DAP)			Click or tap here to enter text.	
Certified Reseller of product			Click or tap here to enter text.	
Delivery Lead Time (8 Weeks)			Click or tap here to enter text.	
Acceptance of at least 1 year warranty			Click or tap here to enter text.	
Validity of Quotation (60 days)			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	
Other requirements [pls. specify]			Click or tap here to enter text.	

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted if	
awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
Exact name and address of company	Authorized Signature:
Company NameClick or tap here to enter text.	Date: Click or tap here to enter text.
Address: Click or tap here to enter text.	Name:Click or tap here to enter text.
Click or tap here to enter text.	Functional Title of Authorised
Phone No.:Click or tap here to enter text.	Signatory:Click or tap here to enter text.
Email Address:Click or tap here to enter text.	Email Address: Click or tap here to enter text.