



REQUEST FOR QUOTATION (RFQ)

RFQ Reference: UNDP/TLS/RFQ/2022/010, Supply and Delivery of Refrigeration and AC Tools

Date: 30 November 2022

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the Supply and delivery of Refrigeration and AC tools for training centers as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements


Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

DocuSigned by:

Signature: 8F53BE9ADE76452...

Name: Ahmad Zubair

Title: Head of Procurement Unit

Date: November 30, 2022

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p><u>13 December 2022 04:00 PM Timor-Leste Time</u></p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p>
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input checked="" type="checkbox"/> Dedicated Email Address</p> <p>Bid submission address: <u>bids.tp@undp.org</u></p> <ul style="list-style-type: none"> ▪ File Format: PDF, JPG and MS Office ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 10 MB ▪ Mandatory subject of email: UNDP/TLS/RFQ/2022/010 - Supply and Delivery of Refrigeration and AC Tools ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP’s Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti</p>
Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>

Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p><input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p><input type="checkbox"/> General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p><input type="checkbox"/> General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p><input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by [30 days]</p> <p><input type="checkbox"/> Others [pls. specify]</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
Currency of Quotation	Quotations shall be quoted in USD \$
Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <p>a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or</p> <p>b) they have the same legal representative for purposes of this RFQ; or</p>

	<p>c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;</p> <p>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</p> <p>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</p>
Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p> <p><input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes</p> <p><input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes</p>
Language of quotation	<p>English</p> <p>Including documentation including catalogues, instructions and operating manuals.</p>
Documents to be submitted	<p>Bidders shall include the following documents in their quotation:</p> <p><input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed</p> <p><input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1</p> <p><input checked="" type="checkbox"/> Company Profile.</p> <p><input checked="" type="checkbox"/> Business Registration certificate;</p> <p><input checked="" type="checkbox"/> Copy of two (2) contracts for similar requirement (Electrical equipment) in the last 5 years, including contract description, contract value, clients name and contact details with national or international organizations, with one contract amounts of at-least \$15,000 for similar requirements,;</p> <p><input checked="" type="checkbox"/> List and value of projects, performed for the last 5 years plus client's contact details who may be contacted for further information on those contracts;</p> <p><input checked="" type="checkbox"/> Audited financial statement for last 2 year (2020, 2019, or 2019, 2018 or 2021, 2020) or bank statement</p>
Quotation validity period	<p>Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.</p>
Price variation	<p>No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.</p>
Partial Quotes	<p><input checked="" type="checkbox"/> Not permitted</p>
Alternative Quotes	<p><input checked="" type="checkbox"/> Not permitted</p>
Payment Terms	<p><input checked="" type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation.</p>
Conditions for Release of Payment	<p><input type="checkbox"/> Passing all Testing [Sample check]</p> <p><input checked="" type="checkbox"/> Written Acceptance of Goods, based on full compliance with RFQ requirements</p> <p><input checked="" type="checkbox"/> Others (Submission of correct invoice by the contractor)</p>
Contact Person for correspondence, notifications	<p>Focal Person: Procurement Team</p> <p>E-mail address: procurement.staff.tp@undp.org</p> <p>Attention: Quotations shall not be submitted to this address but through Atlas System. Otherwise, offer shall be disqualified.</p>

and clarifications	Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 working days (Fridays and Saturdays are not working days) before the submission deadline. Responses to request for clarification will be communicated through addendum through Atlas before submission deadline
Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Business registration license, <input checked="" type="checkbox"/> full acceptance of warranty as specified in Annex 3 <input checked="" type="checkbox"/> At least two 2 similar contracts in the last 5 years, with one contract amount of at-least \$15,000 for similar requirements (Electrical equipment) <input checked="" type="checkbox"/> Compliance with delivery time; 8 weeks after issuance of the contract <input checked="" type="checkbox"/> Financial annual average cash turnover of at-least 40,000\$ during last 2 years or Average annual Cash flow of at-least 40,000\$ during last 2 years
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	<input checked="" type="checkbox"/> Purchase Order <input checked="" type="checkbox"/> Contract Face Sheet (Goods and-or Services)
Expected date for contract award.	20 December 2022
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS**Technical Specifications for Goods:**

ITEM No	DESCRIPTION OF GOODS AND/OR SERVICES	QTY
1	Two Stage Rotary Vacuum Pump (7 Set/Kit) <ul style="list-style-type: none"> • 3.5 cfm displacement, blast facility and able to pull blank off pressure of less than 50 microns • Portable incorporating a carrying handle • Must include oil level indicator with easy oil change characteristics. • Ambient working temperature –5 to +50 °C. • Spare parts and consumables for one year of operation including 2 liters (4 pints) of vacuum pump oil. • Power: AC 220-240V, 50-60Hz 	8
2	Electronic Weighing Scale (7 Set/Kit) <ul style="list-style-type: none"> • Range : 50Kg • Accuracy : ±0.05% Fs • Resolution ratio : 2g • Power: AC 220V, 50Hz / DC9V 	8
3	Digital multi-refrigerant gauge manifold (7 Set/Kit) <ul style="list-style-type: none"> • 4way digital • Identical pressure measuring range 60 Bar • Pressure measurement accuracy > 0.5 % of f.v. • Temperature-compensated leakage testing • Automatic ambient pressure measurement • Suitable for CFCs, HCFCs, HFCs refrigerants • Three 1.8m long ¼ ' connector charging hose 	8
4	Electronic refrigerant leak detector for CFCs, HCFCs, HFCs refrigerants. <ul style="list-style-type: none"> • Minimum detection of ≤5g/yr leak rate. • Audible and visual alarms from a heated diode sensor • Manual zero setting • CE/TUV Certification • Rechargeable battery 	8
5	Micron Gauge with large LCD displays readings (7 Set/Kit) <ul style="list-style-type: none"> • Resolution 1 Micron (when vacuum 200 Micron) • 7 units: Micron, PSI, InHg, mbar, Pascal, Torr, mTorr • Over pressure 20 Bar • Working Temperature : 0°C-40°C • ¼ ' SAE port 	8
6	Recovery Machine (2 Set/Kit) <ul style="list-style-type: none"> • Compatible with common refrigerants, specially HFCs (e.g R-32, R-410A, R-404A, R-134a) • 220-240 V/50-60HZ • Compressor ½-1 hp, single cylinder, oil-less • Automatic high pressure cut-out (safety control) 	2

	<ul style="list-style-type: none"> • CE/TUV Certification • Overload protection • Replaceable inlet filters • Minimum vacuum rating $\leq 15''$ HG+ • Minimum vapor recovery rate (R22) 0.1 kg/min • Minimum liquid recovery rate (R22) 1.6 kg/min • Self-evacuation to ensure that refrigerants are not mixed when applying to other units • Inlet fitting 1/4" SAE • Set of three 1/4" SAE refrigerant hoses with manual shut-off valves 60" long • Meeting ARI Standard 740 or similar 	
7	Recovery-Recycling unit (2 Set/Kit) <ul style="list-style-type: none"> • compatible with common refrigerants, specially HFCs (e.g R-32, R-410, R-404, R-134a) • 220-240 V/50-60HZ • Operating Temperature 0 - 40 °C • Self evacuation system (PURGE) • Signal LED contained • safety device for maximum pressure 	2
8	Recovery cylinder (2 Set/Kit) <ul style="list-style-type: none"> • Compatible with common refrigerants, specially HFCs (e.g R-32, R-410A, R-404A, R-134a) • 50 lb standard (e.g. DOT-4BA-400) • Service Pressure Rated ≥ 400 PSI • Relief valve setting 600 PSI • Manual drain valve 	2
9	Servicing Toolbox with following set of tools equipped (7 Set/Kit) <ul style="list-style-type: none"> • RAC servicing toolbox • General tools (<i>ratchet, screw bits and sockets</i>) • Brazing kit <ul style="list-style-type: none"> o <i>Light-duty torch kit for brazing, cutting and welding projects</i> o <i>Economical Model regulators with easy-to-read, dual scale 50mm gauges and large plastic adjusting knob</i> o <i>The regulators have a one-piece encapsulated seat design with internal filter to protect them from particulate contamination</i> o <i>Solid brass torch handle is lightweight with front valves</i> • Tubing tools (<i>tube cutter, tube bender, capillary tube cutter</i>) • Flaring tools <ul style="list-style-type: none"> o <i>Steel material</i> o <i>Designed for both aluminium and cooper material</i> o <i>Removable handle</i> o <i>Tube size ranging from 2, 4, 6, 8 10, 12, 15 and 16 mm O.D</i> o <i>Steel material</i> o <i>Solid brass torch handle is lightweight with front valves</i> 	8

	<ul style="list-style-type: none"> • Valve Core Remover (<i>suitable for common refrigerants R410A and R32, dual size 1/4 and 5/16</i>) 	
10	Piercing pliers (7 Set/Kit) <ul style="list-style-type: none"> • 1/4 port • jaw size accommodates 1/4 to 7/8 OD tubing • High quality steel • 5m long discharge hose 	8
11	Digital Clamp on Meter (7 Set/Kit) <ul style="list-style-type: none"> • Allows measuring current flow in power lines by simply clamping the jaws around the conductor. • Measure current and voltage AC. • Measure the continuity to determine good or bad fuses, open or shorted conductors, operation of switches. • Digital display. • Measuring range: 20mA - 600 A (AC); 200 mV - 750 V (AC); 1 V - 1000 V (DC). 	8
12	Small Digital Thermometer (7 Set/Kit) <ul style="list-style-type: none"> • Temperature range: -50°C-390°C • Accuracy: -50°C-0°C, ±2°C ; 0°C-100°C, ±1.5°C ; > 100°C, ±2% • Response time : 500ms • Working Temperature : 0°C-40°C • Relative humidity : 10-95%RH 	8
13	Anemometer (7 Set/Kit) <ul style="list-style-type: none"> • Range: 0-30m/s, ±5% F.S • Resolution ratio: 0.1 • Temperature measurement range: -10°C-50°C • Temperature measurement resolution ratio: 0.1°C • Auto Power Off 	8
14	Safety Goggles (designed for RAC servicing) (15 sets/kits)	20
15	Safety Gloves (designed for RAC servicing) (15 sets/kits)	20
16	Nitrogen Regulator Two Stage (2 sets/kits) <ul style="list-style-type: none"> • Two stage • Inlet Connection 0.965"-14 • outlet connection 5/8"-18 • Maximum Gauge Pressure 4,000 psi • Maximum Inlet Pressure 3,000 Psig 	2
17	Oxygen Regulator Two Stage (2 sets/kits) <ul style="list-style-type: none"> • Two stage • Inlet Connection • Outlet connection 5/8"-18 	2

	<ul style="list-style-type: none"> • Maximum Gauge Pressure 4,000 psi • Maximum Inlet Pressure 3,000 Psig 	
18	Fire Extinguisher (non-ozone depleting substance with low global warming potential such CO2, regular tank) (2 sets/kits)	2
19	Open end torque wrench (2 sets/kits) <ul style="list-style-type: none"> • Jaw adjustable 0-32mm • Torque range 10-150 N.m • Torque accuracy $\pm 3\%$ FS 	2
20	Combination wrench (2 sets/kits) <ul style="list-style-type: none"> • High quality steel • Jaw adjustable 0-32mm • Wrench length 250 mm 	2
21	Removable refrigerant charging valve (2 sets/kits) <ul style="list-style-type: none"> • Brass material • Working pressure: ≤ 60 Bar • 1/4-1/4' SAE • With thimble • Suitable for CFCs, HCFCs, HFCs, HCs and other refrigerants 	2
22	Removable refrigerant charging valve (2 sets/kits) <ul style="list-style-type: none"> • Brass material • Working pressure: ≤ 60 Bar • 5/16-1/4' SAE • With thimble • Suitable for CFCs, HCFCs, HFCs, HCs and other refrigerants 	2

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 8 weeks after the Contract signature.
Delivery Terms (INCOTERMS 2020)	DAP, UNDP Office, UN Compound, Caicoli, Dili, Timor-Leste
Customs clearance (must be linked to INCOTERM)	<input checked="" type="checkbox"/> Shall be done by: UNDP
Exact Address(es) of Delivery Location(s)	UNDP Office, UN Compound, Caicoli, Dili, Timor-Leste
Distribution of shipping documents (if using freight forwarder)	<p>If custom clearance to be completed by UNDP, the supplier is responsible to provide the below listed documents to UNDP Logistics Officer before starting of the shipment:</p> <ul style="list-style-type: none"> -Bill of Lading/Air Waybill -Invoice -Packing List <p>Note: all documents shall be issued on the name of UNDP Timor-Leste. A complete set of original shipping document listed above must be pouched and/or through email to UNDP Timor-Leste for custom clearance purpose before starting of the shipment.</p>
Packing Requirements	As per manufacturer packing, supplier must ensure the goods are delivered to final destination without any physical damage
Training on Operations and Maintenance	Not Required
Warranty Period	1 year
After-sales service and local service support requirements	Not required
Preferred Mode of Transport	<input checked="" type="checkbox"/> Sea/Land/Air The supplier may use any mode of transportation as long as the ordered goods are delivered to final destination as per delivery timeline.

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No

Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.			
Previous relevant experience: 3 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value in USD	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

Financial Offer					
Item No	Description (for details of technical specs please refer to Technical Requirement Table)	UOM	Qty	Unit price in USD	Total price in USD
1.	Two Stage Rotary Vacuum Pump				
2.	Electronic Weighing Scale				
3.	Digital multi-refrigerant gauge manifold				
4.	Electronic refrigerant leak detector for CFCs, HCFCs, HFCs refrigerant				
5.	Micron Gauge with large LCD displays readings				
6.	Recovery Machine				
7.	Recovery-Recycling unit				
8.	Recovery cylinder				
9.	Servicing Toolbox with following set of tools equipped (General Tools, Brazing Kit, Tubing Tools, Flaring Tools and Valve Core remover dual size)				
10.	Piercing pliers				
11.	Digital Clamp on Meter				
12.	Small Digital Thermometer				
13.	Anemometer				
14.	Safety Goggles (designed for RAC servicing)				
15.	Safety Gloves (designed for RAC servicing)				
16.	Nitrogen Regulator Two Stage				
17.	Oxygen Regulator Two Stage				
18.	Fire Extinguisher (non-ozone depleting substance with low global warming potential such CO2, regular tank)				

19.	<i>Open end torque wrench set</i>				
20.	<i>Combination wrench set</i>				
21.	<i>Removable refrigerant charging valve 1/4 - 1/4' SAE</i>				
22.	<i>Removable refrigerant charging valve 5/6 - 1/4' SAE</i>				
Total Price					
Transportation Price to municipalities					
Other Charges (specify)					
Total Final and All-inclusive Price					

Compliance with Requirements

	Your Responses		
	Yes, we will comply	No, we cannot comply	Remarks
Offer complies with Minimum Technical Specifications for each product	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS 2020, DAP)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time (8 Weeks)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Warranty (Standard Manufacturer) one year at-least with all items	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation (60 days)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms 30 days after receipt and acceptance of goods and invoice	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

Technical Compliance and details of offered products

	Your Responses		
	Yes, we will comply	No, we cannot comply	Please provide your offered products Brand and model reference to catalogue, with a sample photo for each item
Two Stage Rotary Vacuum Pump (7 Set/Kit) <ul style="list-style-type: none"> • 3.5 cfm displacement, blast facility and able to pull blank off pressure of less than 50 microns • Portable incorporating a carrying handle • Must include oil level indicator with easy oil change characteristics. • Ambient working temperature –5 to +50 °C. • Spare parts and consumables for one year of operation including 2 liters (4 pints) of vacuum pump oil. • Power: AC 220-240V, 50-60Hz 	<input type="checkbox"/>	<input type="checkbox"/>	
Electronic Weighing Scale (7 Set/Kit) <ul style="list-style-type: none"> • Range : 50Kg • Accuracy : $\pm 0.05\%$ Fs • Resolution ratio : 2g • Power: AC 220V, 50Hz / DC9V 	<input type="checkbox"/>	<input type="checkbox"/>	
Digital multi-refrigerant gauge manifold (7 Set/Kit) <ul style="list-style-type: none"> • 4way digital • Identical pressure measuring range 60 Bar • Pressure measurement accuracy > 0.5 % of f.v. • Temperature-compensated leakage testing • Automatic ambient pressure measurement • Suitable for CFCs, HCFCs, HFCs refrigerants • Three 1.8m long ¼ ' connector charging hose 	<input type="checkbox"/>	<input type="checkbox"/>	
Electronic refrigerant leak detector for CFCs, HCFCs, HFCs refrigerants. <ul style="list-style-type: none"> • Minimum detection of $\leq 5\text{g/yr}$ leak rate. • Audible and visual alarms from a heated diode sensor • Manual zero setting • CE/TUV Certification • Rechargeable battery 	<input type="checkbox"/>	<input type="checkbox"/>	
Micron Gauge with large LCD displays readings (7 Set/Kit) <ul style="list-style-type: none"> • Resolution 1 Micron (when vacuum 200 Micron) • 7 units: Micron, PSI, InHg, mbar, Pascal, Torr, mTorr • Over pressure 20 Bar • Working Temperature : 0°C-40°C • ¼ ' SAE port 	<input type="checkbox"/>	<input type="checkbox"/>	

Recovery Machine (2 Set/Kit) <ul style="list-style-type: none"> • Compatible with common refrigerants, specially HFCs (e.g R-32, R-410A, R-404A, R-134a) • 220-240 V/50-60HZ • Compressor ½-1 hp, single cylinder, oil-less • Automatic high pressure cut-out (safety control) • CE/TUV Certification • Overload protection • Replaceable inlet filters • Minimum vacuum rating ≤15" HG+ • Minimum vapor recovery rate (R22) 0.1 kg/min • Minimum liquid recovery rate (R22) 1.6 kg/min • Self-evacuation to ensure that refrigerants are not mixed when applying to other units • Inlet fitting 1/4" SAE • Set of three 1/4" SAE refrigerant hoses with manual shut-off valves 60" long • Meeting ARI Standard 740 or similar 	<input type="checkbox"/>	<input type="checkbox"/>	
Recovery-Recycling unit (2 Set/Kit) <ul style="list-style-type: none"> • compatible with common refrigerants, specially HFCs (e.g R-32, R-410, R-404, R-134a) • 220-240 V/50-60HZ • Operating Temperature 0 - 40 °C • Self evacuation system (PURGE) • Signal LED contained • safety device for maximum pressure 	<input type="checkbox"/>	<input type="checkbox"/>	
Recovery cylinder (2 Set/Kit) <ul style="list-style-type: none"> • Compatible with common refrigerants, specially HFCs (e.g R-32, R-410A, R-404A, R-134a) • 50 lb standard (e.g. DOT-4BA-400) • Service Pressure Rated ≥400 PSI • Relief valve setting 600 PSI • Manual drain valve 	<input type="checkbox"/>	<input type="checkbox"/>	
Servicing Toolbox with following set of tools equipped (7 Set/Kit) <ul style="list-style-type: none"> • RAC servicing toolbox • General tools (<i>ratchet, screw bits and sockets</i>) • Brazing kit <ul style="list-style-type: none"> o Light-duty torch kit for brazing, cutting and welding projects o Economical Model regulators with easy-to-read, dual scale 50mm gauges and large plastic adjusting knob 	<input type="checkbox"/>	<input type="checkbox"/>	

<p><i>o The regulators have a one-piece encapsulated seat design with internal filter to protect them from particulate contamination</i></p> <p><i>o Solid brass torch handle is lightweight with front valves</i></p> <ul style="list-style-type: none"> • Tubing tools (tube cutter, tube bender, capillary tube cutter) • Flaring tools <p><i>o Steel material</i></p> <p><i>o Designed for both aluminium and cooper material</i></p> <p><i>o Removable handle</i></p> <p><i>o Tube size ranging from 2, 4, 6, 8 10, 12, 15 and 16 mm O.D</i></p> <p><i>o Steel material</i></p> <p><i>o Solid brass torch handle is lightweight with front valves</i></p> <ul style="list-style-type: none"> • Valve Core Remover (suitable for common refrigerants R410A and R32, dual size 1/4 and 5/16) 			
<p>Piercing pliers (7 Set/Kit)</p> <ul style="list-style-type: none"> • 1/4 port • jaw size accommodates 1/4 to 7/8 OD tubing • High quality steel • 5m long discharge hose 	<input type="checkbox"/>	<input type="checkbox"/>	
<p>Digital Clamp on Meter (7 Set/Kit)</p> <ul style="list-style-type: none"> • Allows measuring current flow in power lines by simply clamping the jaws around the conductor. • Measure current and voltage AC. • Measure the continuity to determine good or bad fuses, open or shorted conductors, operation of switches. • Digital display. • Measuring range: 20mA - 600 A (AC); 200 mV - 750 V (AC); 1 V - 1000 V (DC). 	<input type="checkbox"/>	<input type="checkbox"/>	
<p>Small Digital Thermometer (7 Set/Kit)</p> <ul style="list-style-type: none"> • Temperature range: -50°C-390°C • Accuracy: -50°C-0°C, ±2°C ; 0°C-100°C, ±1.5°C ; > 100°C, ±2% • Response time : 500ms • Working Temperature : 0°C-40°C • Relative humidity : 10-95%RH 	<input type="checkbox"/>	<input type="checkbox"/>	
<p>Anemometer (7 Set/Kit)</p> <ul style="list-style-type: none"> • Range: 0-30m/s, ±5% F.S • Resolution ratio: 0.1 • Temperature measurement range: -10°C-50°C • Temperature measurement resolution 	<input type="checkbox"/>	<input type="checkbox"/>	

ratio: 0.1°C • Auto Power Off			
Safety Goggles (designed for RAC servicing) (15 sets/kits)	<input type="checkbox"/>	<input type="checkbox"/>	
Safety Gloves (designed for RAC servicing) (15 sets/kits)	<input type="checkbox"/>	<input type="checkbox"/>	
Nitrogen Regulator Two Stage (2 sets/kits) • Two stage • Inlet Connection 0.965"-14 • outlet connection 5/8"-18 • Maximum Gauge Pressure 4,000 psi • Maximum Inlet Pressure 3,000 Psig	<input type="checkbox"/>	<input type="checkbox"/>	
Oxygen Regulator Two Stage (2 sets/kits) • Two stage • Inlet Connection • Outlet connection 5/8"-18 • Maximum Gauge Pressure 4,000 psi • Maximum Inlet Pressure 3,000 Psig	<input type="checkbox"/>	<input type="checkbox"/>	
Fire Extinguisher (non-ozone depleting substance with low global warming potential such CO2, regular tank) (2 sets/kits)	<input type="checkbox"/>	<input type="checkbox"/>	
Open end torque wrench (2 sets/kits) • Jaw adjustable 0-32mm • Torque range 10-150 N.m • Torque accuracy ±3% FS	<input type="checkbox"/>	<input type="checkbox"/>	
Combination wrench (2 sets/kits) • High quality steel • Jaw adjustable 0-32mm • Wrench length 250 mm	<input type="checkbox"/>	<input type="checkbox"/>	
Removable refrigerant charging valve (2 sets/kits) • Brass material • Working pressure: ≤60 Bar • 1/4-1/4" SAE • With thimble • Suitable for CFCs, HCFCs, HFCs, HCs and other refrigerants	<input type="checkbox"/>	<input type="checkbox"/>	
Removable refrigerant charging valve (2 sets/kits) • Brass material • Working pressure: ≤60 Bar • 5/16-1/4" SAE • With thimble • Suitable for CFCs, HCFCs, HFCs, HCs and other refrigerants	<input type="checkbox"/>	<input type="checkbox"/>	

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
Exact name and address of company Company Name Click or tap here to enter text. Address: Click or tap here to enter text. Click or tap here to enter text. Phone No.: Click or tap here to enter text. Email Address: Click or tap here to enter text.	Authorized Signature: Date: Click or tap here to enter text. Name: Click or tap here to enter text. Functional Title of Authorised Signatory: Click or tap here to enter text. Email Address: Click or tap here to enter text.