INVITATION TO BID

Crime Scene Investigation Kits
Support to Justice Sector Reform
Republic of Moldova



United Nations Development Programme

June 2015

Section 1. Letter of Invitation

Chisinau, Republic of Moldova 25 June 2015

Ref. no.: ITB15/01027

Subject: Procurement of crime scene investigation kits

Dear Sir / Madam:

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents:

Section 1 – This Letter of Invitation

Section 2 – Instructions to Bidders (including Data Sheet)

Section 3 – Schedule of Requirements and Technical Specifications

Section 4 - Bid Submission Form

Section 5 - Documents Establishing the Eligibility and Qualifications of the Bidder

Section 6 – Technical Bid Form

Section 7 - Price Schedule Form

Section 8 – Form for Bid Security [not required]

Section 9 – Form for Performance Security [not required]

Section 10 - Form for Advanced Payment Guarantee [not required]

Section 11 - General Terms and Conditions of Contract to be signed

Your offer, comprising of a Technical Bid and Price Schedule should be submitted in accordance with Section 2.

You are kindly requested to submit an acknowledgment letter to UNDP to the following address:

United Nations Development Programme in Moldova

131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova

Email: sc.md@undp.org Attention: Procurement Unit

The letter should be received by UNDP no later than Close of Business, o7 July 2015. The same letter should advise whether your company intends to submit a Bid. If that is not the case, UNDP would appreciate your indicating the reason, for our records.

If you have received this ITB through a direct invitation by UNDP, transferring this invitation to another firm requires notifying UNDP accordingly.

Should you require any clarification, kindly communicate with the contact person identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thanks you in advance for your interest in UNDP procurement opportunities.

Spilling Narine Sahakyan,

Deputy Resident Representative

Page 2 of 59

Section 2: Instruction to Bidders

Definitions

- a) "Bid" refers to the Bidder's response to the Invitation to Bid, including the Bid Submission Form, Technical Bid and Price Schedule and all other documentation attached thereto as required by the ITB.
- b) "Bidder" refers to any legal entity that may submit, or has submitted, a Bid for the supply of goods and provision of related services requested by UNDP.
- c) "Contract" refers to the legal instrument that will be signed by and between the UNDP and the successful Bidder, all the attached documents thereto, including the General Terms and Conditions (GTC) and the Appendices.
- d) "Country" refers to the country indicated in the Data Sheet.
- e) "Data Sheet" refers to such part of the Instructions to Bidders used to reflect conditions of the tendering process that are specific for the requirements of the ITB.
- f) "Day" refers to calendar day.
- g) "Goods" refer to any tangible product, commodity, article, material, wares, equipment, assets or merchandise that UNDP requires under this ITB.
- h) "Government" refers to the Government of the country where the goods and related services provided/rendered specified under the Contract will be delivered or undertaken.
- i) "Instructions to Bidders" refers to the complete set of documents which provides Bidders with all information needed and procedures to be followed in the course of preparing their Bid
- j) "ITB" refers to the Invitation to Bid consisting of instructions and references prepared by UNDP for purposes of selecting the best supplier or service provider to fulfil the requirement indicated in the Schedule of Requirements and Technical Specifications.
- k) "LOI" (Section 1 of the ITB) refers to the Letter of Invitation sent by UNDP to Bidders.
- "Material Deviation" refers to any contents or characteristics of the bid that is significantly different from an essential aspect or requirement of the ITB, and (i) substantially alters the scope and quality of the requirements; (ii) limits the rights of UNDP and/or the obligations of the offeror; and (iii) adversely impacts the fairness and principles of the procurement process, such as those that compromise the competitive position of other offerors.
- m) "Schedule of Requirements and Technical Specifications" refers to the document included in this ITB as Section 3 which lists the goods required by UNDP, their specifications, the related services, activities, tasks to be performed, and other information pertinent to UNDP's receipt and acceptance of the goods.
- n) "Services" refers to the entire scope of tasks related or ancillary to the completion or delivery of the goods required by UNDP under the ITB.
- o) "Supplemental Information to the ITB" refers to a written communication issued by UNDP to prospective Bidders containing clarifications, responses to queries received from prospective Bidders, or changes to be made in the ITB, at any time after the release of the ITB but before the deadline for the submission of Bid.

A. GENERAL

- 1. UNDP hereby solicits Bids as a response to this Invitation to Bid (ITB). Bidders must strictly adhere to all the requirements of this ITB. No changes, substitutions or other alterations to the rules and provisions stipulated in this ITB may be made or assumed unless it is instructed or approved in writing by UNDP in the form of Supplemental Information to the ITB.
- 2. Submission of a Bid shall be deemed as an acknowledgement by the Bidder that all obligations stipulated by this ITB will be met and, unless specified otherwise, the Bidder has read, understood and agreed to all the instructions in this ITB.
- 3. Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of any Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.
- 4. UNDP implements a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical practices, and obstruction. UNDP is committed to preventing, identifying and addressing all acts of fraud and corrupt practices against UNDP as well as third parties involved in UNDP activities. (See
 - http://www.undp.org/about/transparencydocs/UNDP_Anti_Fraud_Policy_English_FINAL_june_2011.pdf and
 - http://www.undp.org/content/undp/en/home/operations/procurement/procurement_protest/ for full description of the policies).
- 5. In responding to this ITB, UNDP requires all Bidders to conduct themselves in a professional, objective and impartial manner, and they must at all times hold UNDP's interests paramount. Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. All Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:
 - Are, or have been associated in the past, with a firm or any of its affiliates which have been engaged UNDP to provide services for the preparation of the design, Schedule of Requirements and Technical Specifications, cost analysis/estimation, and other documents to be used for the procurement of the goods and related services in this selection process;
 - Were involved in the preparation and/or design of the programme/project related to the goods and related services requested under this ITB; or
 - Are found to be in conflict for any other reason, as may be established by, or at the discretion of, UNDP.

In the event of any uncertainty in the interpretation of what is potentially a conflict of interest, Bidders must disclose the condition to UNDP and seek UNDP's confirmation on whether or not such conflict exists.

- **6.** Similarly, the following must be disclosed in the Bid:
 - 6.1 Bidders who are owners, part-owners, officers, directors, controlling shareholders, or key personnel who are family of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving the goods and related services under this ITB; and

6.2 Others that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure of such disclosure may result in the rejection of the Bid.

- 7. The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered as an independent entity, the extent of Government ownership/share, receipt of subsidies, mandate, access to information in relation to this ITB, and others that may lead to undue advantage against other Bidders, and the eventual rejection of the Bid.
- **8.** All Bidders must adhere to the UNDP Supplier Code of Conduct, which may be found at this link: http://web.ng.undp.org/procurement/undp-supplier-code-of-conduct.pdf.

B. CONTENTS OF BID

9. Sections of Bid

Bidders are required to complete, sign and submit the following documents:

- 9.1 Bid Submission Cover Letter Form (see ITB Section 4);
- 9.2 Documents Establishing the Eligibility and Qualifications of the Bidder (see ITB Section 5);
- 9.3 Technical Bid (see prescribed form in ITB Section 6);
- 9.4 Price Schedule (see prescribed form in ITB Section 7);
- 9.5 Bid Security, if applicable (if required and as stated in the DS nos. 9-11, see prescribed Form in ITB Section 8);
- 9.6 Any attachments and/or appendices to the Bid (including all those specified under the **Data Sheet**).

10. Clarification of Bid

- 10.1 Bidders may request clarification of any of the ITB documents no later than the number of days indicated in the **Data Sheet** (DS no. 16) prior to the Bid submission date. Any request for clarification must be sent in writing via courier or through electronic means to the UNDP address indicated in the **Data Sheet** (DS no. 17). UNDP will respond in writing, transmitted by electronic means and will transmit copies of the response (including an explanation of the query but without identifying the source of inquiry) to all Bidders who have provided confirmation of their intention to submit a Bid.
- 10.2 UNDP shall endeavor to provide such responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bid, unless UNDP deems that such an extension is justified and necessary.

11. Amendment of Bid

- At any time prior to the deadline for submission of Bid, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of a Supplemental Information to the ITB. All prospective Bidders will be notified in writing of all changes/amendments and additional instructions through Supplemental Information to the ITB and through the method specified in the **Data Sheet** (DS No. 18).
- 11.2 In order to afford prospective Bidders reasonable time to consider the amendments in preparing

their Bid, UNDP may, at its discretion, extend the deadline for submission of Bid, if the nature of the amendment to the ITB justifies such an extension.

C. PREPARATION OF BID

12. Cost

The Bidder shall bear any and all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid was selected or not. UNDP shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.

13. Language

The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the **Data Sheet** (DS No. 4). Any printed literature furnished by the Bidder written in a language other than the language indicated in the **Data Sheet**, must be accompanied by a translation in the preferred language indicated in the **Data Sheet**. For purposes of interpretation of the Bid, and in the event of discrepancy or inconsistency in meaning, the version translated into the preferred language shall govern. Upon conclusion of a contract, the language of the contract shall govern the relationship between the contractor and UNDP.

14. Bid Submission Form

The Bidder shall submit the Bid Submission Form using the form provided in Section 4 of this ITB.

15. Technical Bid Format and Content

Unless otherwise stated in the **Data Sheet** (DS no. 28), the Bidder shall structure the Technical Bid as follows:

- Expertise of Firm/Organization this section should provide details regarding management structure of the organization, organizational capability/resources, and experience of organization/firm, the list of projects/contracts (both completed and on-going, both domestic and international) which are related or similar in nature to the requirements of the ITB, manufacturing capacity of plant if Bidder is a manufacturer, authorization from the manufacturer of the goods if Bidder is not a manufacturer, and proof of financial stability and adequacy of resources to complete the delivery of goods and provision of related services required by the ITB (see ITB Clause 18 and DS No. 26 for further details). The same shall apply to any other entity participating in the ITB as a Joint Venture or Consortium.
- Technical Specifications and Implementation Plan this section should demonstrate the Bidder's response to the Schedule of Requirements and Technical Specifications by identifying the specific components proposed; how each of the requirements shall be met point by point; providing a detailed specification and description of the goods required, plans and drawings where needed; the essential performance characteristics, identifying the works/portions of the work that will be subcontracted; a list of the major subcontractors, and demonstrating how the bid meets or exceeds the requirements, while ensuring appropriateness of the bid to the local conditions and the rest of the project operating environment during the entire life of the goods provided. Details of technical bid must be laid out and supported by an Implementation Timetable, including Transportation and Delivery Schedule where needed, that is within the duration of the contract as specified in the **Data Sheet** (DS noS. 29 and 30).

Bidders must be fully aware that the goods and related services that UNDP require may be transferred,

immediately or eventually, by UNDP to the Government partners, or to an entity nominated by the latter, in accordance with UNDP's policies and procedures. All bidders are therefore required to submit the following in their bids:

- A statement of whether any import or export licences are required in respect of the goods to be purchased or services to be rendered, including any restrictions in the country of origin, use or dual use nature of the goods or services, including any disposition to end users;
- b) Confirmation that the Bidder has obtained license of this nature in the past, and have an expectation of obtaining all the necessary licenses, should their bid be rendered the most responsive; and
- c) Complete documentation, information and declaration of any goods classified or may be classified as "Dangerous Goods".
- 15.3 Management Structure and Key Personnel This section should include the comprehensive curriculum vitae (CVs) of key personnel that will be assigned to support the implementation of the technical bid, clearly defining their roles and responsibilities. CVs should establish competence and demonstrate qualifications in areas relevant to the requirements of this ITB.

In complying with this section, the Bidder assures and confirms to UNDP that the personnel being nominated are available to fulfil the demands of the Contract during its stated full term. If any of the key personnel later becomes unavailable, except for unavoidable reasons such as death or medical incapacity, among other possibilities, UNDP reserves the right to render the Bid non-responsive. Any deliberate substitution of personnel arising from unavoidable reasons, including delay in the implementation of the project of programme through no fault of the Bidder, shall be made only with UNDP's acceptance of the justification for substitution, and UNDP's approval of the qualification of the replacement who shall be either of equal or superior credentials as the one being replaced.

- Where the **Data Sheet** requires the submission of the Bid Security, the Bid Security shall be included along with the Technical Bid. The Bid Security may be forfeited by UNDP, and reject the Bid, in the event of any or any combination of the following conditions:
 - a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the **Data Sheet** (DS no. 11), or;
 - b) If the Bid Security amount is found to be less than what is required by UNDP as indicated in the **Data Sheet** (DS no. 9), or;
 - c) In the case the successful Bidder fails:
 - i. to sign the Contract after UNDP has awarded it;
 - ii. to comply with UNDP's variation of requirement, as per ITB Clause 35; or
 - iii. to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering effective the contract that may be awarded to the Bidder.

16. Price Schedule

The Price Schedule shall be prepared using the attached standard form (Section 7). It shall list all major cost components associated with the goods and related services, and the detailed breakdown of such costs. All goods and services described in the Technical Bid must be priced separately on a one-to-one correspondence. Any output and activities described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of the items or activities, as well as in the final total price of the bid.

17. Currencies

All prices shall be quoted in the currency indicated in the **Data Sheet** (DS no. 15). However, where Bids are quoted in different currencies, for the purposes of comparison of all Bid:

- 17.1 UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bid; and
- In the event that the Bid found to be the most responsive to the ITB requirement is quoted in another currency different from the preferred currency as per **Data Sheet** (DS no. 15), then UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.

18. Documents Establishing the Eligibility and Qualifications of the Bidder

- 18.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the forms provided under Section 5, Bidder Information Forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfactions. These include, but are not limited to the following:
 - a) That, in the case of a Bidder offering to supply goods under the Contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' manufacturer or producer to supply the goods in the country of final destination;
 - b) That the Bidder has the financial, technical, and production capability necessary to perform the Contract; and
 - c) That, to the best of the Bidder's knowledge, it is not included in the UN 1267 List or the UN Ineligibility List, nor in any and all of UNDP's list of suspended and removed vendors.
- 18.2 Bids submitted by two (2) or more Bidders shall all be rejected by UNDP if they are found to have any of the following:
 - a) they have at least one controlling partner, director or shareholder in common; or
 - b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
 - c) they have the same legal representative for purposes of this ITB; or
 - d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this ITB process;
 - e) they are subcontractors to each other's bid, or a subcontractor to one bid also submits another Bid under its name as lead Bidder; or
 - f) an expert proposed to be in the bid of one Bidder participates in more than one Bid received for this ITB process. This condition does not apply to subcontractors being included in more than one Bid.

19. Joint Venture, Consortium or Association

If the Bidder is a group of legal entities that will form or have formed a joint venture, consortium or association at the time of the submission of the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the joint venture jointly and severally, and this shall be duly evidenced by a duly notarized Agreement among the legal entities, which shall be submitted along with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all entities that comprise the joint venture.

After the bid has been submitted to UNDP, the lead entity identified to represent the joint venture shall

not be altered without the prior written consent of UNDP. Furthermore, neither the lead entity nor the member entities of the joint venture can:

- a) Submit another Bid, either in its own capacity; nor
- b) As a lead entity or a member entity for another joint venture submitting another Bid.

The description of the organization of the joint venture/consortium/association must clearly define the expected role of each of the entity in the joint venture in delivering the requirements of the ITB, both in the bid and in the Joint Venture Agreement. All entities that comprise the joint venture shall be subject to the eligibility and qualification assessment by UNDP.

Where a joint venture is presenting its track record and experience in a similar undertaking as those required in the ITB, it should present such information in the following manner:

- a) Those that were undertaken together by the joint venture; and
- b) Those that were undertaken by the individual entities of the joint venture expected to be involved in the performance of the services defined in the ITB.

Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the joint venture or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials.

If the Bid of a joint venture is determined by UNDP as the most responsive Bid that offers the best value for money, UNDP shall award the contract to the joint venture, in the name of its designated lead entity, who shall sign the contract for and on behalf of all the member entities.

20. Alternative Bid

Unless otherwise specified in the **Data Sheet** (DS nos. 5 and 6), alternative bid shall not be considered. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative bid.

21. Validity Period

- Bid shall remain valid for the period specified in the **Data Sheet** (DS no. 8), commencing on the submission deadline date also indicated in the **Data Sheet** (DS no. 21). A Bid valid for a shorter period shall be immediately rejected by UNDP and rendered non-responsive.
- In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bid. The request and the responses shall be made in writing, and shall be considered integral to the Bid.

22. Bidder's Conference

When appropriate, a Bidder's conference will be conducted at the date, time and location specified in the **Data Sheet** (DS no. 7). All Bidders are encouraged to attend. Non-attendance, however, shall <u>not</u> result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be either posted on the UNDP website, or disseminated to the individual firms who have registered or expressed interest with the contract, whether or not they attended the conference. No verbal statement made during the conference shall modify the terms and conditions of the ITB unless such statement is specifically written in the Minutes of the Conference, or issued/posted as an amendment in the form of a Supplemental Information to the ITB.

D. SUBMISSION AND OPENING OF BID

23. Submission

- The Technical Bid and the Price Schedule <u>must</u> be submitted together and sealed together in one and the same envelope, delivered either personally, by courier, or by electronic method of transmission. If submission will not be done by electronic means, the Technical Bid and Price Schedule must be sealed together in an envelope whose external side must:
 - a) Bear the name of the Bidder;
 - b) Be addressed to UNDP as specified in the Data Sheet (DS no.20); and
 - c) Bear a warning not to open before the time and date for Bid opening as specified in the **Data Sheet** (DS no. 24).

If the envelope is not sealed nor labeled as required, the Bidder shall assume the responsibility for the misplacement or premature opening of Bid due to improper sealing and labeling by the Bidder.

- Bidders must submit their Bid in the manner specified in the **Data Sheet** (DS nos. 22 and 23). When the Bid is expected to be in transit for more than 24 hours, the Bidder must ensure that sufficient lead time has been provided in order to comply with UNDP's deadline for submission. UNDP shall indicate for its record that the official date and time of receiving the Bid is the <u>actual</u> date and time when the said Bid has physically arrived at the UNDP premises indicated in the **Data Sheet** (DS no. 20).
- Bidders submitting Bid by mail or by hand shall enclose the original and each copy of the Bid, in separate sealed envelopes, duly marking each of the envelopes as "Original Bid" and the others as "Copy of Bid". The two envelopes, consisting of original and copies, shall then be sealed in an outer envelope. The number of copies required shall be as specified in the **Data Sheet** (DS no. 19). In the event of any discrepancy between the contents of the "Original Bid" and the "Copy of Bid", the contents of the original shall govern. The original version of the Bid shall be signed or initialed by the Bidder or person(s) duly authorized to commit the Bidder on every page. The authorization shall be communicated through a document evidencing such authorization issued by the highest official of the firm, or a Power of Attorney, accompanying the Bid.
- 23.4 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder accepts the General Contract Terms and Conditions of UNDP as attached hereto as Section 11.

24. Deadline for Submission of Bid and Late Bids

Bid must be received by UNDP at the address and no later than the date and time specified in the **Data Sheet** (DS no. 20 and 21).

UNDP shall not consider any Bid that arrives after the deadline for submission of Bid. Any Bid received by UNDP after the deadline for submission of Bid shall be declared late, rejected, and returned unopened to the Bidder.

25. Withdrawal, Substitution, and Modification of Bid

25.1 Bidders are expected to have sole responsibility for taking steps to carefully examine in detail

the full consistency of its Bid to the requirements of the ITB, keeping in mind that material deficiencies in providing information requested by UNDP, or lack clarity in the description of goods and related services to be provided, may result in the rejection of the Bid. The Bidder shall assume any responsibility regarding erroneous interpretations or conclusions made by the Bidder in the course of understanding the ITB out of the set of information furnished by UNDP.

- A Bidder may withdraw, substitute or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 23, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid must accompany the respective written notice. All notices must be received by UNDP prior to the deadline for submission and submitted in accordance with ITB Clause 23 (except that withdrawal notices do not require copies). The respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or MODIFICATION".
- 25.3 Bid requested to be withdrawn shall be returned unopened to the Bidders.
- No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bid and the expiration of the period of Bid validity specified by the Bidder on the Bid Submission Form or any extension thereof.

26. Bid Opening

UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. If electronic submission is permitted, any specific electronic Bid opening procedures shall be as specified in the **Data Sheet** (DS no. 23).

The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submission, for which the Bid shall be returned unopened to the Bidder.

27. Confidentiality

Information relating to the examination, evaluation, and comparison of Bid, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.

Any effort by a Bidder to influence UNDP in the examination, evaluation and comparison of the Bid or contract award decisions may, at UNDP's decision, result in the rejection of its Bid.

In the event that a Bidder is unsuccessful, the Bidder may seek a meeting with UNDP for a debriefing. The purpose of the debriefing is discussing the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving the bid presented to UNDP. The content of other bid and how they compare to the Bidder's submission shall not be discussed.

E. EVALUATION OF BID

28. Preliminary Examination of Bid

UNDP shall examine the Bid to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, whether or not the Bidder is in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and

in UNDP's list of suspended and removed vendors, and whether the Bid are generally in order, among other indicators that may be used at this stage. UNDP may reject any Bid at this stage.

29. Evaluation of Bid

- 29.1 UNDP shall examine the Bid to confirm that all terms and conditions under the UNDP General Terms and Conditions and Special Conditions have been accepted by the Bidder without any deviation or reservation.
- The evaluation team shall review and evaluate the Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the **Data Sheet** (DS No. 25). Absolutely no changes may be made by UNDP in the criteria after all Bids have been received.
- 29.3 UNDP reserves the right to undertake a post-qualification exercise, aimed at determining, to its satisfaction the validity of the information provided by the Bidder. Such post-qualification shall be fully documented and, among those that may be listed in the **Data Sheet** (DS No.33), may include, but need not be limited to, all or any combination of the following:
 - a) Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted;
 - b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team;
 - c) Inquiry and reference checking with Government entities with jurisdiction on the bidder, or any other entity that may have done business with the bidder;
 - d) Inquiry and reference checking with other previous clients on the quality of performance on on-going or previous contracts completed;
 - e) Physical inspection of the bidder's plant, factory, branches or other places where business transpires, with or without notice to the bidder;
 - f) Testing and sampling of completed goods similar to the requirements of UNDP, where available; and
 - g) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.

30. Clarification of Bid

To assist in the examination, evaluation and comparison of bids, UNDP may, at its discretion, ask any Bidder to clarify its Bid.

UNDP's request for clarification and the Bidder's response shall be in writing. Notwithstanding the written communication, no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bid, in accordance with ITB Clause 35.

Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bid.

31. Responsiveness of Bid

UNDP's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

A substantially responsive Bid is one that conforms to all the terms, conditions, and specifications of the

ITB without material deviation, reservation, or omission.

If a Bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.

32. Nonconformities, Reparable Errors and Omissions

- Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
- Provided that a Bid is substantially responsive, UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- Provided that the Bid is substantially responsive, UNDP shall correct arithmetical errors as follows:
 - a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
 - b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to the above.

If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.

F. AWARD OF CONTRACT

33. Right to Accept, Reject, or Render Non-Responsive Any or All Bid

- UNDP reserves the right to accept or reject any Bid, to render any or all of the Bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. Furthermore, UNDP is not obligated to award the contract to the lowest price offer.
- UNDP shall also verify, and immediately reject their respective Bid, if the Bidders are found to appear in the UN's Consolidated List of Individuals and Entities with Association to Terrorist Organizations, in the List of Vendors Suspended or Removed from the UN Secretariat Procurement Division Vendor Roster, the UN Ineligibility List, and other such lists that as may be established or recognized by UNDP policy on Vendor Sanctions. (See http://www.undp.org/content/undp/en/home/operations/procurement/procurement_protest/)

34. Award Criteria

Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and

Page **13** of **59**

Technical Specification, and has offered the lowest price (See DS No. 32).

35. Right to Vary Requirements at the Time of Award

At the time of award of Contract, UNDP reserves the right to vary the quantity of the goods and/or related services, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

36. Contract Signature

Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP.

Failure of the successful Bidder to comply with the requirement of ITB Section F.3 and this provision shall constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security if any, and on which event, UNDP may award the Contract to the Bidder with the second highest rated Bid, or call for new Bid.

37. Performance Security

A performance security, if required, shall be provided in the amount and form provided in Section 9 and by the deadline indicated in the **Data Sheet** (DS no. 14), as applicable. Where a Performance Security will be required, the submission of the said document, and the confirmation of its acceptance by UNDP, shall be a condition for the effectivity of the Contract that will be signed by and between the successful Bidder and UNDP.

38. Bank Guarantee for Advanced Payment

Except when the interests of UNDP so require, it is the UNDP's preference to make no advanced payment(s) on contracts (i.e., payments without having received any outputs). In the event that the Bidder requires an advanced payment upon contract signature, and if such request is duly accepted by UNDP, and the said advanced payment exceeds 20% of the total Bid price, or exceed the amount of USD 30,000, UNDP shall require the Bidder to submit a Bank Guarantee in the same amount as the advanced payment. A bank guarantee for advanced payment shall be furnished in the form provided in Section 10.

39. Vendor Protest

UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a purchase order or contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/procurement/protest.shtml.

Instructions to Bidders

DATA SHEET

The following data for the supply of goods and related services shall complement / supplement the provisions in the Instruction to Bidders. In the case of a conflict between the Instruction to Bidders and the Data Sheet, the provisions in the Data Sheet shall prevail.

DS No.	Cross Ref. to Instruct ions	Data	Specific Instructions / Requirements
1		Project Title:	Support to Justice Sector Reform in Moldova
2		Title of Goods/Services/Work Required:	Crime scene investigation kits
3		Country:	Republic of Moldova
4	C.13	Language of the Bid:	☑ English ☐ French ☐ Others:
5	C.20	Conditions for Submitting Bid for Parts or sub-parts of the Total Requirements	⊠ Not allowed
6	C.20	Conditions for Submitting Alternative Bid	⊠ Shall not be considered
7	C.22	A pre-Bid conference will be held on:	Time: 14:00 (Moldova local time) Date: 07 July 2015 Venue: UN House Conference Room, 131, 31 August 1989 Street, MD-2012 Chisinau, Moldova. Interested parties can attend the pre-bid conference either in person or through a skype video-conference. Interested parties are requested to inform the UNDP focal point about the way they intend to attend the pre-bid conference and to provide a skype contact, in case the participation is on-line. The UNDP focal point for the arrangement is: Alexandru Cocirta, Project Manager Telephone: +373 (0) 22 245079 Facsimile: +373 (0) 22 245079 E-mail: alexandru.cocirta@undp.org
8	C.21.1	Period of Bid Validity commencing on the submission date	⊠ 90 days
9	B.9.5	Bid Security	☑ Not Required

	C.15.4 b)		
10	B.9.5	Acceptable forms of Bid Security	N/A
11	B.9.5 C.15.4 a)	Validity of Bid Security	N/A
12		Advanced Payment upon signing of contract	⊠ Not allowed
13		Liquidated Damages	 ☑ Will be imposed under the following conditions: Percentage of contract price per day of delay: 0.15% Max. no. of days of delay: 60 After which UNDP may terminate the contract.
14	F.37	Performance Security	☑ Not Required
15	C.17 C.17.2	Preferred Currency of Bid and Method for Currency conversion	
			Reference date for determining UN Operational Exchange Rate: 17 July 2015
16	B.10.1	Deadline for submitting requests for clarifications/ questions	5 days before the submission date.
17	B.10.1	Contact Details for submitting clarifications/questions¹	Focal Person in UNDP: Alexandru Cocirta, Project Manager Address: UNDP Moldova, 131, 31 August 1989 Street, MD- 2012 Chisinau, Republic of Moldova E-mail address dedicated for this purpose: alexandru.cocirta@undp.org
18	B.11.1	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	☑ Direct communication to prospective Bidders by email or fax, and Posting on the website http://www.undp.md/tenders/index.shtml
19	D.23.3	No. of copies of Bid that must be submitted	Original: 1 Copies: 1
20	D.23.1 b) D.23.2 D.24	Bid submission address	UNDP Moldova 131, 31 August 1989 Street MD-2012 Chisinau Republic of Moldova Attention: Registry Office/Procurement

¹ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was officially received.

21	C.21.1 D.24	Deadline of Bid Submission	Date and Time: 17 July 2015, 12:00 (Moldova local time)
22	D.23.2	Manner of Submitting Bid	☑ Courier/Hand Delivery☑ Electronic submission of Bid
23	D.23.2 D.26	Conditions and Procedures for electronic submission and opening, if allowed	 ☑ Official Address for e-submission: tenders-Moldova@undp.org ☑ Format: PDF files only, password protected ☑ Password must not be provided to UNDP until the date and time of Bid Opening as indicated in No. 24 ☑ Max. File Size per transmission: 5 MB ☑ Max. No. of transmission: 5 (five) ☑ No. of copies to be transmitted: 1 (one) ☑ Mandatory subject of email: "ITB15/01027: Crime scene investigation kits" ☑ Time Zone to be Recognized: Moldova (GMT+2:00)
24	D.23.1 c)	Date, time and venue for opening of Bid	Date and Time: 17 July 2015, 14:00 (Moldova local time) Venue: UN House Conference Room, 131, 31 August 1989 Street, MD-2012 Chisinau, Moldova
25		Evaluation method to be used in selecting the most responsive Bid	 ☑ Non-Discretionary "Pass/Fail" Criteria on the Technical Requirements; and ☑ Lowest price offer of technically qualified/responsive Bids
26	C.15.1	Required Documents that must be Submitted to Establish Qualification of Bidders (In "Certified True Copy" form only)	 ☑ Company Profile, which should not exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods/services being procured; ☑ Certificate of Registration of the business, including Articles of Incorporation, or equivalent document if Bidder is not a corporation; ☑ Trade name registration papers, if applicable; ☑ Official Letter of Appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country; ☑ Certification or authorization to act as Agent on behalf of the Manufacturer, or Power of Attorney, if bidder is not a manufacturer; ☑ Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any; ☑ Environmental Compliance Certificates, Accreditations, Markings/Labels, and other evidences of the Bidder's practices which contributes to the ecological sustainability and reduction of adverse environmental impact (e.g., use of nontoxic substances, recycled raw materials, energy-efficient equipment, reduced carbon emission, etc.), either in its business practices or in the goods it manufactures; ☑ Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder;

			Market Address Fig. 11 Co. 1 Co. 1 Co. 1
			 ☑ Latest Audited Financial Statement (Income Statement and Balance Sheet) including Auditor's Report for the past two (2) fiscal years. UNDP will check the financial accounts to compute the quick ratio (QR). Quick ratio tests the company's financial strength and liquidity by calculating a company's liquid assets in proportion to its liabilities. If QR is less than 1: UNDP shall verify financial capacity of the Bidder and has the authority to seek references from concerned parties & banks on the Bidder' financial standing. UNDP has the right to reject any bid if submitted by a Bidder whom investigation leads to a result that it is not financially capable and/or had serious financial problems; ☑ Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value for the past three (3) years. UNDP reserves the right to ask for more satisfactory reports if deemed necessary and or to conduct meetings with clients to acquire further details on the performance of the company; ☑ All information regarding any past and current litigation during the last five (5) years, in which the bidder is involved, indicating the parties concerned, the subject of the litigation, the amounts involved, and the final resolution if already concluded; ☑ A statement whether any import or export licenses are required in respect of the goods to be purchased including any restrictions on the country of origin, use/dual use nature of goods or services, including and disposition to end users (where applicable); ☑ Confirmation that licenses of this nature have been obtained in the past and an expectation of obtaining all the necessary licenses should the quotation be selected (where applicable).
27		Other documents that may be Submitted to Establish Eligibility	N/A
28	C.15	Structure of the Technical Bid and List of Documents to be Submitted	 ☑ Bid Submission Form (Section 4); ☑ Duly filled-in Sections 5-7; ☑ Technical responsiveness table (including detailed description of the proposed goods); ☑ Documents listed under Data Sheet point 26 above; ☑ List and value of major contracts of similar nature and size successfully completed and/or ongoing in the past three (3) years, including contact details of clients (e-mail, phone number), who could be contacted for reference purposes; ☑ Description of after-sales service capacity and warranty arrangements, including name, address and contact details (e-mail, telephone number) of authorized service centre and bidder's approach in ensuring repairs/replacements during the requested warranty period (for the items specified in subsection V of Section 3a); ☑ Delivery schedule for the supply of goods;

			 ☑ Quality Inspection and Testing Certificates for the goods to be supplied; ☑ List of recommended replacement parts and scheduled maintenance services (where applicable).
29	C.15.2	Latest Expected date for commencement of Contract	07 August 2015
30	C.15.2	Maximum Expected duration of contract	90 calendar days
31		UNDP will award the contract to:	☑ One Bidder only
32	F.34	Criteria for the Award and Evaluation of Bid	Award Criteria Non-discretionary "Pass" or "Fail" rating on the detailed contents of the Schedule of Requirements and Technical Specifications Compliance on the following qualification requirements: Bid Evaluation Criteria Full compliance of Bid to the Technical Requirements; Full compliance of offered goods to the Technical Specifications and required quality standards; Minimum of three (₃) years of experience in similar contracts; Minimum annual turnover of o.₃ Million US Dollars for the past two (₂) years; Proven experience in supplying goods and services of similar nature and size/value; Availability of Quality Inspection and Testing Certificates for the goods to be supplied; Acceptability of the Delivery Schedule; Acceptability of after-sales service capacity and bidder's approach for warranty arrangements; Warranty on parts and services for a minimum period of two (₂) years.
33	E.29	Post qualification Actions	 ✓ Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted ✓ Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team ✓ Inquiry and reference checking with other previous clients on the quality of performance on ongoing or previous contracts completed
34		Conditions for Determining Contract Effectivity	⊠ Contract signature
35		Other Information Related to the ITB	Further information, instructions and/or amendments to the solicitation documents shall be published at the UNDP

Ī		Moldova tenders website:
		http://www.undp.md/tenders/index.shtml

Section 3a: Schedule of Requirements and Technical Specifications

I. Background Information

The Ministry of Internal Affairs is the largest investigation authority within the criminal justice system. Therefore, a number of institutional and structural reforms are foreseen within the justice sector reform to strengthen the Ministry of Internal Affairs' performance in the framework of criminal investigation activity (Priority Area 2.3 from the Justice Sector Reform Strategy – Strengthening the individual and institutional professional capacities to investigate crimes) by implementing and using modern criminal investigation techniques and instruments, amending the legislation in line with international standards and best practices, providing appropriate training for the involved professional groups, carrying out criminal investigations in the framework of multidisciplinary task force groups, strengthening the capacities of forensic centres.

One of the Project's goal is to strengthen the capacities of criminal investigators/crime scene technicians in the area of proper crime scene management and evidence collection, along with providing the Moldova Forensic Unit with essential equipment for the crime scene investigation and securing the evidence for further laboratory analysis. The action will aim at enhancing the operational capacities of the Forensic Unit of the General Police Inspectorate to investigate, collect and secure crime scene evidence by endowing it with crime scene investigation kits and tools for the police teams responsible for processing routine crime scenes, customized to the needs of the beneficiary institution.

II. Scope of Contract

The scope of contract includes the provision of crime scene investigation kits and equipment for the Forensic Unit of the General Police Inspectorate. The kits will be used to equip several crime scene investigations cars and vans, retrofitted with shelving systems for the purpose of this project. Detailed technical specifications of required goods and composition of kits are described below.

III. Deliverables

The contractor shall supply the quantity of crime scene kits and equipment described below in the "Description/Specifications of goods". All parameters in the Technical Specifications indicate the minimum or allowable range of functional requirements.

IV. Delivery and Shipping

UNDP Moldova is looking for a maximum delivery time of 90 calendar days. Offerors shall submit a detailed delivery schedule as part of their offer, indicating the major milestones in the execution of contract. Delivery Terms: DAP Chisinau, Moldova (INCOTERMS 2010)

V. Warranty and Maintenance

Offerors shall propose minimum two (2) years of warranty for the offered goods and shall describe their after-sales service capacity and approach/conditions for warranty and post-warranty repairs/replacements, including name and address of authorized service centre.

The warranty shall also include maintenance, troubleshooting and repair of the equipment and kits specified under the following items from Section VII (Description/Specification of goods) below:

- Item 5 (Micro-Particle Evidence Kit), position 4 portable vacuum cleaner;
- Item 6 (Electrostatic Dust Print Lifter Kit);
- Item 10 (Digital Measuring Wheel);

- Item 11 (Metal Detection Set);
- Item 13 (Stereomicroscope);
- Item 14 (Laser Rangefinder);
- Item 15 (Cyanoacrylate Fuming Chamber);
- Item 16 (Portable Cyanoacrylate Fuming System).

VI. Payment terms

Goods purchased will be paid through bank transfer to the bank account of the contracted offeror, within 30 days upon delivery of goods and submission of supply invoice. Please note that all purchases shall be exclusive of all taxes, since the United Nations, including its subsidiary organs, is exempted from taxes.

VII. Description/Specifications of goods

	Minimum requirements/specifications		
General	A. The crime scene kits described below shall correspond to	the applicable	standards of
	business/industry and comply with safety and environment requirement	S.	
	B. The crime scene kit cases shall be of the same type and comply with t	he following red	uirements:
	- ABS		
	- Black colour		
	- Anticorrosive hinges		
	- Two latches		
	- Folding front handle		
	- Maximum external dimensions (LxWxH): 45 cm x 36 cm x 20 c	m	
	- Support at least 10 kg;		
	- Padding: foam insert or elastic straps		
	C. Warranty period – minimum two (2) years		
Item 1	CRIME SCENE MARKING KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Fiberglass reel tape	1 pcs	
	- Yellow fiberglass;		
	- Length - min. 30 m;		
	- Width - 1.5-2 cm;		
	- Black millimetre and centimetre markings;		
	- Flexible, resistant to moisture, inelastic, non-electrically		
	conductive, resistant to physical actions of twisting, bending		
	and breaking;		
	- Versatile end hook		
	- Rewind crank		
3⋅	Metal measuring tape	1 pcs	
	- Anticorrosive finish;		
	- Yellow colour;		
	- Length – 5 m;		
	- Width – 1.5-2 cm;		
	- Black millimetre and centimetre markings;		
	- Flexible, resistant to moisture, inelastic, non-electrically		
	conductive, resistant to physical actions of twisting, bending		
	and breaking;		
	- Versatile end hook		
	- Locking mechanism		
4.	Folding ruler	1 pcs	
	- Wooden or metal		
	- Alternative black/white metric marking		
	- Length – 5 m;		
	- Thickness – up to 5 mm		
	- Width – 1.5-2 cm		
	- Joints with stops		

	I. 6.1	T T	
5.	Laser rangefinder:	1 pcs	
	- Laser beam, class II		
	- Optical device to follow laser beam on long distances		
	- Measuring range: 0.05 m up to 200 m		
	- Accuracy: +/- 2 mm		
	- Backlit display		
	 Tripod mounting possibility 		
	- Metric units		
	 Possibility to memorize the last 10 measurements 		
	- Continuous measurements function		
	- Metrological certification		
6.	A-Frame evidence marking tents:	1 set	
	- Letters: A to G		
	- Numbers: 1 to 20		
	- Yellow colour with black printing		
	- Square or rectangular shape of sides		
	- Dimensions: 7-10 cm		
	- Carrying case/bag		
7.	Evidence marking flags:	1 set	
	- Metallic pole		
	- Height: 30-40 cm		
	- Colour: red (10 pcs), yellow (10 pcs), green (10 pcs)		
	- Carrying case/bag		
8.	Photo evidence tape:	3 pcs	
	- Adhesive tape		
	- Width: 10-15 mm		
	- Length: 3 m with o-30 cm repeat		
	- Metric (millimetres and centimetres) black marking on white		
	matte finish		
	Photo evidence scales:	2 000	
1 9.	i Piloto evidence scales:	2 DCS	
9.		2 pcs	
9.	- Metric (centimetres and millimetres) marking	2 pcs	
9.	 Metric (centimetres and millimetres) marking White background with black marking 	2 pcs	
9.	 Metric (centimetres and millimetres) marking White background with black marking Plastic, matt finish 	2 μcs	
	 Metric (centimetres and millimetres) marking White background with black marking Plastic, matt finish Length – 15 cm 	·	
10.	 Metric (centimetres and millimetres) marking White background with black marking Plastic, matt finish 	1 pcs of each	
10.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow)	1 pcs of each	
	 Metric (centimetres and millimetres) marking White background with black marking Plastic, matt finish Length – 15 cm 	1 pcs of each colour 1 pcs of each	
10.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow)	1 pcs of each colour 1 pcs of each type and	
10.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue)	1 pcs of each colour 1 pcs of each type and colour	
10.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of	1 pcs of each colour 1 pcs of each type and	
10. 11.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour)	1 pcs of each colour 1 pcs of each type and colour 1 pcs	
10. 11. 12.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red)	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs	
10. 11.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs):	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each	
10. 11. 12.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs	
10. 11. 12.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each	
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour	8 ncs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour	8 pcs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B)	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs	8 pcs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad:	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour	8 pcs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs	8 pcs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs	8 pcs
10. 11. 12. 13. 14. Item 2 1. 2.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs 1 pcs	8 pcs
10. 11. 12. 13. 14.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs	8 pcs
10. 11. 12. 13. 14. Item 2 1. 2.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs 1 pcs	8 pcs
10. 11. 12. 13. 14. Item 2 1. 2.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs 1 pcs	8 pcs
10. 11. 12. 13. 14. Item 2 1. 2.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour	8 pcs
10. 11. 12. 13. 14. Item 2 1. 2.	- Metric (centimetres and millimetres) marking - White background with black marking - Plastic, matt finish - Length – 15 cm Reflective chalk (white, red, yellow) Permanent markers and water-based markers (red, black, blue) Clutch/mechanical pencil with red, black, blue leads (1 set of leads of each colour) Fluorescent pencils for forensic marking (red) Stickers (set of min 50 pcs): - Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm	1 pcs of each colour 1 pcs of each type and colour 1 pcs 3 pcs 1 set of each colour Quantity 1 pcs 1 pcs	8 pcs

6. Gelatin lifters for fingerprints (size 5 x 10 cm):			
- White - Transparent - Supplied within a cold bag 7. Gelatin lifters for fingerprints (size 13 x 18 cm): - Black - White - Transparent - Supplied within a cold bag 8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Rev Replacement Powder – 30 ml - Sound Rev	6.	Gelatin lifters for fingerprints (size 5 x 10 cm):	3o pcs of
- Transparent - Supplied within a cold bag 7. Gelatin lifters for fingerprints (size 13 x 18 cm):		- Black	each colour
7. Gelatin lifters for fingerprints (size 13 x 18 cm): Black White Transparent Supplied within a cold bag 8. Fingerprint powders for spray brush: Coin Box/Galvanic Replacement Powder – 30 ml Silk Black Replacement Powder – 30 ml Silk Black Replacement Powder – 30 ml Silker/Red Replacement Powder – 30 ml Silker/Rev Replacement Powder – 30 ml Silver/Rev Rev Rev Rev Rev Rev Rev Rev Rev Rev		- White	
7. Gelatin lifters for fingerprints (size 13 x 18 cm): - Black - White - Transparent - Supplied within a cold bag 8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Storage box 1. Colour vellow fluorescent, black and silver - Ploorescent prowder to be visible under UV light - Operating temperature range: –10° C/ +45° C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent green - Fluorescent red - Storage box - Length of active part of brush – at least 5 cm - Protective container and cap - Protective container and cap - Protective container and cap - Squirrel or Camel hair brush (type 1) - Length of active part of brush – at least 3 cm - Protective container and cap - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap - Source or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap - Protective container and cap - Stainless steel cissors: - Stainless steel cissors: - Rounded tips - Length – 10-15 cm - Roun		- Transparent	
- Black - White - Transparent - Supplied within a cold bag 8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silke Valca Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Storage box 10. Latent print powders: - Ploorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box - Ploorescent green - Fluorescent gree		- Supplied within a cold bag	
- Black - White - Transparent - Supplied within a cold bag 8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silke Valca Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Storage box 10. Latent print powders: - Ploorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box - Ploorescent green - Fluorescent gree	7.		30 pcs of
8. Fingerprint powders for spray brush: - Coin Box/GalVanic Replacement Powder – 30 ml - Silk Verice Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silkverice Replacement Powder – 30 ml - Source Replacement Powder – 30 ml - Source Replacement Powder – 30 ml - Storage box - Colour yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under Urlight - Operating temperature range: –10° C/ +4,5°C - Storage box - Double contrast - Fluorescent orange - Fluorescent red - Storage box - Fluorescent red - Storage box - Storage box - Length of Extive part of brush – at least 5 cm - Protective container and cap - Protective container and cap - Squirrel or Camel hair brush (type 3) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap - Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap - Protective container and cap - Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length – 10-15 cm - Stainless steel classors: - Rounded tips - Length – 10-15 cm - Stainless steel classors: - Rounded tips - Length – 10-15 cm - Rectangular shape - Dimensions: –9 cm x 6-8 cm		- Black	
8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Storage box 9. Latent print powders: - Colour yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent orange - Fluorescent red - Storage box 11. Antistatic spray brush system - Storage box 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Squirrel or Camel hair brush (type 1) - Semicircle - Wooden handle – 10–15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel scissors: - Protective container and cap 16. Digital calliper: - Stainless steel scissors: - Rounded tips - Length – 20 cm - Rectangular shape - Dimensions: -9 cm x 6-8 cm 19. Silicone casting kit: - 1 set		- White	
8. Fingerprint powders for spray brush: - Coin Box/Galvanic Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Storage box 9. Latent print powders: - Colour yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent orange - Fluorescent red - Storage box 11. Antistatic spray brush system - Storage box 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Squirrel or Camel hair brush (type 1) - Semicircle - Wooden handle – 10–15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel scissors: - Protective container and cap 16. Digital calliper: - Stainless steel scissors: - Rounded tips - Length – 20 cm - Rectangular shape - Dimensions: -9 cm x 6-8 cm 19. Silicone casting kit: - 1 set		- Transparent	
8. Fingerprint powders for spray brush:			
- Coin Box/Galvanic Replacement Powder – 30 ml - Silk Black Replacement Powder – 30 ml - Indestructible White Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Storage box 9. Latent print powders: - Colour yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent preen - Fluorescent red - Storage box 11. Antistatic spray brush system - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel scisons: - Rounded tips - Length – 20 cm 17. Stainless steel scisons: - Rounded tips - Length – 10-15 cm - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: - 1 set	8.		1 pcs of each
Silk Black Replacement Powder – 30 ml Indestructible White Replacement Powder – 30 ml Silver/Grep Replacement Powder – 30 ml Silver/Grep Replacement Powder – 30 ml Solver/Grep Replacement Powder – 30 ml Solver Glover Sephacement Powder – 30 ml Solver Glover Glover Sephacement Powder – 30 ml Solver Glover	0.		
- Indestructible White Replacement Powder – 30 ml - Silver/Red Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Silver/Grey Replacement Powder – 30 ml - Storage box 9. Latent print powders: - Colour: yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent orange - Fluorescent orange - Fluorescent red - Storage box 11. Antistatic spray brush system - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 1) - Length of active part of brush – at least 3 cm - Protective container and cap 15. Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainess steel - Length – 20 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: - 15et			201001
Silver/Red Replacement Powder — 30 ml Silver/Grey Replacement Powder — 30 ml Storage box 9. Latent print powders: Colour: yellow fluorescent, black and silver Application by powdering or by using special brushes Fluorescent powder to be visible under I/V light Operating temperature range: -10° C/ +45°C Storage box 10. Magnetic latent print powders: Black Double contrast Fluorescent orange Fluorescent orange Fluorescent red Storage box 11. Antistatic spray brush system 1 set 12. Standard fiberglass brush: Length of active part of brush — at least 5 cm Protective container and cap 13. Magnetic powder applicator with protective container Protective container and cap 14. Squirrel or Camel hair brush (type 1) Semicircle Wooden handle —10-15 cm long Length of active part of brush — at least 3 cm Protective container and cap 15. Squirrel or Camel hair brush (type 2) Uncut hair Semicircle Wooden handle —17-20 cm long Length of active part of brush — at least 3 cm Protective container and cap 16. Digital calliper: Stainless steel Length—20 cm 17. Stainless steel Length—10-15 cm 18. Metallic mirror: Rectangular shape Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			
Silver/Grey Replacement Powder — 30 ml Storage box 9. Latent print powders:			
9. Latent print powders: - Colour yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +4,5°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system - Fluorescent red - Storage box 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: - 1 set			
9. Latent print powders: - Colour; yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +4,5°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Pluorescent orange - Fluorescent orange - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush − at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container - Semicicle - Wooden handle −10-15 cm long - Length of active part of brush − at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicicle - Wooden handle −17-20 cm long - Length of active part of brush − at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length −20 cm 17. Stainless steel scissors: - Rounded tips - Length −10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			
- Colour: yellow fluorescent, black and silver - Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent orange - Fluorescent red - Storage box 11. Antistatic spray brush system - Fluorescent red - Storage box 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: - 1 set			4 container
- Application by powdering or by using special brushes - Fluorescent powder to be visible under UV light - Operating temperature range: -10° C/ +45°C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system - Length of active part of brush – at least 5 cm - Protective container and cap - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 10-15 cm - Rounded tips - Length – 10-15 cm - Rectangular shape - Dimensions; 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set 1 set 1 set 1 pcs	9.		
Fluorescent powder to be visible under UV light Operating temperature range: -10° C/ +45°C Storage box 10. Magnetic latent print powders: Black Double contrast Fluorescent orange Fluorescent orange Fluorescent green Fluorescent red Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: Length of active part of brush – at least 5 cm Protective container and cap 13. Magnetic powder applicator with protective container Semicircle Wooden handle – 10-15 cm long Length of active part of brush – at least 3 cm Protective container and cap 15. Squirrel or Camel hair brush (type 1) Length of active part of brush – at least 3 cm Protective container and cap 15. Squirrel or Camel hair brush (type 2) Length of active part of brush – at least 3 cm Protective container and cap 16. Digital calliper: Stainless steel Length – 20 cm 17. Stainless steel scissors: Rounded tips Length – 10-15 cm 18. Metallic mirror: Rectangular shape Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			9
- Operating temperature range: -10° C/ +45° C - Storage box 10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent green - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm - Rectangular shape - Dimensions; 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			each colour
10. Magnetic latent print powders: - Black - Double contrast - Pluorescent orange - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: - 1 set 1 set 1 set			
10. Magnetic latent print powders: - Black - Double contrast - Fluorescent orange - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			
- Black - Double contrast - Fluorescent orange - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit:			
- Double contrast - Fluorescent orange - Fluorescent red - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit:	10.		
- Fluorescent green - Fluorescent green - Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			
- Fluorescent green - Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			each colour
- Fluorescent red - Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set			
- Storage box 11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 15. Stailcone casting kit:			
11. Antistatic spray brush system 12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 1 set			
12. Standard fiberglass brush: - Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs		ÿ	
- Length of active part of brush – at least 5 cm - Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm × 6-8 cm 19. Silicone casting kit: 1 pcs	11.		1 set
- Protective container and cap 13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) 2 pcs - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs	12.		2 pcs
13. Magnetic powder applicator with protective container 14. Squirrel or Camel hair brush (type 1) 2 pcs - Uncut hair Semicircle Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair Semicircle Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs			
14. Squirrel or Camel hair brush (type 1) - Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs		- Protective container and cap	
- Uncut hair - Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs	13.	Magnetic powder applicator with protective container	1 pcs
- Semicircle - Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs	14.	Squirrel or Camel hair brush (type 1)	2 pcs
- Wooden handle – 10-15 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs		- Uncut hair	
- Length of active part of brush – at least 3 cm - Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs		- Semicircle	
- Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 2 pcs 2 pcs 2 pcs 1 pcs		- Wooden handle – 10-15 cm long	
- Protective container and cap 15. Squirrel or Camel hair brush (type 2) - Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 2 pcs 2 pcs 2 pcs 1 pcs		- Length of active part of brush – at least 3 cm	
- Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
- Uncut hair - Semicircle - Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15.		2 pcs
- Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs			·
- Wooden handle – 17-20 cm long - Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs		- Semicircle	
- Length of active part of brush – at least 3 cm - Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs			
- Protective container and cap 16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 1 pcs 1 pcs		, ,	
16. Digital calliper: - Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit:			
- Stainless steel - Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 1 pcs 1 pcs	16	'	1 DCS
- Length – 20 cm 17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs	10.		1 700
17. Stainless steel scissors: - Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 1 pcs 1 pcs 1 pcs			
- Rounded tips - Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set	17		1 ncs
- Length – 10-15 cm 18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set	1/.		τ μες
18. Metallic mirror: - Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 pcs 1 pcs 1 pcs 1 pcs			
- Rectangular shape - Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set	-0		4.055
- Dimensions: 7-9 cm x 6-8 cm 19. Silicone casting kit: 1 set	18.		1 pcs
19. Silicone casting kit:			
- Liquid silicone rubber – 1 tube of min 150 g	19.		1 set
		- Liquid silicone rubber – 1 tube of min 150 g	

		1	
	- 1 vial of catalyst — quantity sufficient for the liquid silicone		
	rubber quantity		
	- Plastic spatula – 1 pcs		
	- Silicone compound to be of light colour, waterproof and able		
	to return to original shape after deformation		
	- Silicone compound hardens within 10 minutes		
20.	Silicone rubber spray (1 tube of min 150 ml)	1 pcs	
21.	Modelling clay (monochrome bars, at least 30 g/bar)	3 pcs	
22.	Round magnet with handle (diameter: 20-25 mm)	1 pcs	
23.	Flat tip tweezers (type 1)	1 pcs	
	- Stainless steel		
	- Length — 10-15 cm		
24.	Flat tip tweezers (type 2)	1 pcs	
	- Stainless steel		
	- Length – 20-25 cm		
25.	Sharp tip tweezers:	1 pcs	
	- Stainless steel		
	- Length – 8-10 cm		
26.	Surgical scalpel handle (plastic)	1 pcs	
27.	Disposable sterile scalpel blades (packed separately), compatible with	10 pcs	
•	the surgical scalpel handle		
28.	Metal measuring tape:	1 pcs	
	- Anticorrosive finish	'	
	- Yellow colour		
	- Length – 5 m		
	- Width – 1.5-2 cm		
	- Black millimetre and centimetre markings		
	- Versatile end hook		
	- Locking mechanism		
29.	Thin sterile surgical gloves (size L)	5 pairs	
30.	Thick rubber gloves	1 pair	
31.	Zip-lock plastic bags:	5 pcs	
3	- Dimensions: 15-20 cm x 45-50 cm	3 1	
32.	Sterile plastic bags:	5 pcs	
3	- Dimensions: 10-15 cm x 40-45 cm		
33.	Transparent evidence collection plastic tubes with cap:	5 pcs	
35.	- Diameter: 1 cm	3 7 33	
	- Length: 15-20 cm		
34.	Stickers with figures o to 9 (6 pcs per A4 sheet, one sheet for each	10 sheets	
24.	figure)	10 56615	
35.	Stickers with printed arrows:	4 sheets	
٠٠٠,	- Black marking on white background	45550	
	- Length: 30-40 mm		
	- Width: 10-20 mm		
36.	Universal plier:	1 pcs	
50.	- Anticorrosive finish	1 2 600	
	- Insulated handles		
37.	Fixing spray:	1 pcs	
5/•	- 1 tube of 100 ml	1 765	
	l - Colourless		
	- Colourless - Operation temperature range: -10° C/ +40°C		
	- Operation temperature range: -10° C/ +40°C		
3.Q	 Operation temperature range: -10° C/ +40°C Drying/hardening time: up to 5 min 	1.000	
38.	- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min Plastic mixing container/bowl, diameter at the top 12-15 cm	1 pcs	
39.	- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min Plastic mixing container/bowl, diameter at the top 12-15 cm Permanent red marker	1 pcs	
	- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min Plastic mixing container/bowl, diameter at the top 12-15 cm Permanent red marker Flashlight:		
39.	- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min Plastic mixing container/bowl, diameter at the top 12-15 cm Permanent red marker Flashlight: - UV LED technology	1 pcs	
39.	- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min Plastic mixing container/bowl, diameter at the top 12-15 cm Permanent red marker Flashlight:	1 pcs	

	D. J H. L. II		
	- Rechargeable battery		
	 Battery life (fully charged): at least 2 hours Battery charger 		
	- Bactery charger - Body: metal or highly resistant plastic		
/1	Magnifying glass:	1 000	
41.	- Diameter: 75 mm	1 pcs	
	- 3.5 x magnification		
42.	Universal multi-tool with standard sheath (similar to <i>Leatherman Wave</i>	1 pcs	
42.	Multi-tool)	1 pc3	
43.	Phillips screwdriver (length 15-17 cm)	1 pcs	
44.	Flat-head screwdriver (length 18-20 cm)	1 pcs	
45.	Voltage tester screwdriver (min 250 V AC)	1 pcs	
46.	Glass cutter	1 pcs	
47.	Reflective chalk (white, red, yellow)	1 pcs of each	
,,	· • • • • • • • • • • • • • • • • • • •	colour	
Item 3	LATENT PRINT FIELD KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Fingerprint latent powders:	1 set	
	- Colour		
	 black – 500 ml; 		
	 grey – 300 ml; 		
	 white – 300 ml; 		
	 red – 300 ml; 		
	 dual purpose white – 300 ml; 		
	 dual purpose black – 300 ml; 		
	 coin box/galvanic – 300 ml; 		
	 light adhesive-side powder – 300 ml; 		
	 dark adhesive-side powder – 300 ml; 		
	 yellow fluorescent – 300 ml; 		
	 green fluorescent – 300 ml; 		
	 red fluorescent – 300 ml; 		
	• pink fluorescent – 300 ml		
	- Application by powdering or by using special brushes		
	- Fluorescent powder to be visible under UV light		
	- Operating temperature range: -10° C/ +45°C		
	- Storage box		
	Note: Only 100 ml of black powder and 75 ml of each of the other		
	powders will be supplied within the main case. The remaining quantity		
	of each powder will be supplied in a separate resupply box.		
3⋅	Fingerprints magnetic powders:	1 set	
	- Colour:		
	• midnight black — 150 ml		
	• indestructible white – 150 ml		
	 red − 150 ml 		
	 dual-colour, Silver/Black – 150 ml 		
	 dual-colour, Silver/Grey – 150 ml 		
	 dual-colour, Silver/Red – 150 ml 		
	 yellow fluorescent – 150 ml 		
	 green fluorescent – 150 ml 		
	 red fluorescent – 150 ml 		
	- Storage box		
	Note : Only 75 ml of each powder will be supplied within the main case.		
	The remaining quantity of each powder will be supplied in a separate		
	resupply box.		
4.	Antistatic spray brush system	1 set	

		1	
5.	Marabou feather brush:	3 pcs	
	- Unshorn		
İ	- Semicircle		
	- Wooden handle – 15-20 cm long		
	- Length of active part of brush – at least 3-5 cm		
<u> </u>	- Protective container and cap		
6.	Squirrel or Camel hair brush	3 pcs	
	- Uncut hair		
	- Semicircle		
	- Wooden handle – 15-20 cm long		
	- Length of active part of brush – at least 3-5 cm		
	- Protective container and cap		
7.	Standard fiberglass brush:	4 pcs	
,.	- Length of active part of brush – at least 5 cm	4 pcs	
	- Protective container and cap		
		2 200	
8.	Magnetic powder applicator with protective container	2 pcs	
9.	Gelatin lifters for fingerprints (size 5 x 10 cm):	30 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
	- Supplied within a cold bag		
	Note: Only 10 pcs of lifters of each colour will be supplied within the		
	main case. The remaining quantity of lifters will be supplied in a		
	separate resupply box within a cold bag.		
10.	Gelatin lifters for fingerprints (size 13 x 18 cm):	30 pcs of	
	- Black	each colour	
	- White		
İ	- Transparent		
I	- Supplied within a cold bag		
I	Sopplied within a cold bag		
I	Note: Only 10 pcs of lifters of each colour will be supplied within the		
I			
İ	main case. The remaining quantity of lifters will be supplied in a		
	separate resupply box within a cold bag.		
11.	Fingerprint lifters (size 10 x 15 cm)	20 pcs of	
	- Black	each colour	
İ	- White		
	- Transparent		
12.	Fingerprint lifters (size 5 x 10 cm)	50 pcs of	
	- Black	each colour	
	- White		
	- White - Transparent		
	1		
	- Transparent		
	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the		
	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a		
12	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag.		
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape:	2 pcs	
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape		
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm		
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat		
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white		
-	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish	2 pcs	
13.	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish Fingerprint ink pad:		
-	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish Fingerprint ink pad: - Plastic case	2 pcs	
-	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid	2 pcs	
-	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm	2 pcs	
-	- Transparent Note: Only 20 pcs of lifters of each colour will be supplied within the main case. The remaining quantity of lifters will be supplied in a separate resupply box within a cold bag. Photo evidence tape: - Adhesive tape - Width: 10-15 mm - Length: 20 m with 0-30 cm repeat - Metric (millimetres and centimetres) black marking on white matte finish Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid	2 pcs	

- Width: 5-7 cm Handle bracket 16. Black fingerprint tink (min 100 ml) or wipes (min 100 pcs) 17. In Keleaning solution (min 100 ml) or wipes (min 100 pcs) 18. HEMIDENT reactive (for identification of blood stains) 19. Stainless steel scissors (length 15-20 cm) 19. Flat tip tweezers (type 1): 19. Stainless steel 10. Length - 10-15 cm 19. Flat tip tweezers (type 2): 19. Stainless steel 10. Length - 10-15 cm 19. Flat tip tweezers (type 2): 19. Stainless steel 10. Length - 10-15 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Length - 10-25 cm 19. Stainless steel 10. Stainless teel 10. Stainless teel		T	1 1	
15. Black fingerprint ink (min 100 ml) 1 pcs 1		- Width: 5-7 cm		
37. Ink cleaning solution (min ato ml) or wipes (min ato pcs) 3. pcs 18. HEMIDENT reactive (for identification of blood stains) 2. sets 19. Stainless steel scissors (length 3-2.0 cm) 1. pcs 20. Flat tip tweezers (type 1): 1. pcs 1 pcs 21. Flat tip tweezers (type 2): 1. pcs 22. Stainless steel 1. Length - 20-3.5 cm 23. Sharp tip tweezers: 1. pcs 24. Length - 20-3.5 cm 25. Sharp tip tweezers: 1. pcs 26. Sharp tip tweezers: 1. pcs 27. Water measuring tape: 1. pcs 28. Width 1.5-2 cm 29. Black millimetre and centimetre markings 29. Versatile end hook 1. Cocking mechanism 20. Locking mechanism 21. Width 1.5-2 cm 22. Black millimetre and centimetre markings 23. Versatile end hook 1. Cocking mechanism 24. Wave length: 3p sm (4-5 nm) 25. Diameter - yp to 4, cm, length - up to 15 cm 26. Rechargeable battery 27. Battery life (fully charged): at least 2 hours 28. Transparent lifting tape: 1. pcs 29. Ninhydrin spray (min 100 ml) 1. pcs 29. Ninhydrin spray (min 100 ml) 1. pcs 29. Ninhydrin spray (min 100 ml) 1. pcs 29. Small Particle Reagents for: 1. container for each colour cache colour standards and solve it may be supplied in a separate case in addition to the main case. Recharges (Prystal voide (125 g) 1. pcs 20. MikROSIL Kit (brown and white) 1. pcs for each addition to the main case. Retem 4. TRACE EVIDENCE KIT 0. Quantity 8 pcs 20. MikROSIL Kit (brown and white) 1. pcs for each colour each colour each colour 1. pcs for each power of the main case.				
19. HEMIDENT reactive (for identification of blood stains) 2 sets	16.		1 pcs	
19.5 Stainless steel scissors (length 15-20 cm) 1 pcs			1 pcs	
20. Flat tip tweezers (type 1): - Stainless steel - Length - 10-15 cm 21. Flat tip tweezers (type 2): - stainless steel - Length - 20-25 cm 22. Sharp tip tweezers: - Stainless steel - Length - 8-10 cm 23. Glass cutter 24. Magnifying glass: - Diameter - 75 mm - 3,5 x magnification 25. Metal measuring tape: - Anticorrosive finish - Yellow colour - Length 3 m - Width: 1,5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - Dimensions: diameter - up to 4 cm, length - up to 15 cm - Rechargeable battery - Battery tife (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min a om - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Dank-coloured surfaces - 50 om l - Dark-coloured surfaces -	18.	,	2 sets	
Stainless steel Length – 10-15 cm	19.		1 pcs	
Plate Plat	20.		1 pcs	
21. Flat tip tweezers (type 2):				
- stainless steel - Length – 20-25 cm 22. Sharp tip tweezers: - Stainless steel - Length – 8-10 cm 23. Glass cutter 24. Magnifying glass: - Diameter – 75 mm - 3.5 x magnification 25. Metal measuring tape: - Anticorrosive finish - Yellow colour - Length: 3m - Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 5 cm - Cystal violet or Crystal violet (25 g) - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 20. NaBilazafluoren 9 One (DFO) solution (150 ml) - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 21 pcs - 22 pcs - 23 pcs - 24 pcs - 25 pcs - 26 pcs - 27 pcs - 27 pcs - 28 pcs - 29 pcs - 20 pcs				
22. Sharp timezezers: - Stainless steel - Length – 8-10 cm 23. Glass cutter 24. Magnifying glass: - Diameter – 75 mm - 3,5 x magnification 25. Metal measuring tape: - Anticorrosive finish - Yellow colour - Length: 3 m - Width: 1,5 2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - 1 pcs - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 27. Flashlight: - UV LED technology - Wave length: 395 mm (+/- 5 mm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min a om - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 20 cm - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4. TRACE EVIDENCE KIT - Case (as required above in Section General B) - Dental gypsum or Crownstone plaster: - Powder	21.		1 pcs	
22. Sharp tip tweezers:				
Stainless steel Length—8-10 cm 23. Glass cutter 1 1 pcs 24. Magnifying glass: Diameter —75 mm 3,5 x magnification 25. Metal measuring tape: Anticorosive finish Yellow colour Length: 3 m Width: 1,5-2 cm Black millimetre and centimetre markings Versatile end hook Locking mechanism Metrological certification 26. Hand ink cleaning solution (250 ml) Flashlight: UV LED technology Wave length: 395 mm (+/- 5 mm) Dimensions: diameter —up to 4 cm, length —up to 15 cm Rechargeable battery Battery life (fully charged): at least 2 hours Battery life (fully charged): at least 2 hours Battery life (fully charged): at least 2 hours Battery charger Body: metal or highly resistant plastic 28. Transparent lifting tape: Length: min 10 m Width: min 3 cm, 5 cm, 10 cm Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 one (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: Light-coloured surfaces — 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4. TRACE EVIDENCE KIT Quantity B pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour each colour 2. Dental gypsum or Crownstone plaster: Powder		- Length – 20-25 cm		
- Length – 8-10 cm 23. Glass cutter 24. Magnifying glass:	22.		1 pcs	
23. Glass cutter 24. Magnifying glass:		- Stainless steel		
24. Magnifying glass:		- Length – 8-10 cm		
Diameter – 75 mm 3,5 x magnification Metal measuring tape: Anticorrosive finish Yellow colour Length: 3 m Width: 1,5 - 2 cm Black millimetre and centimetre markings Versatile end hook Locking mechanism Metrological certification Metrological certification 1 pcs Flashlight: UV LED technology Wave length: 395 mm (+/- 5 nm) Dimensions: diameter – up to 4 cm, length – up to 15 cm Rechargeable battery Battery life (fully charged): at least 2 hours Battery life (fully charged): at least 2 hours Battery life (fully charged): at least 2 hours Battery life (fully charged): at least 2 hours Battery in in 10 m Hinhydrin spray (min 100 m) 1 pcs 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1,105 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1,25 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: Light-coloured surfaces – 500 ml Dark-coloured surfaces – 500 ml Container For each Colour Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) Dental gypsum or Crownstone plaster: Powder	23.	Glass cutter	1 pcs	
### According Service 1 pcs #### According Service 1 pcs #### According Service 1 pcs #### According Service 1 pcs ##### According Service 1 pcs ###################################	24.	Magnifying glass:	1 pcs	
25. Metal measuring tape: - Anticorrosive finish - Yellow colour - Length: 3 m - Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - 1 pcs 71. Flashlight: - UV LED technology - Wave length: 393 nm (+/-5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs - 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - 1 pcs - 1,9 Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Bach container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) 2 MIKROSIL Kit (brown and white) - 1 pcs for each colour - 1 pcs or each colour - 1 pcs or each colour - 1 pcs or each colour - 2 powder		- Diameter – 75 mm		
- Anticorrosive finish - Yellow colour - Length: 3 m - Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (25 ml) - 1 pcs 27. Flashlight: - UV LED technology - Wave length: 395 mm (+/- 5 mm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Ligh Diazafluoren 9 one (DFO) solution (150 ml) - 1 pcs - 31. Gentian violate or Crystal violet (25 g) - 1 pcs - 1 pcs - Light-coloured surfaces – 500 ml - Dark-coloured		- 3.5 x magnification		
- Anticorrosive finish - Yellow colour - Length: 3 m - Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (25 ml) - 1 pcs 27. Flashlight: - UV LED technology - Wave length: 395 mm (+/- 5 mm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Ligh Diazafluoren 9 one (DFO) solution (150 ml) - 1 pcs - 31. Gentian violate or Crystal violet (25 g) - 1 pcs - 1 pcs - Light-coloured surfaces – 500 ml - Dark-coloured	25.		1 pcs	
- Length: 3 m - Width: 1,5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - Marvological certification 27. Flashlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs - Length: min 20 ml) - 1 pcs - 31. Gentian violet or Crystal violet (25 g) - 1 pcs - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) - Dental gypsum or Crownstone plaster: - Powder				
- Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - Ipcs - Hisshlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm (dimension) - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 2 p. Minhydrin spray (min 100 ml) - 1 pcs - 2 p. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head - Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) - 1 pcs - Powder - Powder		- Yellow colour		
- Width: 1.5-2 cm - Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - Ipcs - Hisshlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm, 5 cm, 10 cm - Width: min 3 cm (dimension) - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 1 pcs - 2 p. Minhydrin spray (min 100 ml) - 1 pcs - 2 p. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head - Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) - 1 pcs - Powder - Powder		- Length: 3 m		
- Black millimetre and centimetre markings - Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) 1 pcs Flashlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - 1 pcs 31. Gentian violet or Crystal violet (25 g) - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) - Dental gypsum or Crownstone plaster: - Powder				
- Versatile end hook - Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) - 1 pcs 27. Flashlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs - 2 pcs - 2 pcs - 3 pcs - 3 pcs - 3 pcs - 4 pcs - 4 pcs - 5 pcs - 5 pcs - 5 pcs - 6 pcs - 6 pcs - 6 pcs - 7 pcs - 7 pcs - 8 pcs - 7 pcs - 8 pcs - 8 pcs - 8 pcs - 9 pcs				
- Locking mechanism - Metrological certification 26. Hand ink cleaning solution (250 ml) 27. Flashlight: - UV LED technology - Wave length: 395 mm (+/- 5 mm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - 1,9 S 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) - Powder 1 bag - Powder				
- Metrological certification 26. Hand ink cleaning solution (250 ml) 27. Flashlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT 1. Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 1 pcs for each colour 1 pcs for each colour 1 pcs for each colour 2 powder				
26. Hand ink cleaning solution (250 ml) 1 pcs 27. Flashlight: - UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter — up to 4 cm, length — up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm dimension 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces — 500 ml - Dark-coloured surfaces — 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder				
Flashlight: - UV LED technology - Wave length: 395 pm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 1 pcs for each colour 2. MIKROSIL Kit (brown and white) 1 pcs for each colour - Powder	26		1 ncs	
- UV LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - 1 pcs 31. Gentian violet or Crystal violet (25 g) - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) Quantity - 1 pcs for each colour - 1 pcs for each colour - 2 powder			· ·	
- Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) - 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) - 1 pcs 31. Gentian violet or Crystal violet (25 g) - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT - Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) - Powder 1 bag Dental gypsum or Crownstone plaster: - Powder			1 pcs	
- Dimensions: diameter – up to 4 cm, length – up to 15 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 2. Dental gypsum or Crownstone plaster: - Powder				
- Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 2. Dental gypsum or Crownstone plaster: - Powder				
- Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT				
- Battery charger - Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml - Colour Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 2. Dental gypsum or Crownstone plaster: - Powder				
- Body: metal or highly resistant plastic 28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 2 powder				
28. Transparent lifting tape: - Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT		, 3		
- Length: min 10 m - Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 1 pcs for each colour 2 pcs for each colour 1 pcs for each colour 1 pcs for each colour 2 pcs for each colour	- 0		4 n a a f a x	
- Width: min 3 cm, 5 cm, 10 cm 29. Ninhydrin spray (min 100 ml) 1 pcs 30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder	20.			
29. Ninhydrin spray (min 100 ml) 10. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 11. Gentian violet or Crystal violet (25 g) 12. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Case (as required above in Section General B) 1 pcs 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder				
30. 1,8 Diazafluoren 9 One (DFO) solution (150 ml) 1 pcs 31. Gentian violet or Crystal violet (25 g) 1 pcs 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder		3 , 3 ,		
31. Gentian violet or Crystal violet (25 g) 32. Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT 1. Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 3. Dental gypsum or Crownstone plaster: - Powder 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs for each colour 1 bag			· · · · · · · · · · · · · · · · · · ·	
Small Particle Reagents for: - Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder			'	
- Light-coloured surfaces – 500 ml - Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder				
- Dark-coloured surfaces – 500 ml Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder	32.			
Each container shall be provided with a dispenser spray head Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder				
Note: Item 3, sub-items 29-32 shall be supplied in a separate case in addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder 1 bag			colour	
addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder 1 bag		Each container shall be provided with a dispenser spray head		
addition to the main case. Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder 1 bag				
Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: Powder 1 bag				
1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: Powder 1 bag				
2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum or Crownstone plaster: - Powder 1 bag			Í	8 pcs
3. Dental gypsum or Crownstone plaster: - Powder 1 bag	1.	Case (as required above in Section General B)	1 pcs	
3. Dental gypsum or Crownstone plaster: - Powder 1 bag		Lawrence Control		
3. Dental gypsum or Crownstone plaster: - Powder 1 bag	2.	MIKROSIL Kit (brown and white)		
- Powder				
	3⋅	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 bag	
- 1kg bag				
		- 1kg bag		

	0		
	- Operating temperature range: -10° C/ +45°C		
	- Hardens within 30 min	1 200	
4.	Rubber mixing container/bowl:	1 pcs	
	- Diameter at the top 12-15 cm		
	- Resistant to chemicals and petroleum based oils	+	
5.	Adjustable casting frame:	1 set	
	- Made of lightweight metal or highly resistant plastic		
	- Height of frame: 2-6 cm		
	- Rectangular shape with a possibility for extension on the long		
	side		
	- Size 1 (WxL): 15-20 cm x 30-35 cm (extendable up to 45-50		
	cm)		
	- Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm)		
6.	Wax spray (500 ml):	1 pcs	
	- Drying/hardening time: up to 5 min		
	- Operating temperature range: -15° C/ 0°C		
7.	Fixing spray (500 ml):	1 pcs	
	- Colourless		
	- Operation temperature range: -10° C/ +40°C		
	- Drying/hardening time: up to 5 min		
8.	Talcum powder (300 g/bag)	2 bags	
9.	Pig hair brush:	1 pcs	
	- Wooden handle		
	- Length: 10-15 cm		
	- Length of active part of brush: 3-5 cm		
10.	Plastic pipette with rubber bulb	1 pcs	
11.	Filter paper	5 sheets	
12.	Plastic spatula	1 pcs	
13.	Metal/wood "junior" hacksaw	1 pcs	
14.	Plumber wrench	1 pcs	
15.	Hammer (250 gr) with wooden handle, min 20 cm long	1 pcs	
16.	Diagonal cutting pliers (min 15 cm long)	1 pcs	
17.	Carpenter's chisel (min 10 cm long, active part 3 cm)	1 pcs	
18.	Metal cutting scissors (snips) (20 cm long)	1 pcs	
19.	Metal tweezers (10-15 cm long):	1 pcs of each	
	- Straight edge	type	
	- Curved-point	71	
20.	Metal Kocher forceps (straight) (10-15 cm long)	1 pcs	
21.	Universal multi-tool with standard sheath (similar to Leatherman Wave	1 pcs	
	Multi-tool)		
22.	Silicone spray (500 ml), colourless	1 pcs	
Item 5	MICRO-PARTICLE EVIDENCE KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	p ss
2.	Transparent lifting tape:	1 pcs for	
]	- Length: 10 m	each	
	- Width: min 3 cm, 5 cm, 10 cm	dimension	
3.	Waxed paper (A4), min 20 sheets per set	3 sets	
4.	Portable vacuum cleaner:	1 set	
"	- Rechargeable battery		
	- Battery life (fully charged) – min 2 hours		
	- Power supply: 210-240 V AC		
	- Filter assembly		
	- Disposable polyester micro-filters — 100 pcs		
	- Lockable plastic case		
Item 6	ELECTROSTATIC DUST PRINT LIFTER KIT	Quantity	8 pcs
1.	- Electrostatic Voltage Control – 1 pcs	1 set	3 603
	- Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs		
L	1 0.00.00	l	

	- Ground Plane Polycarbonate Insulating Sheet (12.7cm x		
	17.8cm) – 1 pcs		
	- Insulated Roller – 1 pcs		
	- 9V Alkaline Battery – 2 pcs		
	 Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs 		
	- Lifting Mats 2'x3' — 2 sets of 10 pcs each		
	- Lifting Material 12" x 25' roll — 2 pcs		
	- Static Discharge Cable — 1 pcs		
	- Carrying case		
	- User guide/manual (preferably in Romanian or Russian)		
Item 7	BULLET TRAJECTORY KIT	Quantity	3 pcs
1.	Case (as required above in Section General B)	1 pcs	-
2.	Ballistic angle finder with a tripod mount and possibility to attach laser	1 pcs	
	pointers	'	
3.	Ballistic laser pointer (red), class Illa with 3 batteries	1 set	
4.	Laser pointer (green), 532 nm, 2000 mW, 5 spare heads, 2 batteries	1 set	
5.	Bullet penetration rods:	1 set	
J.	- One pointed end and one female threaded end	1500	
	- Diameter 1: 5 mm – 4 pcs		
	- Diameter 2: 7.5-8 mm – 4 pcs		
	- Length: 45 cm		
6.	Multi-coloured rods:	1 set	
0.	- Male and female threaded ends	1361	
	- Green – 3 pcs		
	- Red – 3 pcs		
	- Yellow – 3 pcs		
	- Diameter 1: 5 mm – 9 pcs (by 3 of each colour)		
	- Diameter 2: 7.5-8 mm – 9 pcs (by 3 of each colour)		
	- Length: 45 cm Rod connectors	/ ncc	
7. 8.		4 pcs	
	Laser connectors	8 pcs	
9.	Stringing tips	4 pcs	
10.	Bullet tips	4 pcs	
11.	Centring cones	8 pcs	
12.	Rubber O-rings	8 pcs	
13.	Universal tripod mount	1 pcs	
14.	Photo laser smoke	2 pcs	
15.	Photographic-type tripod (height - min 120 cm)	1 pcs	
16.	Colored trajectory string (orange) (min 100 m)	1 pcs	
Item 8	BIOLOGICAL TRACES/PARTICLES KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Unpowdered sterile medical gloves (sizes M and L)	10 pairs of	
		each size	
3⋅	Forensic sterile cotton swab with plastic tip protector	10 pcs	
4.	Cardboard box, adapted to the dimensions of the swab to individually	10 pcs	
	store and transport the collected samples		
5.	DNA controlled absorbent cotton tipped swab	50 pcs	
6.	Surgical scalpel handle (metal)	1 pcs	
7.	Disposable sterile scalpel blades (packed separately) compatible with	10 pcs	
	surgical scalpel handle		
8.	Sterile syringes with needles, 5 ml	15 pcs	
9.	Sterile gauze pads (10x10 cm) (5 pcs per pack)	5 packs	
10.	Sterile water (10 ml)	1 pcs	
11.	Solution for sterilization of instruments (100 ml) and container:	1 pcs	
	- 90 ml of 10% sodium hypochlorite solution		
	- 10 ml of 98% ethanol		
12.	Evidence envelopes with printed text (see the Annex to Technical	20 pcs of	

	Specifications) – to be supplied out of the main case:	each	
	- White transparent paper	dimension	
	- Dimensions:		
	• 9 x 17 cm		
	• 16 x 23 cm		
	• 10 X 15 CM		
13.	Paper bags (80 x 100 cm) with printed text (see the Annex to	10 pcs	
	Technical Specifications) – to be supplied out of the main case		
14.	Writable stickers	20 pcs	
15.	Sterile cotton swabs	50 pcs	
16.	Disposable plastic tweezers		
	CRIME SCENE SKETCH KIT	10 pcs Quantity	0 n.cc
Item 9	Pad of Graph Paper (50 Sheets)	•	8 pcs
1.		1 set	
2.	Plastic ruler (30 cm)	1 pcs	
3.	Clutch/mechanical sketch pencil	1 pcs	
4.	Traffic Template	1 pcs	
5.	Lavatory Planning Template	1 pcs	
6.	House Furnishings Template	1 pcs	
7.	Store Layout Template	1 pcs	
8.	Office Plan Template	1 pcs	
9.	Universal Compass	1 pcs	
10.	Metal measuring tape (15 m)	1 pcs	
11.	Set of Professional Drawing Instruments	•	
	<u> </u>	1 pcs	
12.	Triangle ruler (30°/60°/90°) (transparent plastic)	1 pcs	
13.	Triangle ruler (45°/45°/90°) (transparent plastic)	1 pcs	
14.	Sketching and Detail Drawing of the Crime Scene Booklet	1 pcs	
15.	Carrying case with handle	1 pcs	
Item 10	DIGITAL MEASURING WHEEL	Quantity	3 pcs
	De aldie I CD diamles :		
	- Backlit LCD display		
	- Metric counter (meter, centimetre, millimetre) up to 9999.99		
	- Metric counter (meter, centimetre, millimetre) up to 9999.99		
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m		
	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m 		
	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m Wheel circumference: 1 m Power: 2 AA batteries 		
	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m Wheel circumference: 1 m 		
	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m Wheel circumference: 1 m Power: 2 AA batteries Memorize last 5 measurements Metal frame 		
	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m Wheel circumference: 1 m Power: 2 AA batteries Memorize last 5 measurements Metal frame Foldable/collapsible handle 		
ltam 11	 Metric counter (meter, centimetre, millimetre) up to 9999.99 m Accuracy: 10 cm/ 100 m Wheel circumference: 1 m Power: 2 AA batteries Memorize last 5 measurements Metal frame Foldable/collapsible handle Carrying case 	Quantity	2.005
Item 11	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET	Quantity	3 pcs
Item 11 1.	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper:	Quantity 1 pcs	3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels)		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3)		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil - Rechargeable battery pack		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil - Rechargeable battery pack - Battery life (fully charged): min 24 hours		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil - Rechargeable battery pack - Battery life (fully charged): min 24 hours - Length: 1.00-1.30 m		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil - Rechargeable battery pack - Battery life (fully charged): min 24 hours - Length: 1.00-1.30 m - Weight: up to 1.5 kg		3 pcs
	- Metric counter (meter, centimetre, millimetre) up to 9999.99 m - Accuracy: 10 cm/ 100 m - Wheel circumference: 1 m - Power: 2 AA batteries - Memorize last 5 measurements - Metal frame - Foldable/collapsible handle - Carrying case METAL DETECTION SET Metal detector sweeper: - Graphic target ID cursor - Accept/reject discrimination - Target ID legend - Depth indicator - Sensitivity adjustments (min 8 levels) - Audio tone ID levels (min 3) - Electronic pinpointing - Frequency: 6.5 kHz - LCD display - Adjustable arm cuff with strap - Headphone jack - Submersible search coil - Rechargeable battery pack - Battery life (fully charged): min 24 hours - Length: 1.00-1.30 m		3 pcs

- Telescopic handle (up to 120 cm in unfolded position) - Rotative head - Width of head: 45 cm - Number of spikes: min 15 Item 13 STEREOMICROSCOPE 1. Illumination: white LED or halogen 20W with light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	pcs
Telescopic handle (up to 120 cm in unfolded position) Rotative head Width of head: 45 cm Number of spikes: min 15	
- Telescopic handle (up to 120 cm in unfolded position) - Rotative head - Width of head: 45 cm - Number of spikes: min 15 Item 13	
- Width of head: 45 cm - Number of spikes: min 15 Item 13 STEREOMICROSCOPE	pcs
Number of spikes: min 15 Item 13 STEREOMICROSCOPE	pcs
Item 13 STEREOMICROSCOPE Quantity 3 1. - Illumination: white LED or halogen 2oW with light intensity control 1 set - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/2omm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: 1 pcs - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	pcs
1 Illumination: white LED or halogen 20W with light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	pcs
control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility	
- Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
- Eyepieces: WF1ox/2omm (standard) - Additional eyepiece: WF15x (1 pcs), WF2ox (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover	
- Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: 1 pcs - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
- Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
- Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover	
2x (1pcs) - Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: 1 pcs - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
- Interpupillary adjustment: 50-75 mm 2. Dust cover 1 pcs 3. Digital camera: 1 pcs - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
2. Dust cover 1 pcs 3. Digital camera: 1 pcs - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
3. Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
- At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
the microscope and to the PC/laptop, - Software - Live view possibility	
- Software - Live view possibility	
- Live view possibility	
Item 14 LASER RANGEFINDER Quantity 5	
	pcs
- Laser beam, class II	
- Optical device to follow laser beam on long distances	
- Measuring range: 0.05 m up to 200 m	
- Accuracy: +/- 2 mm	
- Backlit display - Tripod mounting possibility	
- Metric units	
- Possibility to memorize the last 10 measurements	
- Continuous measurements function	
- Metrological certification	
	pcs
- Freestanding unit	
- External dimensions (WxLxH): 75 cm x 75 cm x 210 cm	
- Power supply: 210-240V AC	
- Automatic control	
- Carbon air filter	
- One full set of replacement carbon filters	
- Vapour proof light	
- Hanging rods and clips - Fan for even distribution of fumes	
- Start-up kit	
	. pcs
1 Fuming area (100 m³) 1 pcs	pcs
- Power supply: 210-240 V AC	
2. Humidifier (min 2.3 kW)	
3. Cyanoacrylate evaporator with dispersing fan 2 pcs	
4. Cyanoacrylate (25 g/bottle) 40 pcs	
5. Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) 1 pcs	
6. Thermometer (°C)	
7. Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) 100 pcs of	
each	
dimension	

8.	Face mask with carbon filter	2 pcs	
9.	Spare carbon filter for face mask	8 pcs	
10.	Power supply cable 210-240 V AC (min 10 m)	1 pcs	
11.	Storage cases for the system's subassemblies	1 set	
12.	Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m	1 pcs	
13.	Medical gloves (size L) (100 pcs)	1 box	
14.	User guide/manual (preferably in Romanian or Russian)	1 pcs	

UNITATEA DE POLIȚIE:
NUMĂR DOSAR:
DATA EFECTUĂRII CERCETĂRII CÎMPULUI INFRACȚIUNII:
NUMĂR AMBALAJ:
NATURA INFRACȚIUNII (OMOR, VIOL, TÎLHĂRIE, ETC.):
NUMELE VICTIMEI:
NUMELE SUSPECTULUI:
LOCALIZAREA URMEI BIOLOGICE RECOLTATE:
APARTENENȚA PROBEI LITIGIU (PERSOANA DE LA CARE A FOST RIDICATĂ):
NATURA PROBEI LITIGIU (ÎMBRĂCĂMINTE, OBIECTE, SUPORTURI URME MATERIE):
PROBA A FOST RIDICATĂ DE:

Section 3b: Related Services

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfilment of the requirements:

Delivery Term	□ FCA	□ СРТ	☐ CIP	⊠ DAP
[INCOTERMS 2010]				
Exact Address of	10, Putnei Str.,	Chisinau, Repub	olic of Moldova	
Delivery/Installation Location	Forensic Unit o	f General Police	Inspectorate	
Mode of Transport Preferred	⊠ AIR	⊠SEA	\boxtimes LAND	⊠OTHER
Delivery Date	Maximum 90 ca	alendar days aft	er receipt of Pur	chase Order
Customs, if needed, clearing shall be	□UNDP	⊠Supp	olier	☐ Freight Forwarder
done by:				
Inspection upon delivery	Inspection of ed	quipment and ki	ts good functior	ning
Technical Support Requirements	Please refer to	Section 3a: Sche	edule of Require	ments
Payment Terms	⊠ 100% within	30 days upon U	NDP's acceptan	ce of the goods delivered
	as specified and	d receipt of invo	ice	
Conditions for Release of Payment		pon arrival at de	estination	
	⊠ Written Acc	eptance of Good	ds based on full o	compliance with ITB
	requirements			
After-sale services required		Parts and Labo	ur for minimum	period of two (2) years
All documentations, including	⊠ English	☐ French	☑ Others: Rom	nanian and/or Russian
catalogues, instructions and	_			
operating manuals, shall be in this				
language				

Section 4: Bid Submission Form²

(This should be written in the Letterhead of the Bidder. Except for indicated fields, no changes may be made in this template.)

[insert: Location] [insert: Date]

To: [insert: Name and Address of UNDP focal point]

Dear Sir/Madam:

We, the undersigned, hereby offer to supply the goods and related services required for [insert: title of goods and services required as per ITB] in accordance with your Invitation to Bid dated [insert Bid date]. We are hereby submitting our Bid, which includes the Technical Bid and Price Schedule.

We hereby declare that:

- a) All the information and statements made in this Bid are true and we accept that any misrepresentation contained in it may lead to our disqualification;
- b) We are currently not on the removed or suspended vendor list of the UN or other such lists of other UN agencies, nor are we associated with, any company or individual appearing on the 1267/1989 list of the UN Security Council;
- c) We have no outstanding bankruptcy or pending litigation or any legal action that could impair our operation as a going concern; and
- d) We do not employ, nor anticipate employing, any person who is or was recently employed by the UN or UNDP.

We confirm that we have read, understood and hereby fully accept the Schedule of Requirements and Technical Specifications describing the duties and responsibilities required of us in this ITB, and the General Terms and Conditions of UNDP's Standard Contract for this ITB.

We agree to abide by this Bid for [insert: period of validity as indicated in Data Sheet].

We undertake, if our Bid is accepted, to initiate the supply of goods and provision of related services not later than the date indicated in the Data Sheet.

We fully understand and recognize that UNDP is not bound to accept this Bid that we shall bear all costs associated with its preparation and submission, and that UNDP will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the evaluation.

we remain,	
Yours sincerely,	
Authorized Signature [In full and initials]: Name and Title of Signatory: Name of Firm: Contact Details:	
[Please mark this letter w	rith your corporate seal, if available]

² No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

Section 5: Documents Establishing the Eligibility and Qualifications of the Bidder

Bidder Information Form³

Date: [insert date (as day, month and year) of Bid Submission]

ITB No.: [insert number of bidding process]

Page _____ of ____ pages 1. Bidder's Legal Name: [insert Bidder's legal name] 2. In case of Joint Venture (JV), legal name of each party: [insert legal name of each party in JV] 3. Actual or intended Country/ies of Registration/Operation: [insert actual or intended Country of Registration] 4. Year of Registration in its Location: [insert Bidder's year of registration] 5. Countries of Operation 6. No. of staff in each Country 7. Years of Operation in each Country 8. Legal Address/es in Country/ies of Registration/Operation: [insert Bidder's legal address in country of registration] 9. Value and Description of Top three (3) Biggest Contract for the past five (5) years 10. Latest Credit Rating (Score and Source, if any) 11. Brief description of litigation history (disputes, arbitration, claims, etc.), indicating current status and outcomes, if already resolved. 12. Bidder's Authorized Representative Information Name: [insert Authorized Representative's name] Address: [insert Authorized Representative's address] Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers] Email Address: [insert Authorized Representative's email address] 13. Are you in the UNPD List 1267.1989 or UN Ineligibility List? ☐ YES or ☐ NO 14. Attached are copies of original documents of:

☐ All eligibility document requirements listed in the Data Sheet

financial autonomy and compliance with commercial law.

form a JV/Consortium, or Registration of JV/Consortium, if registered

☐ If Joint Venture/Consortium – copy of the Memorandum of Understanding/Agreement or Letter of Intent to

☐ If case of Government corporation or Government-owned/controlled entity, documents establishing legal and

The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, no alterations to its format shall be permitted and no substitutions shall be accepted.

Joint Venture Partner Information Form (if Registered)⁴

Date: [insert date (as day, month and year) of Bid Submission]
ITB No.: [insert number of bidding process]

		Page of pages		
1. Bidder's Legal Name: [insert Bidder's legal name]				
2. JV's Party legal name: [insert JV's	Party legal name]			
3. JV's Party Country of Registration	n: [insert JV's Party country of registr	ation]		
4. Year of Registration: [insert Party	's year of registration]			
5. Countries of Operation	6. No. of staff in each Country	7. Years of Operation in each Country		
8. Legal Address/es in Country/ies of registration]	f Registration/Operation: [insert Party	s legal address in country of		
9. Value and Description of Top thre	e (3) Biggest Contract for the past five	e (5) years		
10. Latest Credit Rating (if any)				
11. Brief description of litigation history (disputes, arbitration, claims, etc.), indicating current status and outcomes, if already resolved.				
13. JV's Party Authorized Represent	tative Information			
•	•	· -		
14. Attached are copies of original documents of: [check the box(es) of the attached original documents]				
☐ All eligibility document requireme				
☐ Articles of Incorporation or Registration of firm named in 2.				
☐ In case of government owned entity, documents establishing legal and financial autonomy and compliance with commercial law.				

⁴ The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, no alterations to its format shall be permitted and no substitutions shall be accepted.

Section 6: Technical Bid Form⁵

INSERT THEE OF THE HD		
Name of Bidding Organization / Firm:		
Country of Registration:		
Name of Contact Person for this Bid:		
Address:		
Phone / Fax:		
Email:		

INICEDT TITLE OF THE ITE

SECTION 1: EXPERTISE OF FIRM/ ORGANISATION

This section should fully explain the Bidder's resources in terms of personnel and facilities necessary for the performance of this requirement.

- 1.1 Brief Description of Bidder as an Entity: Provide a brief description of the organization / firm submitting the Bid, its legal mandates/authorized business activities, the year and country of incorporation, and approximate annual budget, etc. Include reference to reputation, or any history of litigation and arbitration in which the organisation / firm has been involved that could adversely affect or impact the delivery of goods and/or performance of related services, indicating the status/result of such litigation/arbitration.
- <u>1.2. Financial Capacity:</u> Based on the latest Audited Financial Statement (Income Statement and Balance Sheet) describe the financial capacity (liquidity, stand-by credit lines, etc.) of the bidder to engage into the contract. Include any indication of credit rating, industry rating, etc.
- 1.3. Track Record and Experiences: Provide the following information regarding corporate experience within at least the last five (5) years which are related or relevant to those required for this Contract.

Name of project	Client	Contract Value	Period of activity	Types of activities undertaken	Status or Date Completed	References Contact Details (Name, Phone, Email)
	<u> </u>		<u> </u>		<u> </u>	

SECTION 2 - SCOPE OF SUPPLY, TECHNICAL SPECIFICATIONS, AND RELATED SERVICES

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the specifications.

⁵ Technical Bids not submitted in this format may be rejected.

<u>2.1. Scope of Supply</u>: Please provide a detailed description of the goods to be supplied, indicating clearly how they comply with the technical specifications required by the ITB (see below table); describe how the organisation/firm will supply the goods and any related services, keeping in mind the appropriateness to local conditions and project environment.

Item No.	Description/ Specification of Goods	Source/ Manufacturer	Country of Origin	Qty	Quality Certificate/ Export Licences, etc. (indicate all that applies and if attached)

A supporting document with full details may be annexed to this section

- <u>2.2. Technical Quality Assurance Mechanisms</u>: The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms, all the appropriate quality certificates, export licenses and other documents attesting to the superiority of the quality of the goods and technologies to be supplied.
- <u>2.3.</u> Reporting and Monitoring: Please provide a brief description of the mechanisms proposed for this project for reporting to the UNDP and partners, including a reporting schedule.
- <u>2.4. Subcontracting</u>: Explain whether any work would be subcontracted, to whom, how much percentage of the work, the rationale for such, and the roles of the proposed sub-contractors. Special attention should be given to providing a clear picture of the role of each entity and how everyone will function as a team.
- <u>2.5. Risks / Mitigation Measures</u>: Please describe the potential risks for the implementation of this project that may impact achievement and timely completion of expected results as well as their quality. Describe measures that will be put in place to mitigate these risks.
- <u>2.6 Implementation Timelines:</u> The Bidder shall submit a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- <u>2.7. Partnerships (Optional)</u>: Explain any partnerships with local, international or other organizations that are planned for the implementation of the project. Special attention should be given to providing a clear picture of the role of each entity and how everyone will function as a team. Letters of commitment from partners and an indication of whether some or all have successfully worked together on other previous projects is encouraged.
- <u>2.8. Anti-Corruption Strategy (Optional)</u>: Define the anti-corruption strategy that will be applied in this project to prevent the misuse of funds. Describe the financial controls that will be put in place.
- <u>2.9 Statement of Full Disclosure</u>: This is intended to disclose any potential conflict in accordance with the definition of "conflict" under Section 4 of this document, if any.
- 2.10 Other: Any other comments or information regarding the bid and its implementation.

SECTION 3: PERSONNEL

- 3.1 Management Structure: Describe the overall management approach toward planning and implementing the contract. Include an organization chart for the management of the contract, if awarded.
- 3.2 Staff Time Allocation: Provide a spreadsheet will be included to show the activities of each personnel involved in the implementation of the contract. Where the expertise of the personnel is critical to the success of the contract, UNDP will not allow substitution of personnel whose qualifications had been reviewed and accepted during the bid evaluation. (If substitution of such a personnel is unavoidable, substitution or replacement will be subject to the approval of UNDP. No increase in costs will be considered as a result of any substitution).
- 3.3 Qualifications of Key Personnel. Provide the CVs for key personnel (Team Leader, Managerial and general staff) that will be provided to support the implementation of this project. CVs should demonstrate qualifications in area of expertise relevant to the Contract. Please use the format below:

Name:				
Role in Contract Implementation	•			
Nationality:				
Contact information:				
Countries of Relevant Work Expe	rience:			
Language Skills:				
Education and other Qualification	ns:			
Summary of Experience: Highli	ght experience	in the region and on simila	r projects.	
Relevant Experience (From most	recent):			
Period: From – To	Name of acti	vity/ Project/ funding	Job Title and Activities	
	organisation	, if applicable:	undertaken/Description of	
			actual role performed:	
e.g. June 2010-January 2011				
Etc.				
Etc.				
References (minimum of 3):	Name			
Designation				
Organization				
	Contact Infor	rmation – Address; Phone; E	mail; etc.	
Declaration:				
I confirm my intention to serve in the stated position and present availability to serve for the term of the proposed contract. I also understand that any wilful misstatement described above may lead to my disqualification, before or during my engagement.				
Signature of the Nominated Team	ı Leader/Meml	ber	Date Signed	

Technical Responsiveness Table

Bidders shall provide all the applicable data of the equipment offered, failing to do so may result in the bid being rejected. Corresponding documentation shall form part of the bidder's offer.

	Minimum requirements/specifications	Yes/No (Please provide details/description of offered feature)
General	A. The crime scene kits described below shall	•
	correspond to the applicable standards of	
	business/industry and comply with safety and	
	environment requirements.	
	B. The crime scene kit cases shall be of the same type	
	and comply with the following requirements:	
	- ABS	
	- Black colour	
	- Anticorrosive hinges	
	- Two latches	
	- Folding front handle	
	- Maximum external dimensions (LxWxH): 45	
	cm x 36 cm x 20 cm	
	- Support at least 10 kg;	
	- Padding: foam insert or elastic straps	
	C. Warranty period – minimum two (2) years	
Item 1	CRIME SCENE MARKING KIT	
1.	Case (as required above in Section General B)	
2.	Fiberglass reel tape	
	- Yellow fiberglass;	
	- Length - min. 30 m;	
	- Width - 1.5-2 cm;	
	- Black millimetre and centimetre markings;	
	- Flexible, resistant to moisture, inelastic, non-	
	electrically conductive, resistant to physical	
	actions of twisting, bending and breaking;	
	- Versatile end hook	
	- Rewind crank	
3.	Metal measuring tape	
J.	- Anticorrosive finish;	
	- Yellow colour;	
	- Length – 5 m;	
	- Width – 1.5-2 cm;	
	- Black millimetre and centimetre markings;	
	- Flexible, resistant to moisture, inelastic, non-	
	electrically conductive, resistant to physical	
	actions of twisting, bending and breaking;	
	- Versatile end hook	
	- Locking mechanism	
4.	Folding ruler	
ļ 1 .	- Wooden or metal	
	- Alternative black/white metric marking	
	- Length – 5 m;	
	- Thickness – up to 5 mm	
	- Width – 1.5-2 cm	
	- Violit = 1.5-2 cm - Joints with stops	
5.	Laser rangefinder:	
5.	- Laser beam, class II	
L	- Lasei neaiii, Class II	

•	<u></u>	
	- Optical device to follow laser beam on long	
	distances	
	- Measuring range: 0.05 m up to 200 m	
	- Accuracy: +/- 2 mm	
	- Backlit display	
	- Tripod mounting possibility	
	- Metric units	
	- Possibility to memorize the last 10	
	measurements	
	- Continuous measurements function	
6.	- Metrological certification	
б.	A-Frame evidence marking tents:	
	- Letters: A to G - Numbers: 1 to 20	
	- Yellow colour with black printing	
	- Square or rectangular shape of sides	
	- Dimensions: 7-10 cm	
	- Carrying case/bag	
7.	Evidence marking flags:	
/.	- Metallic pole	
	- Height: 30-40 cm	
	- Colour: red (10 pcs), yellow (10 pcs), green (10	
	pcs)	
	- Carrying case/bag	
8.	Photo evidence tape:	
	- Adhesive tape	
	- Width: 10-15 mm	
	- Length: 3 m with o-30 cm repeat	
	- Metric (millimetres and centimetres) black	
	marking on white matte finish	
9.	Photo evidence scales:	
	- Metric (centimetres and millimetres) marking	
	- White background with black marking	
	- Plastic, matt finish	
	- Length – 15 cm	
10.	Reflective chalk (white, red, yellow)	
11.	Permanent markers and water-based markers (red,	
	black, blue)	
12.	Clutch/mechanical pencil with red, black, blue leads (1	
	set of leads of each colour)	
13.	Fluorescent pencils for forensic marking (red)	
14.	Stickers (set of min 50 pcs):	
	- Red and green - Width – 10 cm	
	- Width - 10 cm - Length - 1.5 cm	
Item 2	UNIVERSAL FORENSIC KIT	
1.	Case (as required above in Section General B)	
2.	Fingerprint ink pad:	
	- Plastic case	
	- Snap lock (or similar) lid	
	- Minimum active surface – 12 cm x 6 cm	
3.	Fingerprint ink roller	
J.	- Made of rubber	
	- Width: 5-7 cm	
	- Handle bracket	
4.	Black fingerprint ink (min 100 ml)	
5.	Ink cleaning solution (min 100 ml) or wipes (min 100	
	pcs)	

6.	Colotia liftara for finanzararinta (cina na casa)	1
О.	Gelatin lifters for fingerprints (size 5 x 10 cm):	
	- Black	
	- White	
	- Transparent	
	- Supplied within a cold bag	
7.	Gelatin lifters for fingerprints (size 13 x 18 cm):	
	- Black	
	- White	
	- Transparent	
	- Supplied within a cold bag	
8.	Fingerprint powders for spray brush:	
	 Coin Box/Galvanic Replacement Powder – 30 	
	ml	
	- Silk Black Replacement Powder – 30 ml	
	- Indestructible White Replacement Powder –	
	30 ml	
	- Silver/Red Replacement Powder – 30 ml	
	- Silver/Grey Replacement Powder – 30 ml	
	- Storage box	
9.	Latent print powders:	
	- Colour: yellow fluorescent, black and silver	
	- Application by powdering or by using special	
	brushes	
	- Fluorescent powder to be visible under UV	
	light	
	- Operating temperature range: -10° C/ +45°C	
	- Storage box	
10.	Magnetic latent print powders:	
10.	- Black	
	- Double contrast	
	- Fluorescent orange	
	er .	
	- Fluorescent green - Fluorescent red	
	- Storage box	
11.	Antistatic spray brush system	
12.	Standard fiberglass brush:	
	- Length of active part of brush – at least 5 cm	
	- Protective container and cap	
13.	Magnetic powder applicator with protective container	
14.	Squirrel or Camel hair brush (type 1)	
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 10-15 cm long	
	- Length of active part of brush – at least 3 cm	
	- Protective container and cap	
15.	Squirrel or Camel hair brush (type 2)	
	- Uncut hair	
	- Semicircle	
	- Wooden handle — 17-20 cm long	
	- Length of active part of brush – at least 3 cm	
	- Protective container and cap	
16.	Digital calliper:	
	- Stainless steel	
	- Length – 20 cm	
17.	Stainless steel scissors:	
	- Rounded tips	
	- Length – 10-15 cm	
18.	Metallic mirror:	
		1

	- Rectangular shape	
	- Dimensions: 7-9 cm x 6-8 cm	
19.	Silicone casting kit:	
	- Liquid silicone rubber – 1 tube of min 150 g	
	- 1 vial of catalyst – quantity sufficient for the	
	liquid silicone rubber quantity	
	- Plastic spatula – 1 pcs	
	- Silicone compound to be of light colour,	
	waterproof and able to return to original	
	shape after deformation	
	- Silicone compound hardens within 10 minutes	
20.	Silicone rubber spray (1 tube of min 150 ml)	
21.	Modelling clay (monochrome bars, at least 30 g/bar)	
22.	Round magnet with handle (diameter: 20-25 mm)	
23.	Flat tip tweezers (type 1)	
	- Stainless steel	
	- Length – 10-15 cm	
24.	Flat tip tweezers (type 2) - Stainless steel	
2.5	- Length – 20-25 cm	
25.	Sharp tip tweezers: - Stainless steel	
	- Length – 8-10 cm	
26.	Surgical scalpel handle (plastic)	
27.	Disposable sterile scalpel blades (packed separately),	
2/.	compatible with the surgical scalpel handle	
28.	Metal measuring tape:	
20.	- Anticorrosive finish	
	- Yellow colour	
	- Length – 5 m	
	- Width – 1.5-2 cm	
	- Black millimetre and centimetre markings	
	- Versatile end hook	
	- Locking mechanism	
29.	Thin sterile surgical gloves (size L)	
30.	Thick rubber gloves	
31.	Zip-lock plastic bags:	
	- Dimensions: 15-20 cm x 45-50 cm	
32.	Sterile plastic bags:	
	- Dimensions: 10-15 cm x 40-45 cm	
33.	Transparent evidence collection plastic tubes with cap:	
	- Diameter: 1 cm	
	- Length: 15-20 cm	
34.	Stickers with figures o to 9 (6 pcs per A4 sheet, one	
	sheet for each figure)	
35.	Stickers with printed arrows:	
	- Black marking on white background	
	- Length: 30-40 mm	
	- Width: 10-20 mm	
36.	Universal plier:	
	- Anticorrosive finish	
	- Insulated handles	
37⋅	Fixing spray:	
	- 1 tube of 100 ml	
	- Colourless	
	- Operation temperature range: -10° C/ +40°C	
	- Drying/hardening time: up to 5 min	
38.	Plastic mixing container/bowl, diameter at the top 12-	

	15 cm	
39.	Permanent red marker	
40.	Flashlight:	
40.	- UV LED technology	
	- Wave length: 395 nm (+/- 5 nm)	
	- Dimensions: diameter – up to 4 cm, length –	
	up to 15 cm	
	- Rechargeable battery	
	- Battery life (fully charged): at least 2 hours	
	- Battery charger	
	- Body: metal or highly resistant plastic	
41.	Magnifying glass:	
4	- Diameter: 75 mm	
	- 3.5 x magnification	
42.	Universal multi-tool with standard sheath (similar to	
4	Leatherman Wave Multi-tool)	
43.	Phillips screwdriver (length 15-17 cm)	
44.	Flat-head screwdriver (length 18-20 cm)	
45.	Voltage tester screwdriver (min 250 V AC)	
46.	Glass cutter	
47.	Reflective chalk (white, red, yellow)	
Item 3	LATENT PRINT FIELD KIT	
1.	Case (as required above in Section General B)	
2.	Fingerprint latent powders:	
	- Colour	
	• black – 500 ml;	
	• grey – 300 ml;	
	white – 300 ml;	
	• red – 300 ml;	
	dual purpose white – 300 ml;	
	dual purpose black – 300 ml;	
	• coin box/galvanic – 300 ml;	
	• light adhesive-side powder – 300 ml;	
	dark adhesive-side powder – 300 ml;	
	• yellow fluorescent – 300 ml;	
	 green fluorescent – 300 ml; 	
	• red fluorescent – 300 ml;	
	 pink fluorescent – 300 ml 	
	- Application by powdering or by using special	
	brushes	
	- Fluorescent powder to be visible under UV	
	light	
	- Operating temperature range: -10° C/ +45°C	
	- Storage box	
	Note: Only 100 ml of black powder and 75 ml of each of	
	the other powders will be supplied within the main case.	
	The remaining quantity of each powder will be supplied	
	in a separate resupply box.	
3.	Fingerprints magnetic powders:	
٥.	- Colour:	
	midnight black — 150 ml	
	 indestructible white – 150 ml 	
	• red – 150 ml	
	dual-colour, Silver/Black – 150 ml	
	• dual-colour, Silver/Grey – 150 ml	
	· -	
	 dual-colour, Silver/Red – 150 ml 	1

	yellow fluorescent – 150 ml	
	• green fluorescent — 150 ml	
	• red fluorescent – 150 ml	
	- Storage box	
	Note: Only 75 ml of each powder will be supplied	
	within the main case. The remaining quantity of each	
	powder will be supplied in a separate resupply box.	
4.	Antistatic spray brush system	
5.	Marabou feather brush:	
	- Unshorn	
	- Semicircle	
	- Wooden handle – 15-20 cm long	
	- Length of active part of brush – at least 3-5 cm	
	 Protective container and cap 	
6.	Squirrel or Camel hair brush	
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 15-20 cm long	
	- Length of active part of brush – at least 3-5 cm	
	- Protective container and cap	
7.	Standard fiberglass brush:	
	 Length of active part of brush – at least 5 cm 	
	- Protective container and cap	
8.	Magnetic powder applicator with protective container	
9.	Gelatin lifters for fingerprints (size 5 x 10 cm):	
	- Black	
	- White	
	- Transparent	
	- Supplied within a cold bag	
	Note: Only 10 pcs of lifters of each colour will be	
	supplied within the main case. The remaining quantity	
	of lifters will be supplied in a separate resupply box	
	within a cold bag.	
10.	Gelatin lifters for fingerprints (size 13 x 18 cm):	
	- Black	
	- White	
	- Transparent	
	- Supplied within a cold bag	
	Note: Only 10 pcs of lifters of each colour will be	
	supplied within the main case. The remaining quantity	
	of lifters will be supplied in a separate resupply box	
	within a cold bag.	
11.	Fingerprint lifters (size 10 x 15 cm)	
	- Black	
	- White	
	- Transparent	
12.	Fingerprint lifters (size 5 x 10 cm)	
	- Black	
	- White	
	- Transparent	
	Note Oil and City Co. 1	
	Note: Only 20 pcs of lifters of each colour will be	
	supplied within the main case. The remaining quantity	
	of lifters will be supplied in a separate resupply box	
	within a cold bag.	

	T = 4	T
13.	Photo evidence tape:	
	- Adhesive tape	
	- Width: 10-15 mm	
	- Length: 20 m with 0-30 cm repeat	
	- Metric (millimetres and centimetres) black	
	marking on white matte finish	
14.	Fingerprint ink pad:	
	- Plastic case	
	- Snap lock (or similar) lid	
	- Minimum active surface – 12 cm x 6 cm	
15.	Fingerprint ink roller:	
	- Made of rubber	
	- Width: 5-7 cm	
	- Handle bracket	
16.	Black fingerprint ink (min 100 ml)	
17.	Ink cleaning solution (min 100 ml) or wipes (min 100	
	pcs)	
18.	HEMIDENT reactive (for identification of blood stains)	
19.	Stainless steel scissors (length 15-20 cm)	
20.	Flat tip tweezers (type 1):	
	- Stainless steel	
	- Length – 10-15 cm	
21.	Flat tip tweezers (type 2):	
	- stainless steel	
	- Length – 20-25 cm	
22.	Sharp tip tweezers:	
	- Stainless steel	
	- Length – 8-10 cm	
23.	Glass cutter	
24.	Magnifying glass:	
'	- Diameter – 75 mm	
	- 3.5 x magnification	
25.	Metal measuring tape:	
	- Anticorrosive finish	
	- Yellow colour	
	- Length: 3 m	
	- Width: 1.5-2 cm	
	- Black millimetre and centimetre markings	
	- Versatile end hook	
	- Locking mechanism	
	- Metrological certification	
26.	Hand ink cleaning solution (250 ml)	
27.	Flashlight:	
'	- UV LED technology	
	- Wave length: 395 nm (+/- 5 nm)	
	- Dimensions: diameter – up to 4 cm, length –	
	up to 15 cm	
	- Rechargeable battery	
	- Battery life (fully charged): at least 2 hours	
	- Battery charger	
	- Body: metal or highly resistant plastic	
28.	Transparent lifting tape:	
	- Length: min 10 m	
	- Width: min 3 cm, 5 cm, 10 cm	
29.	Ninhydrin spray (min 100 ml)	
30.	1,8 Diazafluoren 9 One (DFO) solution (150 ml)	
31.	Gentian violet or Crystal violet (25 g)	
32.	Small Particle Reagents for:	
	1 - · · · · · · · · · · · · · · · · · ·	

	- Light-coloured surfaces – 500 ml	
	- Dark-coloured surfaces – 500 ml	
	Each container shall be provided with a dispenser spray	
	head	
	Note: Item 3, sub-items 29-32 shall be supplied in a	
	separate case in addition to the main case.	
Item 4		
1.	Case (as required above in Section General B)	
2.	MIKROSIL Kit (brown and white)	
3.	Dental gypsum <i>or</i> Crownstone plaster:	
	- Powder	
	- 1kg bag	
	- Operating temperature range: -10° C/ +45°C	
	- Hardens within 30 min	
4.	Rubber mixing container/bowl:	
	- Diameter at the top 12-15 cm	
	- Resistant to chemicals and petroleum based	
	oils	
5.	Adjustable casting frame:	
	- Made of lightweight metal or highly resistant	
	plastic	
	- Height of frame: 2-6 cm	
	- Rectangular shape with a possibility for	
	extension on the long side	
	- Size 1 (WxL): 15-20 cm x 30-35 cm (extendable	
	up to 45-50 cm)	
	- Size 2 (WxL): 30-35 cm x 45-50 (extendable up	
	to 6o-65 cm)	
6.	Wax spray (500 ml):	
	- Drying/hardening time: up to 5 min	
	- Operating temperature range: -15° C/ o°C	
7.	Fixing spray (500 ml):	
	- Colourless	
	- Operation temperature range: -10° C/ +40°C	
	- Drying/hardening time: up to 5 min	
8.	Talcum powder (300 g/bag)	
9.	Pig hair brush:	
	- Wooden handle	
	- Length: 10-15 cm	
	- Length of active part of brush: 3-5 cm	
10.	Plastic pipette with rubber bulb	
11.	Filter paper	
12.	Plastic spatula	
13.	Metal/wood "junior" hacksaw	
14.	Plumber wrench	
15.	Hammer (250 gr) with wooden handle, min 20 cm long	
16.	Diagonal cutting pliers (min 15 cm long)	
17.	Carpenter's chisel (min 10 cm long, active part 3 cm)	
18.	Metal cutting scissors (snips) (20 cm long)	
19.	Metal tweezers (10-15 cm long):	
	- Straight edge	
	- Curved-point	
20.	Metal Kocher forceps (straight) (10-15 cm long)	
21.	Universal multi-tool with standard sheath (similar to	
	Leatherman Wave Multi-tool)	
22.	Silicone spray (500 ml), colourless	

Item 5	MICRO-PARTICLE EVIDENCE KIT	
1.	Case (as required above in Section General B)	
2.	Transparent lifting tape:	
	- Length: 10 m	
	- Width: min 3 cm, 5 cm, 10 cm	
3.	Waxed paper (A4), min 20 sheets per set	
4.	Portable vacuum cleaner:	
T.	- Rechargeable battery	
	- Battery life (fully charged) – min 2 hours	
	- Power supply: 210-240 V AC	
	- Filter assembly	
	- Disposable polyester micro-filters — 100 pcs	
	- Lockable plastic case	
Item 6		
1.		
	- Ground Plane, nickel-plated steel (10.2cm x	
	15.2cm) – 1 pcs	
	- Ground Plane Polycarbonate Insulating Sheet	
	(12.7cm x 17.8cm) – 1 pcs	
	- Insulated Roller – 1 pcs	
	- 9V Alkaline Battery – 2 pcs	
	 Metalized Lifting Mats in Protective Tube – 1 	
	set of 5 pcs	
	- Lifting Mats 2'x3' — 2 sets of 10 pcs each	
	- Lifting Material 12" x 25' roll — 2 pcs	
	- Static Discharge Cable – 1 pcs	
	- Carrying case	
	- User guide/manual	
Item 7	BULLET TRAJECTORY KIT	
1.	Case (as required above in Section General B)	
2.	Ballistic angle finder with a tripod mount and	
	possibility to attach laser pointers	
3.	Ballistic laser pointer (red), class Illa with 3 batteries	
4.	Laser pointer (green), 532 nm, 2000 mW, 5 spare	
	heads, 2 batteries	
5.	Bullet penetration rods:	
	- One pointed end and one female threaded	
	end	
	- Diameter 1: 5 mm – 4 pcs	
	- Diameter 2: 7.5-8 mm – 4 pcs	
6.	- Length: 45 cm Multi-coloured rods:	
0.	- Male and female threaded ends	
	- Green – 3 pcs	
	- Red – 3 pcs	
	- Yellow – 3 pcs	
	- Diameter 1: 5 mm – 9 pcs (by 3 of each colour)	
	- Diameter 1: 3 mm – 9 pcs (by 3 of each	
	colour)	
	- Length: 45 cm	
7.	Rod connectors	
8.	Laser connectors	
9.	Stringing tips	
10.	Bullet tips	
11.	Centring cones	
12.	Rubber O-rings	
	Universal tripod mount	
13.	Photo laser smoke	
14.	FIIOLO IdSel SIIIOKe	

15.	Photographic-type tripod (height - min 120 cm)		
16.	Colored trajectory string (orange) (min 100 m)		
Item 8	BIOLOGICAL TRACES/PARTICLES KIT		
1.	Case (as required above in Section General B)		
2.	Unpowdered sterile medical gloves (sizes M and L)		
3.	Forensic sterile cotton swab with plastic tip protector		
4.	Cardboard box, adapted to the dimensions of the swab		
'	to individually store and transport the collected		
	samples		
5.	DNA controlled absorbent cotton tipped swab		
6.	Surgical scalpel handle (metal)		
7.	Disposable sterile scalpel blades (packed separately)		
	compatible with surgical scalpel handle		
8.	Sterile syringes with needles, 5 ml		
9.	Sterile gauze pads (10x10 cm) (5 pcs per pack)		
10.	Sterile water (10 ml)		
11.	Solution for sterilization of instruments (100 ml) and		
	container:		
	- 90 ml of 10% sodium hypochlorite solution		
	- 10 ml of 98% ethanol		
12.	Evidence envelopes with printed text (see the Annex		
	to Technical Specifications) – to be supplied out of the		
	main case:		
	- White transparent paper - Dimensions:		
	• 9 x 17 cm		
	• 16 x 23 cm		
13.	• 10 x 15 cm Paper bags (80 x 100 cm) with printed text (see the		
±3.	Annex to Technical Specifications) – to be supplied		
	out of the main case		
14.	Writable stickers		
15.	Sterile cotton swabs		
16.	Disposable plastic tweezers		
Item 9	CRIME SCENE SKETCH KIT		
1.	Pad of Graph Paper (50 Sheets)		
2.	Plastic ruler (30 cm)		
3.	Clutch/mechanical sketch pencil		
4.	Traffic Template		
5.	Lavatory Planning Template		
6.	House Furnishings Template		
7.	Store Layout Template		
8.	Office Plan Template		
9.	Universal Compass		
10.	Metal measuring tape (15 m)		
11.	Set of Professional Drawing Instruments		
12.	Triangle ruler (30°/60°/90°) (transparent plastic)		
13.	Triangle ruler (45°/45°/90°) (transparent plastic)		
14.	Sketching and Detail Drawing of the Crime Scene		
	Booklet		
15.	Carrying case with handle		
Item 10	DIGITAL MEASURING WHEEL		
	- Backlit LCD display	-	
	- Metric counter (meter, centimetre, millimetre)		
	up to 9999.99 m		
	- Accuracy: 10 cm/ 100 m		
<u> </u>	- Wheel circumference: 1 m		

	- Power: 2 AA batteries	
	- Memorize last 5 measurements	
	- Metal frame	
	- Foldable/collapsible handle	
	- Carrying case	
Item 11	METAL DETECTION SET	
1.	Metal detector sweeper:	
	- Graphic target ID cursor	
	 Accept/reject discrimination 	
	- Target ID legend	
	- Depth indicator	
	- Sensitivity adjustments (min 8 levels)	
	 Audio tone ID levels (min 3) 	
	- Electronic pinpointing	
	- Frequency: 6.5 kHz	
	- LCD display	
	- Adjustable arm cuff with strap	
	- Headphone jack	
	- Submersible search coil	
	- Rechargeable battery pack	
	- Battery life (fully charged): min 24 hours	
	- Length: 1.00-1.30 m	
	- Weight: up to 1.5 kg	
	- Operating temperature range: -15° C/ +40°C	
2.	Stereo headphones	
3.	Search coil cover (suitable to the proposed model)	
4.	Carrying case/bag	
Item 12	MAGNETIC RAKE	
	- Telescopic handle (up to 120 cm in unfolded	-
	position)	
	- Rotative head	
	- Width of head: 45 cm	
	- Number of spikes: min 15	
Item 13	STEREOMICROSCOPE	
1.	- Illumination: white LED or halogen 20W with	-
1.	 Illumination: white LED or halogen 20W with light intensity control 	-
1.		-
1.	light intensity control	-
1.	light intensity control - Head: trinocular inclined 45° and 360°	-
1.	light intensity control - Head: trinocular inclined 45° and 360° rotatable	-
1.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard)	-
1.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1	-
1.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs)	-
1.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x	-
1.	light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1	-
2.	light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs)	-
	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera:	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel,	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel,	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop,	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software	
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop,	
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER	
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER - Laser beam, class II	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER	-
2.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER - Laser beam, class II	-
2. 3.	light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER - Laser beam, class II - Optical device to follow laser beam on long	

	- Accuracy: +/- 2 mm	
	- Backlit display	
	- Tripod mounting possibility	
	- Metric units	
	 Possibility to memorize the last 10 	
	measurements	
	- Continuous measurements function	
	- Metrological certification	
Item 15	CYANOACRYLATE FUMING CHAMBER	
	 Freestanding unit 	
	 External dimensions (WxLxH): 75 cm x 75 cm x 	
	210 cm	
	 Power supply: 210-240V AC 	
	 Automatic control 	
	 Carbon air filter 	
	 One full set of replacement carbon filters 	
	 Vapour proof light 	
	 Hanging rods and clips 	
	 Fan for even distribution of fumes 	
- Start-up kit		
Item 16	PORTABLE CYANOACRYLATE FUMING SYSTEM	
Item 16	- Fuming area (100 m³)	-
		-
	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW)	-
1.	 Fuming area (100 m³) Power supply: 210-240 V AC 	-
2.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW)	-
1. 2. 3.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan	
1. 2. 3. 4.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle)	
1. 2. 3. 4.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50	
1. 2. 3. 4. 5.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles)	
1. 2. 3. 4. 5.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C)	
1. 2. 3. 4. 5. 6.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm)	
1. 2. 3. 4. 5. 6. 7. 8.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter	
1. 2. 3. 4. 5. 6. 7. 8.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m)	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent:	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	- Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof	

Section 7: Price Schedule Form⁶

The Bidder is required to prepare the Price Schedule as indicated in the Instruction to Bidders.

The Price Schedule must provide a detailed cost breakdown of all goods and related services to be provided, from unit price to Lot prices. Separate figures must be provided for each functional grouping or category, if any.

Any estimates for cost-reimbursable items, such as travel of experts and out-of-pocket expenses, should be listed separately.

The format shown on the following pages is suggested for use as a guide in preparing the Price Schedule. The format includes specific expenditures, which may or may not be required or applicable but are indicated to serve as examples.

A. Cost Breakdown per Deliverable Items

No.	Deliverables	Short Description (Brand name, model)	Quantity	Price per unit, USD	Sub-total, USD
1	Crime scene marking kit				
2	Universal forensic kit				
3	Latent print field kit				
4	Trace evidence kit				
5	Micro-particle evidence kit				
6	Electrostatic dust print lifter kit				
7	Bullet trajectory kit				
8	Biological traces/particles kit				
9	Crime scene sketch kit				
10	Digital measuring wheel				
11	Metal detection set				
12	Magnetic rake				
13	Stereomicroscope				
14	Laser Rangefinder				
15	Portable cyanoacrylate fuming system				
16	Cyanoacrylate fuming chamber				
	Delivery charges (DAP Chisinau, INCOTERMS 2010), including insurance				
	Other costs (please indicate)				
	GRAND TOTAL				

⁶ No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

Section 10: Form for Advanced Payment Guarantee⁷

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

	[Bank	's Name, and Address of Issuing Branch or Office]
Benefi	ciary:[Nan	ne and Address of UNDP]
Date:		
ADVANCE PAYMENT GUARANTEE No.:		
Contra		Company] (hereinafter called "the Contractor") has entered into entract] dated [insert: date] with you, for the provision of [brief ter called "the Contract").
		ing to the conditions of the Contract, an advance payment in the ares]) is to be made against an advance payment guarantee.
sums r your fi its obli	not exceeding in total an amount or rst demand in writing accompanied	ne of Bank] hereby irrevocably undertake to pay you any sum or f [amount in words] ([amount in figures]) ⁸ upon receipt by us of by a written statement stating that the Contractor is in breach of the Contractor has used the advance payment for purposes other ed services under the Contract.
referre		ent under this guarantee to be made that the advance payment d by the Contractor on its account number at [name
payme preser certific or on t	nt repaid by the Contractor as indited to us. This guarantee shall exate indicating that the Contractor he day of, 2, 2, 2, 2, 2, 2, 2, 2	shall be progressively reduced by the amount of the advance licated in copies of certified monthly statements which shall be spire, at the latest, upon our receipt of the monthly payment has made full repayment of the amount of the advance payment, D whichever is earlier. Consequently, any demand for payment us at this office on or before that date.
This gu	arantee is subject to the Uniform R	ules for Demand Guarantees, ICC Publication No. 458.
	signature(s)]	
Note:	All italicized text is for indicative p from the final product.	ourposes only to assist in preparing this form and shall be deleted

⁷ This Guarantee shall be required if the Contractor will require advanced payment of more than 20% of the contract amount, or if the absolute amount of the advanced payment required will exceed the amount of USD 30,000, or its equivalent if the price offer is not in USD, using the exchange rate stated in the Data Sheet. The Contractor's Bank must issue the Guarantee using the contents of this template.

⁸ The Guarantor Bank shall insert an amount representing the amount of the advanced payment and denominated either in the currency/ies of the advanced payment as specified in the Contract.

Section 11: General Terms and Conditions for Goods

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.

3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be

deemed an acceptance of the goods.

7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licenses, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- 9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- 9.2 Refuse to accept delivery of all or part of the goods.
- 9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

16.1 Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.

18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19. OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to

agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.